



Network Problem Diagnosis with Packet Traces

David J Cheng

Applied Expert Systems, Inc.

davec@aesclever.com

February 6, 2013, 9:30AM Session 12777



Agenda



- z/OS: Using CTRACE
 - Packet Trace
 - Data Trace
 - OSAENTA Trace
- Linux, Unix/AIX: tcpdump (Windows: windump)
- TCP/IP revisited
- Sample Cases
 - OSA Excessive / Dropped packets, addressing errors
 - DNS, DHCP
 - FTP Flow analysis, brute force attack
 - AT-TLS Flow analysis



Using Traces



- Know your protocols network stack & application flow
 - Check for "errors"
 - Mismatched capabilities
 - Lost packets (due to congestions?)
- Baseline normal traffic flow
- Trace comparison
- Trace inventory with annotations
- Multiple trace Points multiple platforms
- Automate taking traces one-click operation
- Scheduling Traces



How to Take a Packet Trace?



z/OS CTRACE:

SYSTCPDA

- Packet Trace
 - Scope: TCP/IP stack
 - Packets entering or leaving the TCP/IP stack
- Data Trace
 - scope: TCP/IP stack
 - Socket data into and out of the Physical File System (PFS)
 - Application data (unencrypted)

SYSTCPOT

- OSAENTA
 - Scope: LPAR or CHPID
 - Frames entering or leaving an OSA adapter for a connected host





TCP/IP Networking API Relationship*



* Comm Server IP Sockets API Guide & Ref





z/OS CTRACE: SYSTCPDA – Packet Trace

Set up an External Writer Proc

E.g., SYS1.PROCLIB(AESWRT):

//IEFPROC EXEC

PGM=ITTTRCWR, REGION=0K, TIME=1440, DPRTY=15

//TRCOUT01 DD DISP=SHR,DSN=trace.dataset

• Set up tracing parameters E.g., SYS1.PARMLIB(CTAESPRM): TRACEOPTS ON WTR(AESWRT) ... other trace options ...





z/OS CTRACE: SYSTCPDA – Packet Trace

• To Start Tracing:

TRACE CT,WTRSTART=AESWRT
V TCPIP,tcpip,PKT,CLEAR
V TCPIP,tcpip,PKT,LINKN=<link>,ON,FULL,PROT=TCP,IP=<ip addr>
TRACE CT,ON,COMP=SYSTCPDA,SUB=(TCPIP),PARM=CTAESPRM

• To Stop Tracing:

V TCPIP, tcpip, PKT, OFF TRACE CT, OFF, COMP=SYSTCPDA, SUB=(TCPIP) TRACE CT, WTRSTOP=AESWRT, FLUSH

- To View Tracing Status:
 - D TRACE, WTR=AESWRT Verify that the external writer is active
 - D TCPIP, tcpip, NETSTAT, DE Verify that **TrRecCnt** is non-zero and incrementing

Copyright © 2013 Applied Expert Systems, Inc.





z/OS CTRACE: SYSTCPDA Parameters

System Parameters -		
TCP/IP Proc :	ТСРІР	(TCP/IP Proc Name)
Writer Proc :	AESWRT	External Writer Proc Name
Parm Member :	CTAESPRM	(Trace Options Parmlib Member)
Trace Parameters —		
Trace Mode :	Link C Interface	
Link / INTF :	*	(Link / Interface Name, * for all)
Packet Length :	FULL	(1 - 65535, FULL for entire packet)
Protocol :	ż	(TCP, UDP, ICMP, ICMPV6, 0-255, * for all)
IP Address :	×	(Source/Destination IP Address, * for all)
Subnet/Mask/Prefi	x : 255.255.255.255	(IPV4 subnet/mask or IPV6 prefix length)
Source Port :	*	(Source Port, * for all)
Destination Port :	*	(Destination Port, *for all)
Packet Port :	*	(1-65535, * for any source/destination port)
Discard :	NONE	(ALL, NONE, *, or Discard Code: 4096 - 20479)

Copyright @2013 Applied Expert Systems, Inc.



z/OS CTRACE: SYSTCPDA Starting a Trace



COMMAND ===> Scroll ===> CSR
TRACE CT,WTRSTART=AESWRT ITT038I ALL OF THE TRANSACTIONS REQUESTED VIA THE TRACE CT COMMAND WERE SUCCESS FULLY EXECUTED. IEE839I ST=(ON,0001M,00001M) AS=ON BR=OFF EX=ON MO=OFF MT=(ON,064K) ISSUE DISPLAY TRACE CMD FOR SYSTEM AND COMPONENT TRACE STATUS ISSUE DISPLAY TRACE,TT CMD FOR TRANSACTION TRACE STATUS ISSUE DISPLAY TRACE,TT CMD FOR TRANSACTION TRACE STATUS
Y TCPIP,TCPIP,PKT,CLEAR EZZ0060I PROCESSING COMMAND: VARY TCPIP,TCPIP,PKT,CLEAR EZZ0053I COMMAND VARY PKTTRACE COMPLETED SUCCESSFULLY
<pre>Y TCPIP,TCPIP,PKT,LINKN=*,ON,FULL,PROT=*,IP=*,SUBN=255.255.255.255.255,SRCP=*,DEST= * EZZ0060I PROCESSING COMMAND: VARY TCPIP,TCPIP,PKT,LINKN=*,ON,FULL,PROT=*,IP=*,S UBN=255.255.255.255,SRCP=*,DEST=* EZZ0053I COMMAND VARY PKTTRACE COMPLETED SUCCESSFULLY</pre>
TRACE CT,ON,COMP=SYSTCPDA,SUB=(TCPIP),PARM=CTAESPRM ITT038I ALL OF THE TRANSACTIONS REQUESTED VIA THE TRACE CT COMMAND WERE SUCCESS FULLY EXECUTED. IEE839I ST=(ON,0001M,00001M) AS=ON BR=OFF EX=ON MO=OFF MT=(ON,064K) ISSUE DISPLAY TRACE CMD FOR SYSTEM AND COMPONENT TRACE STATUS ISSUE DISPLAY TRACE,TT CMD FOR TRANSACTION TRACE STATUS



z/OS CTRACE: SYSTCPDA Checking Trace Status



Packet Trace Command Display ----- Line 1 of 170 COMMAND ===> Scroll ===> CSR D TRACE,WTR=AESWRT IEE8431 00.27.10 TRACE DISPLAY 789 SYSTEM STATUS INFORMATION ST=(0N,0001M,00001)) AS=0N BR=0FF EX=0N M0=0FF MT=(0N,064K) WRITER STATUS / HEAD COMPONENT SUBNAME AESWRT ACTIVE SYSTCPDA TCPIP D TCPIP, TCPIP, NETSTAT, DE EZD01011 NETSTAT CS VIR11 TCPIP 791 DEVNAME: LOOPBACK DEVTYPE: LOOPBACK DEVSTATUS: READY LNKNAME: LOOPBACK LNKTYPE: LOOPBACK LNKSTATUS: READY ACTMTU: 65535 ROUTING PARAMETERS: MTU SIZE: N/A METRIC: 00 DESTADDR: 0.0.0.0 SUBNETMASK: 0.0.0.0 PACKET TRACE SETTING: PROTOCOL: * TRRECCNT: 00000033 PCKLENGTH: FULL DISCARD: NONE SRCPORT: DESTPORT: * PORTNUM: * × IPADDR: SUBNET: ж * MULTICAST SPECIFIC: MULTICAST CAPABILITY: NO LINK STATISTICS: BYTESIN = 4620 INBOUND PACKETS = 79 INBOUND PACKETS IN ERROR = 0 INBOUND PACKETS DISCARDED = 0 INBOUND PACKETS WITH NO PROTOCOL = 0 BYTESOUT = 4620= 79 OUTBOUND PACKETS = 0 OUTBOUND PACKETS IN ERROR = 0 OUTBOUND PACKETS DISCARDED INTFNAME: LOOPBACK6 INTFTYPE: LOOPBACK6 INTESTATUS: READY ACTMTU: 65535 PACKET TRACE SETTING: PCKLENGTH: FULL PROTOCOL: * TRRECCNT: 00000000 DISCARD: NONE

Copyright © 2013 Applied Expert Systems, Inc.



z/OS CTRACE: SYSTCPDA Stopping a Trace



COMMAND ===> Scroll ===> CSR
V TCPIP,TCPIP,PKT,OFF EZZ0060I PROCESSING COMMAND: VARY TCPIP,TCPIP,PKT,OFF EZZ0053I COMMAND VARY PKTTRACE COMPLETED SUCCESSFULLY
TRACE CT,OFF,COMP=SYSTCPDA,SUB=(TCPIP) ITT03BI ALL OF THE TRANSACTIONS REQUESTED VIA THE TRACE CT COMMAND WERE SUCCESS FULLY EXECUTED. IEEB39I ST=(ON,0001M,00001M) AS=ON BR=OFF EX=ON MO=OFF MT=(ON,064K) ISSUE DISPLAY TRACE CMD FOR SYSTEM AND COMPONENT TRACE STATUS ISSUE DISPLAY TRACE,TT CMD FOR TRANSACTION TRACE STATUS
TRACE CT,WTRSTOP=AESWRT,FLUSH ITT038I ALL OF THE TRANSACTIONS REQUESTED VIA THE TRACE CT COMMAND WERE SUCCESS FULLY EXECUTED. IEE839I ST=(ON,0001M,00001M) AS=ON BR=OFF EX=ON MO=OFF MT=(ON,064K) ISSUE DISPLAY TRACE CMD FOR SYSTEM AND COMPONENT TRACE STATUS ISSUE DISPLAY TRACE,TT CMD FOR TRANSACTION TRACE STATUS ITT111I CTRACE WRITER AESWRT TERMINATED BECAUSE OF A WTRSTOP REQUEST.





z/OS CTRACE: SYSTCPDA – Data Trace

• To Start/Stop Data Trace:

V TCPIP, tcpip, DAT, ON, <trace options>

V TCPIP, tcpip, DAT, OFF

- To View Tracing Status:
 - D TCPIP, tcpip, NETSTAT, CONFIG

DATA TRACE	SETTING					
JOBNAME: *		TRRECCNT:	00000033	LENGTH:	FULL	
IPADDR: *		SU	JBNET: *			
PORTNUM: *						



z/OS CTRACE: SYSTCPOT – OSAENTA Trace



an Francisco

2013

OSA-Express Network Traffic Analyzer (OSAENTA)

- Trace data is collected (by the device drivers of OSA) as frames enter or leave an OSA adapter for a connected host
- The host can be an LPAR with z/OS, z/VM or Linux
- ARP packets, MAC headers (w/VLAN tags)
- The trace function is controlled by z/OS Communication Server, while the data is collected in the OSA at the network port

• Pre-Reqs:

- Required the microcode for the OSA (2094DEVICE PSP and the 2096DEVICE PSP).
- Update the OSA using the Hardware Management Console (HMC) to:

Define more data devices to systems that will use the trace function.

Set the security for the OSA:

LOGICAL PARTITION - Only packets from the LPAR

CHPID - All packets using this CHPID

 Verify the TRLE definitions for the OSA that it has one DATAPATH address available for tracing. Note that two DATAPATH addresses are required – one for data transfers and the other for trace data. Copyright © 2013 Applied Expert Systems, Inc.



TRLE Definition and D NET, TRL, TRLE=

OSATRL2 VBUILD TYPE=TRL

OSATRL2E TRLE LNCTL=MPC, READ=(0404), WRITE=(0405), DATAPATH=(0406, 0407), X

PORTNAME=DR281920,

Х

MPCLEVEL=QDIO



Copyright © 2013 Applied Expert Systems, Inc.





z/OS CTRACE: OSAENTA Parameters



System Parameters		
TCP/IP Proc :	TCPIP	(TCP/IP Proc Name)
Writer Proc :	AESWRT	External Writer Proc Name
Parm Member :	CTAESPRM	(Trace Options Parmlib Member)
OSA Port Name :	DR281920	(Port name for tracing)
Trace Parameters		
Data Length :	FULL	(64 - 65472, FULL for entire packet)
Trace Amount :	0	(1 - 2147483647 MB, 0 = Max value)
No. of Frames :	0	(100 - 2147483647 frames, 0 = Max value)
Trace Duration :	1	(1 - 10080 minutes, 0 = Max value)
Discard :	NONE	(ALL, NONE, EXCEPTION, or discard code: 1 - 4087)
Device ID :	ż	(8-hex digits OSA Device ID, * for all)
Protocol :	ż	(TCP, UDP, ICMP, ICMPV6, 0 - 255, * for all)
IP Address :	ż	(* for all)
Mask Bits/Prefix :	32	(IPV4 mask bits or IPV6 prefix length)
Port number :	ż	(1 - 65535, * for all)
Ethernet Type :	ż	(IPV4, IPV6, ARP, SNA, 0600 - FFFF, * for all)
Mac Address :	ż	(12-hex digits MAC address, * for all)
VLAN ID :	*	(0 - 4094, ALL for VLAN tag, * for all)







z/OS CTRACE: OSAENTA

• To Start Tracing:

TRACE CT,WTRSTART=AESWRT
V TCPIP,tcpip,OSAENTA,PORTNAME=<port>,CLEAR
V TCPIP,tcpip,OSAENTA,PORTNAME=<port>,ON,NOFILTER=ALL
TRACE CT,ON,COMP=SYSTCPOT,SUB=(TCPIP),PARM=CTAESPRM

• To Stop Tracing:

V TCPIP,,OSAENTA,PORTNAME=<port>,OFF TRACE CT,OFF,COMP=SYSTCPOT,SUB=(TCPIP) TRACE CT,WTRSTOP=AESWRT,FLUSH

- To View Tracing Status:
 - D TRACE, WTR=AESWRT to verify that the external writer is active
 - D TCPIP, tcpip, NETSTAT, DE
- to check status





z/OS CTRACE: OSAENTA

To View Tracing Status (continued):

```
D TCPIP, tcpip, NETSTAT, DE
 OSA-EXPRESS NETWORK TRAFFIC ANALYZER INFORMATION:
   OSA PORTNAME: DR281920
                                   OSA DEVSTATUS:
                                                       READY
     OSA INTFNAME: EZANTADR281920 OSA INTFSTATUS:
                                                       READY
     OSA SPEED:
                   1000
                                   OSA AUTHORIZATION: LOGICAL PARTITION
     OSAENTA CUMULATIVE TRACE STATISTICS:
                                                           3625
       DATAMEGS:
                  1
                                          FRAMES:
       DATABYTES: 1641283
                                         FRAMESDISCARDED: 0
       FRAMESLOST: 0
     OSAENTA ACTIVE TRACE STATISTICS:
       DATAMEGS:
                   Ο
                                          FRAMES:
                                                           23
       DATABYTES: 6148
                                          FRAMESDISCARDED:
                                                           0
       FRAMESLOST: 0
                                          TIMEACTIVE:
                                                           2
     OSAENTA TRACE SETTINGS:
                             STATUS: ON
       DATAMEGSLIMIT: 2147483647
                                         FRAMESLIMIT: 2147483647
       ABBREV:
                      480
                                                          10080
                                          TIMELIMIT:
       DISCARD:
                      NONE
     OSAENTA TRACE FILTERS:
                                       NOFILTER: ALL
       DEVICEID: *
       MAC:
       VLANID:
       ETHTYPE:
                 *
       IPADDR:
       PROTOCOL: *
       PORTNUM:
                 *
```





z/OS CTRACE: OSAENTA ABBREV Parm

- Specify <u>FULL</u> or ABBREV={length | 224 } for the amount of data to be traced.
- ABBREV allows a value up to 64K, why the maximum value is reset to 480?
- "An OSA might limit the amount of data that is actually traced."
 - To conserve the OSA trace buffer space
 - ABBREV value is rounded up to the next 32-byte multiple with a maximum of 480
- To circumvent this limitation, start Packet Trace at the same time.



Linux, Unix and AIX: tcpdump (Windows: windump)



- Requires root authority; use the "su" command first
- Output is formatted trace (default) or written to a pcap file
- tcpdump –w xyz.pcap
- tcpdump –v (sample output from SLES 11 on System z)

16:23:18.803265 IP (tos 0x10, ttl 64, id 63277, offset 0, flags [DF], proto TCP (6), length 40) etpglsj.dal-ebit.ihost.com.ssh > 172.29.96.42.56570: ., cksum 0x 96e2 (correct), ack 2111375775 win 158 16:23:18.805880 IP (tos 0x10, ttl 64, id 63278, offset 0, flags [DF], proto TCP (6), length 172) etpglsj.dal-ebit.ihost.com.ssh > 172.29.96.42.56570: P 0:132(13 ack 1 win 158 16:23:18.806155 IP (tos 0x0, ttl 64, id 51563, offset 0, flags [DF], proto UDP (17), length 71) etpglsj.dal-ebit.ihost.com.33031 > ns.dfw.ibm.com.domain: 56736+ PTR? 42.96.29.172.in-addr.arpa. (43) 16:23:18.808816 IP (tos 0x0, ttl 26, id 23382, offset 0, flags [none], proto UDP (17), length 148) ns.dfw.ibm.com.domain > etpglsj.dal-ebit.ihost.com.33031: 567 36 NXDomain 0/1/0 (120) 16:23:18.858199 IP (tos 0x0, ttl 127, id 1215, offset 0, flags [none], proto UDP (17), length 78) 172.29.96.56.netbios-ns > 172.29.191.255.netbios-ns: NBT UDP P ACKET(137): QUERY; REQUEST; BROADCAST 16:23:18.858309 IP (tos 0x0, ttl 126, id 1215, offset 0, flags [none], proto UDP (17), length 78) 172.29.96.56.netbios-ns > 172.29.191.255.netbios-ns: NBT UDP P ACKET(137): QUERY; REQUEST; BROADCAST 16:23:18.858548 IP (tos 0x0, ttl 64, id 51568, offset 0, flags [DF], proto UDP (17), length 71) etpglsj.dal-ebit.ihost.com.55971 > ns.dfw.ibm.com.domain: 64720+ PTR? 56.96.29.172.in-addr.arpa. (43) 16:23:18.859303 IP (tos 0x0, ttl 125, id 1215, offset 0, flags [none], proto UDP (17), length 78) 172.29.96.56.netbios-ns > 172.29.191.255.netbios-ns: NBT UDP P Copyright © 2013 Applied Expert Systems, Inc.



Networking Stack Support for TCP/IP





Source: http://uw713doc.sco.com/en/NET_tcpip/tcpN.tcpip_stack.html

Copyright © 2013 Applied Expert Systems, Inc.



Encapsulation of Application Data within a Network Stack



Source: http://uw713doc.sco.com/en/NET_tcpip/tcpN.tcpip_stack.html







ICMP Header



RFC 792 Outlines the ICMP Protocol





Source http://www.troyjessup.com/headers/ICMP_Header.png Copyright © 2013 Applied Expert Systems, Inc.



ICMP Type 3: Destination Unreachable Code 4: Fragmentation needed



packet size > MTU but Don't Fragment bit is set

Packet Summary												
D	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port				
1	20:11:48:3265 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns				
2	20:11:48:3273 CST	56	100.100.100.100	62.177.254.141	ICMP	Destination Unreachable : Fragmentation needed						
3	20:11:49:3271 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns				
4	20:11:50:3272 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns				
5	20:11:52:3277 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns				
6	20:11:54:3296 CST	60	62.177.254.1	62.177.254.141	ARP	ARP Request: Who Has 62.177.254.141? Tell						
7	20:11:54:3296 CST	60	62.177.254.141	62.177.254.1	ARP	ARP Reply: 62.177.254.141 is at 08:00:46:F4:3A:09						
8	20:11:56:3284 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns				
9	20:11:56:3291 CST	56	100.100.100.100	62.177.254.141	ICMP	Destination Unreachable : Fragmentation needed						
10	20:12:03:3294 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns				
11	20:12:03:3301 CST	56	100.100.100.100	62.177.254.141	ICMP	Destination Unreachable : Fragmentation needed						
12	20:12:04:3299 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns				
13	20:12:05:3301 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns				
14	20:12:07:3304 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns				
15	20:12:09:5934 CST	60	62.177.254.1	62.177.254.141	ARP	ARP Request: Who Has 62.177.254.141? Tell						
16	20:12:09:5934 CST	60	62.177.254.141	62.177.254.1	ARP	ARP Reply: 62.177.254.141 is at 08:00:46:F4:3A:09						
17	20:12:11:3312 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns				
18	20:12:11:3320 CST	56	100.100.100.100	62.177.254.141	ICMP	Destination Unreachable : Fragmentation needed						





UDP Header Format



Source http://www.troyjessup.com/headers/UDP_Header.png Copyright © 2013 Applied Expert Systems, Inc.



TCP Header Format



Source http://nmap.org/book/images/hdr/MJB-TCP-Header-800x564.png Copyright © 2013 Applied Expert Systems, Inc.



TCP Flags



- URG (Urgent) Rarely used; indicates the Urgent Pointer field should be examined.
- ACK (Acknowledgement) Segment contains an acknowledgment. Every segment should have ACK except for SYN or RST segments.
- **PSH** (Push) Bypass buffering and send/receive the data immediately.
- RST (Reset) Abnormal session termination, close the connection explicitly
- **SYN** (Synchronize) Synchronize Sequence Numbers to establish a connection
- FIN (Finish) Transaction finished, no more data from sender (but doesn't close connection explicitly)



TCP - Establishing a Connection The 3 Way Handshake





28 Complete your sessions evaluation online at SHARE.org/SFEval

2013

TCP - Establishing a Connection The 3 Way Handshake



爤	CleverVi	ew® for cTrace A	Inalysis									
I	File Help											
			Q 🧶 🤧	📅 🖹 🖗								
1	ы —		5 5 mm		Kt Analise Fra			-				
		TC Errors Ben Dession	Errors OF	cesp, time intesn.	Application Err	ors 👴 INIT		Errors				
Tr	aces Que	ry Builder Packet Si	ummary Sec	quence of Executio	on Response Time	Summary						
1	1						Connection Triplet					
[Packet Sur	nmary						1		147	h Ionnean	
	ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size
	186	19:15:14:2502 EST	52	137.72.43.137	137.72.43.207	TCP	SYN	18737	ftp control	372007522	0	65535
1	187	19:15:14:2507 EST	48	137.72.43.207	137.72.43.137	TCP	ACKISYN	ftp control	18737	305077768	372007 3	32768
	188	19:15:14:2549 EST	40	137.72.43.137	137.72.43.207	TCR	ACK	18737	ftp control	372007523	3057 69	64240
	191	19:15:14:3793 EST	114	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 220	ftp control	18737	305	- 5	32768
	193	19:15:14:5628 EST	40	137.72.43.137	137.72.43.207	TCP	ACK	18737	ftp control	372 Wir	Nobe	64221
	194	19:15:14:5633 EST	74	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 220	ftp control	18737	305		32768
	195	19:15:14:7659 EST	40	137.72.43.137	137.72.43.207	TCP	ACK	18737	ftp control	372 5	ize j	64213
	198	19:15:16:0547 EST	54	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command USER	18737	ftp control	372007523	305077877	64213
	199	19:15:16:0681 EST	67	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 331	ftp control	18737	305077877	372007537	32754
	200	19:15:16:1717 EST	40	137.72.43.137	137.72.43.207	TCP	ACK	18737	ftp control	372007537	305077904	64206
	203	19:15:16:5535 EST	52	137.72.43.3	137.72.43.207	TCP	SYN	1909	ftp control	751490806	0	65535
	204	19:15:16:5540 EST	48	137.72.43.207	137.72.43.3	TCP	ACKISYN	ftp control	1909	305141270	751490807	32768
	205	19:15:16:5560 EST	40	137.72.43.3	137.72.43.207	TCP	ACK	1909	ftp control	751490807	305141271	64240
	206	19:15:16:6689 EST	114	137.72.43.207	137.72.43.3	TCP	ACK PSH : ftp reply code 220	ftp control	1909	305141271	751490807	32768
	207	19:15:16:8751 EST	40	137.72.43.3	137.72.43.207	TCP	АСК	4000	ftp control	751490807	305141345	64221
	208	19:15:16:8756 EST	74	137.72.43.207	137.72.43.3	TCP	ACK PSH : ftp reply code	pl	1909	305141345	751490807	32768
	209	19:15:16:8792 EST	53	137.72.43.3	137.72.43.207	TCP	ACK PSH : ftp command SEQ & ACK	#'s	ftp control	751490807	305141379	64213
	211	19:15:17:1092 EST	40	137.72.43.207	137.72.43.3	TCP	ACK PSH		1909	305141379	751490820	32755
	212	19:15:17:2778 EST	67	137.72.43.207	137.72.43.3	TCP	ACK PSH : ftp reply code		1909	305141379	751490820	32755
	213	19:15:17:2801 EST	52	137.72.43.3	137.72.43.207	TCP	ACK PSH : ftp command PASS	1909	ftp control	751490820	305141406	64206
	216	19:15:17:5168 EST	40	137.72.43.207	137.72.43.3	TCP	ACK PSH	ftp control	1979	305141406	751490832	32756
	217	19:15:17:7234 EST	99	137.72.43.207	137.72.43.3	TCP	ACK PSH : ftp reply code 230	ftp control	1909	305141406	751492632	32756
	218	19:15:17:7262 EST	46	137.72.43.3	137.72.43.207	TCP	ACK PSH : ftp command SYST	1909	ftp control	751490652	305141465	64191
	219	19:15:17:7288 EST	120	137.72.43.207	137.72.43.3	TCP	ACK PSH : ftp reply code 215	ftp control	1909	305141465	751490838	32762
	220	19:15:17:7315 EST	46	137.72.43.3	137.72.43.207	TCP	ACK PSH : ftp command QUIT	1909	ftp control	751490838	305141545	64171
	221	19:15:17:7337 EST	77	137.72.43.207	137.72.43.3	TCP	ACK PSH : ftp reply code 221	ftp control	1909	305141545	751490844	32762
	222	19:15:17:7351 EST	40	137.72.43.207	137.72.43.3	TCP	ACK PSH FIN	ftp control	1909	305141582	751490844	32762
	223	19:15:17:7375 EST	40	137.72.43.3	137.72.43.207	TCP	ACK	1909	ftp control	751490844	305141583	64162
	224	19:15:17:7376 EST	40	137.72.43.3	137.72.43.207	TCP	ACK FIN	1909	ftp control	751490844	305141583	64162
	225	19:15:17:7390 EST	40	137.72.43.207	137.72.43.3	TCP	ACK PSH	ftp control	1909	305141583	751490845	32762

Copyright © 2013 Applied Expert Systems, Inc.



TCP - Establishing a Connection

Cleve	Increase Description Description <thdescription< th=""></thdescription<>													
File	Help													
		Q 🍭 🚴	. 📅 🖻 🢡											
	🔄 Traffic Errors 📴 Session Errors 🖉 Resp. Time Thresh. 🛠 Application Errors 💿 INIT Packets 💿 TERM Packets 🛛 INIT Errors TERM Errors													
- 1	races Query Builder Packet Summary Scention Summary IB Summary Backet Dataile													
Traces	races Query Builder Packet Summary P Summary Packet Details													
Packet Summary														
ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size			
1	21:04:29:5621 CST	52	10.0.52.164	204.152.184.134	TCP	SYN	2646	http	3087588094	0	65535			
2	21:04:29:7421 CST	52	204.152.184.134	10.0.52.164	TCP	ACK SYN	http	2646	1218508629	3087588095	65535			
3	21:04:29:7421 CST	40	10.0.52.164	204.152.184.134	TCP	АСК	2646	http	3087588095	1218508630	64240			
4	21:04:29:7443 CST	483	10.0.52.164	204.152.184.134	TCP	ACK PSH : Request: GET	2646	http	3087588095	1218508630	64240			
5	21:04:29:9242 CST	r 40	204.152.184.134	10.0.52.164	TCP	ACK	http	2646	1218508630	3087588538	65257			
6	21:04:29:9281 CST	1500	204.152.184.134	10.0.52.164	TCP	ACK : Reply: HTTP/1.1 200 OK	http	2646	1218508630	3087588538	65535			
7	21:04:29:9284 CST	40	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218510090	64240			
8	21:04:29:9292 CST	1500	204.152.184.134	10.0.52.164	TCP	ACK	http	2646	1218510090	3087588538	65535			
9	21:04:29:9292 CST	43	204.152.184.134	10.0.52.164	TCP	ACK PSH	http	2646	1218513010	3087588538	65535			
10	21:04:29:9292 CST	52	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218511550	63875			
11	21:04:29:9293 CST	52	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218511550	64240			
12	21:04:29:9303 CST	1500	204.152.184.134	10.0.52.164	TCP	ACK	http	2646	1218511550	3087588538	65535			
13	21:04:29:9304 CST	r 40	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218513013	63874			
14	21:04:29:9305 CST	40	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218513013	64240			
15	21:04:30:1102 CST	1500	204.152.184.134	10.0.52.164	TCP	ACK	http	2646	1218513013	3087588538	65535			
16	21:04:30:1105 CST	40	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218514473	64240			
17	21:04:30:1113 CST	1500	204.152.184.134	10.0.52.164	TCP	ACK	http	2646	1218514473	3087588538	65535			
18	21:04:30:1114 CST	40	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218515933	64240			
19	21:04:30:1123 CST	1500	204.152.184.134	10.0.52.164	TCP	ACK	http	2646	1218515933	3087588538	65535			
20	21:04:30:1124 CST	40	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218517393	64240			
21	21:04:30:1135 CST	1500	204.152.184.134	10.0.52.164	TCP	ACK	http	2646	1218517393	3087588538	65535			
22	21:04:30:1136 CST	40	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218518853	64240			
23	21:04:30:1145 CST	1500	204.152.184.134	10.0.52.164	TCP	ACK	http	2646	1218518853	3087588538	65535			







TCP Options – MSS, Window Scale, SACK



Packet Details	Packet Details
Packet ID : 1	Packet ID : 2
Time : 11/2/2005 21:04:29:5621 CST	Time : 11/2/2005 21:04:29:7421 CST
Link Header :	Link Header :
Source Mac : 08:00:46:F4:3A:09 Remote Mac : 00:04:75:C9:51:B6	Source Mac : 00:04:75:C9:51:B6 Remote Mac : 08:00:46:F4:3A:09
ETHERTYPE : IP (0x800)	ETHERTYPE : IP (0x800)
IP Version 4	IP Version 4
Header Length : 20	Header Length : 20
Source : 10.0.52.164 Remote : 204.152.184.134	Source : 204.152.184.134 Remote : 10.0.52.164
Protocol : TCP	Protocol : TCP
Datagram Length : 52	Datagram Length : 52
ID : 0x3316 (13078)	ID : 0xF6EB (63211)
Flags : Don't Fragment Fragment Offset : 0	Flags : Don't Fragment Fragment Offset : 0
Time to live : 64	Time to live : 50
Header checksum : 0x43EB	Header checksum : 0x8E15
TCP Header Info	TCP Header Info
Source Port : 2646 2646 Remote Port : 80 http	Source Port : 80 http Remote Port : 2646 2646
Seq. Number : 3087588094 Ack. Number : 0	Seq. Number : 1218508629 Ack. Number : 3087588095
Window : 65535 Flags : SYN	Window : 65535 Flags : ACK SYN
Maximum segment size: 1460 bytes	Maximum segment size: 1460 bytes
NOP	NOP
Window scale: 2 (multiply by 4)	Window scale: 0 (multiply by 1)
NOP	NOP
NOP	NOP
SACK permitted Selective ACK	SACK permitted

- What could be the potential Window size?
- What's the actual Window size?





TCP Option – Window Scaling (RFC 1323)

- To take advantage of a network with <u>high bandwidth</u> and <u>high delay</u>. E.g, 10 Mbps with RTT=200ms.
 Max amount of data in one-way transit = 10 Mbps x 0.1 s = 1 Mb = 125,000 bytes vs. 65535 (52% utilization)
- Use the Window Scaling option to increase the TCP Receive Window size above its max value of 65,535 bytes.
- Specifies a count value (0 to 255) by which the TCP header value should be bitwise left-shifted; i.e., multiply by 2^{n.}





TCP Option – Selective ACK (RFC 2018)

- Cumulative ACK vs. Selective ACK (SACK)
- Cut down # of retransmissions
- Check both sides are supporting SACK



TCP - Data Transfer (MSS = 1460) ; Slow Start



RE

Seq. of Execution

Local IP: 172.29.122.182 Remote IP: 172.29.122.186 Protocol: TCP

Sessions Count: 2

۳Ç,	Timestamp	Elapse Time (hh:mm:ss.tttt)	Datagram Size	Messages	Local Port	Direction	Rmt. Port	Seq. Number	Ack. Number	Window Size
89	17:49:43:0957 CST	00:00:00:0000	60	SYN	2711	>	1034	1906430777	0	65535
90	17:49:43:0958 CST	00:00:00:0001	60	ACK SYN	2711	<	1034	202751139	1906430778	65535
91	17:49:43:0959 CST	00:00:00:0001	52	ACK	2711	>	1034	1906430778	202751140	8192
95	17:49:43:2455 CST	00:00:00:1496	1500	ACK	2711	>	1034	1906430778	202751140	8192
96	17:49:43:2455 CST	00:00:00:0000	1500	ACK	2711	>	1034	1906432226	202751140	8192
97	17:49:43:2455 CST	00:00:00:0000	1500	ACK PSH	2711	>	1034	1906433674	202751140	8192
98	17:49:43:2457 CST	00:00:00:0002	52	ACK	2711	<	1034	202751140	1906435122	8192
99	17:49:43:2457 CST	00:00:00:0000	1500	ACK	2711	>	1034	1906435122	202751140	8192
100	17:49:43:2457 CST	00:00:00:0000	1500	ACK	2711	>	1034	1906436570	202751140	8192
101	17:49:43:2457 CST	00:00:00:0000	1500	ACK	2711	>	1034	1906438018	202751140	8192
102	17:49:43:2457 CST	00:00:00:0000	1500	ACK PSH	2711	>	1034	1906439466	202751140	8192
103	17:49:43:2460 CST	00:00:00:0003	52	ACK	2711	<	1034	202751140	1906440914	8192
104	17:49:43:2460 CST	00:00:00:0000	1500	ACK	2711	Ļ	1034	1906440914	202751140	8192
105	17:49:43:2460 CST	00:00:00:0000	1500	ACK	2711	Ļ	1034	1906442362	202751140	8192
106	17:49:43:2460 CST	00:00:00:0000	1500	ACK	2711	Ļ	1034	1906443810	202751140	8192
107	17:49:43:2460 CST	00:00:00:0000	1500	ACK	2711	Ļ	1034	1906445258	202751140	8192
108	17:49:43:2460 CST	00:00:00:0000	1500	ACK PSH	2711	Ļ	1034	1906446706	202751140	8192
109	17:49:43:2462 CST	00:00:00:0002	52	ACK	2711	* 	1034	202751140	1906448154	8192
110	17:49:43:2462 CST	00:00:00:0000	1500	ACK	2711		1034	1906448154	202751140	8192
111	17:49:43:2462 CST	00:00:00:0000	1500	ACK	2711	Ļ	1034	1906449602	202751140	8192
112	17:49:43:2462 CST	00:00:00:0000	1500	ACK	2711	Ļ	1034	1906451050	202751140	8192
113	17:49:43:2462 CST	00:00:00:0000	1500	ACK	2711	Ļ	1034	1906452498	202751140	8192
114	17:49:43:2462 CST	00:00:00:0000	1500	ACK	2711	Ļ	1034	1906453946	202751140	8192
115	17:49:43:2462 CST	00:00:00:0000	1500	ACK PSH	2711	>	1034	1906455394	202751140	8192
116	17:49:43:2464 CST	00:00:00:0002	52	ACK	2711	* -	1034	202751140	1906456842	8192
117	17:49:43:2464 CST	00:00:00:0000	1500	ACK	2711	Ì	1034	1906456842	202751140	8192
118	17:49:43:2464 CST	00:00:00:0000	1500	ACK	2711	>	1034	1906458290	202751140	8192
119	17:49:43:2464 CST	00:00:00:0000	1500	ACK	2711	ļ	1034	1906459738	202751140	8192
120	17:49:43:2464 CST	00:00:00:0000	1500	ACK	2711	Ļ	1034	1906461186	202751140	8192
121	17:49:43:2464 CST	00:00:00:0000	1500	ACK	2711	>	1034	1906462634	202751140	8192
122	17:49:43:2464 CST	00:00:00:0000	1500	ACK	2711	>	1034	1906464082	202751140	8192
123	17:49:43:2464 CST	00:00:00:0000	1500	ACK PSH	2711	>	1034	1906465530	202751140	8192

Copyright © 2013 Applied Expert Systems, Inc.





TCP - Connection Termination



35 Complete your sessions evaluation online at SHARE.org/SFEval

2013

TCP - Connection Termination



Traces	Query Builder	Packet S	ummary F	Packet Details	Sequence	of Execution	Response Time Summary E		Exception Report							
Packet	Summary															
ID	Times	tamp	Datagram Size	Local IP	Rmt	t. IP	Protocol	Messages			Local Port	Rmt.Port	Seq. Number	Ack. Number	Window Size	^
439	18:15:39:7	282 GMT	1500	137.72.43.2	07 137.	.72.43.117	TCP	ACK			ftp data	4410	3598481056	1803247842	32768	
440	18:15:39:7	283 GMT	52	137.72.43.1	17 137.	.72.43.207	TCP	ACK			4410	ftp data	1803247842	3598482504	59743	
441	18:15:39:7	283 GMT	1500	137.72.43.2	07 137.	.72.43.117	TCP	ACK			ftp data	4410	3598482504	1803247842	32768	
442	18:15:39:7	283 GMT	1500	137.72.43.2	07 137.	.72.43.117	TCP	ACK			ftp data	4410	3598483952	1803247842	32768	
443	18:15:39:7	283 GMT	52	137.72.43.1	17 137.	.72.43.207	TCP	ACK			4410	ftp data	1803247842	3598485400	56847	
444	18:15:39:7	285 GMT	1500	137.72.43.2	07 137.	.72.43.117	TCP	ACK			ftp data	4410	3598485400	1803247842	32768	
445	18:15:39:7	286 GMT	52	137.72.43.1	17 137.	.72.43.207	TCP	ACK			4410	ftp data	1803247842	3598486848	59159	
446	18:15:39:7	287 GMT	1500	137.72.43.2	07 137.	.72.43.117	TCP	ACK			ftp data	4410	3598486848	1803247842	32768	
447	18:15:39:7	287 GMT	1500	137.72.43.2	07 137.	.72.43.117	TCP	ACK			ftp data	4410	3598488296	1803247842	32768	
448	18:15:39:7	287 GMT	52	137.72.43.1	17 137.	.72.43.207	TCP	ACK			4410	ftp data	1803247842	3598489744	56263	
449	18:15:39:7	288 GMT	1500	137.72.43.2	07 137.	.72.43.117	TCP	ACK			ftp data	4410	3598489744	1803247842	32768	
450	18:15:39:7	290 GMT	1500	137.72.43.2	07 137.	.72.43.117	TCP	ACK			ftpdata	4410	3598491192	1803247842	32768	
451	18:15:39:7	290 GMT	52	137.72.43.1	17 137.	.72.43.207	TCP	АСК			4410	ftp data	1803247842	3598492640	53367	
452	18:15:39:7	291 GMT	1500	137.72.43.2	07 137.	.72.43.117	TCP	ACK	Termina	tion	ftp data	4410	3598492640	1803247842	32768	
453	18:15:39:7	292 GMT	1396	137.72.43.2	07 137.	.72.43.117	TCP	ACK PSI	Seque		ftpdata	4410	3598494088	1803247842	32768	
454	18:15:39:7	292 GMT	52	137.72.43.1	17 137.	.72.43.207	TCP	ACK	Oequei		4410	ftp data	1803247842	3598495432	50575	
455	18:15:39:7	295 GMT	52	137.72.43.1	17 137.	.72.43.207	TCP	АСК			4410	ftp data	1803247842	3598495432	56951	
456	18:15:39:7	300 GMT	52	137.72.43.1	17 137.	.72.43.207	TCP	ACK			4410	ftp data	1803247842	3598495432	65535	
457	18:15:39:7	447 GMT	52	137.72.43.2	07 137.	.72.43.117	TCP	ACK PSH FIN			ftp data	4410	3598495432	1803247842	32768	
458	18:15:39:7	450 GMT	52	137.72.43.1	17 137.	.72.43.207	TCP	ACK			4410	ftp data	1803247842	3598495433	65535	
459	18:15:39:7	454 GMT	52	137.72.43.1	17 137.	.72.43.207	TCP	ACK FIN			4410	ftp data	1803247842	3598495433	65535	
460	18:15:39:7	491 GMT	52	137.72.43.2	07 137.	.72.43.117	TCP	ACK PSH			ftpdata	4410	3598495433	1803247843	32768	
461	18:15:39:7	799 GMT	40	137.72.43.1	17 137.	.72.43.207	TCP	ACK			4408	ftp control	250971858	3598076766	65233	
462	18:15:39:7	816 GMT	78	137.72.43.2	07 137.	.72.43.117	TCP	ACK PSH : ftp	o reply code 250		ftp control	4408	3598076766	250971858	32754	
464	18:15:39:9	804 GMT	40	137.72.43.1	17 137.	.72.43.207	TCP	ACK			4408	ftp control	250971858	3598076804	65195	
466	18:15:41:6	117 GMT	46	137.72.43.1	17 137.	.72.43.207	TCP	ACK PSH : ftp	o command QUIT		4408	ftp control	250971858	3598076804	65195	
467	18:15:41:6	164 GMT	77	137.72.43.2	07 137.	.72.43.117	TCP	ACK PSH : ftp	preply code 221		ftp control	4408	3598076804	250971864	32762	
468	18:15:41:6	172 GMT	40	137.72.43.1	17 137.	.72.43.207	TCP	ACK FIN			4408	ftp control	250971864	3598076841	65158	
469	18:15:41:6	191 GMT	40	137.72.43.2	07 137.	.72.43.117	TCP	ACK PSH			ftp control	4408	3598076842	250971865	32762	=
470	18:15:41:6	195 GMT	40	137.72.43.2	07 137.	.72.43.117	TCP	ACK PSH FIN			ftp control	4408	3598076841	250971864	32762	
471	18:15:41:6	195 GMT	40	137.72.43.1	17 137.	.72.43.207	TCP	ACK			4408	ftp control	250971865	3598076842	65158	~


Comparing Traces – Baselining; Multiple Trace Points

🕒 Trace Diff

	race 1 ——					1 ~1	Tra	ce 2					1 ~1
C	: \Program F	iles\AES\trac	es\ftp_c	li_1_18.mdb	-	Browse 💟	C:V	Program F	iles\AES\trac	es\ftp_sr	v_1_18.mdb	- E	Browse 🔯
	s	earch			Run Query	1			Search	1		Run Query	
_						,				Y			
	Packet Si	ummary	F	'acket Detail				Packet S	Summary	P	acket Detail		
	ID	Timesta	mp	Datagram Size	Local IP	Rmt.		ID	Timest	amp	Datagram Size	Local IP	Rn
	13	17:58:40:904	44 GMT	48	137.72.43.117	137.7		118	17:51:19:30	035 GMT	48	137.72.43.117	137
	14	17:58:40:906	65 GMT	44	137.72.43.207	137.7		119	17:51:19:30	041 GMT	44	137.72.43.207	137
	15	17:58:40:906	65 GMT	40	137.72.43.117	137.7		120	17:51:19:30	053 GMT	40	137.72.43.117	137
	29	17:58:41:035	54 GMT	114	137.72.43.207	137.7		134	17:51:19:43	328 GMT	114	137.72.43.207	137
	30	17:58:41:193	30 GMT	40	137.72.43.117	137.7		135	17:51:19:59	979 GMT	40	137.72.43.117	137
	31	17:58:41:200	07 GMT	74	137.72.43.207	137.7		136	17:51:19:59	983 GMT	74	137.72.43.207	137
	32	17:58:41:393	36 GMT	40	137.72.43.117	137.7		137	17:51:19:79	930 GMT	40	137.72.43.117	137
	35	17:58:44:592	20 GMT	54	137.72.43.117	137.7		138	17:51:22:9	910 GMT	54	137.72.43.117	137
	36	17:58:44:608	37 GMT	67	137.72.43.207	137.7		139	17:51:23:00	061 GMT	67	137.72.43.207	137
	37	17:58:44:804	45 GMT	40	137.72.43.117	137.7		140	17:51:23:20	035 GMT	40	137.72.43.117	137
	38	17:58:47:568	32 GMT	52	137.72.43.117	137.7		141	17:51:25:98	571 GMT	52	137.72.43.117	137
	39	17:58:47:857	73 GMT	40	137.72.43.207	137.7		142	17:51:26:2	546 GMT	40	137.72.43.207	137
	40	17:58:47:954	42 GMT	101	137.72.43.207	137.7		143	17:51:26:3	515 GMT	101	137.72.43.207	137
	41	17:58:48:115	51 GMT	40	137.72.43.117	137.7		144	17:51:26:51	140 GMT	40	137.72.43.117	137
	43	17:58:49:927	70 GMT	48	137.72.43.117	137.7		145	17:51:28:33	258 GMT	48	137.72.43.117	137
	44	17:58:49:931	17 GMT	74	137.72.43.207	137.7		146	17:51:28:3	290 GMT	74	137.72.43.207	137
	45	17:58:50:121	IS GMT	40	137.72.43.117	137.7		147	17:51:28:53	203 GMT	40	137.72.43.117	137
	55	17:58:54:983	30 GMT	66	137.72.43.117	137.7		156	17:51:33:38	318 GMT	66	137.72.43.117	137
	56	17:58:54:988	30 GMT	62	137.72.43.207	137.7		157	17:51:33:38	352 GMT	62	137.72.43.207	137
	57	17:58:54:989	90 GMT	54	137.72.43.117	137.7		158	17:51:33:38	377 GMT	54	137.72.43.117	137
	58	17:58:55:007	72 GMT	60	137.72.43.207	137.7		159	17:51:33:40	042 GMT	60	137.72.43.207	137
	59	17:58:55:007	77 GMT	60	137.72.43.117	137.7		160	17:51:33:40	063 GMT	60	137.72.43.117	137
	60	17:58:55:010	09 GMT	52	137.72.43.207	137.7		161	17:51:33:40	081 GMT	52	137.72.43.207	137
	61	17:58:55:062	29 GMT	90	137.72.43.207	137.7		162	17:51:33:40	500 GMT	90	137.72.43.207	137
	62	17:58:55:070	09 GMT	1500	137.72.43.207	137.7 🗸		163	17:51:33:46	573 GMT	1500	137.72.43.207	137 🤜
	<	<u> </u>						<	j j				

Copyright © 2013 Applied Expert Systems, Inc.





SHARE

OSA – Found Excessive Inbound Packets in Real-Time Monitoring



C	AES	5												Cleve	rView	® for	тс	P/IP
			6	SysPoint	🖉 Connect E	Expert 💈	🍜 StackV	/iew 📋 🔗 Lir	nkView	🔆 Critical F	Resource	s	Q PinPoint	:				
> 🗵	- 💀 🛛							LinkView	v						Februar	y 25, 201	1 5:40:3	6 PM - 4
0 (D													A	utoRefresh:	66	Ref	resh
								Channel Links	and Device	es								
r						Total: 6	Lini	ks Unavailable:	3 De	evices Unava	ulable:	L						
Host Name	TCP/IP Stack	Flag	CHPID	IP Address	Link Name	Link Type	Link Status	Device Name	Device Type	Device Status	Queue Size	MTU	Thru-put In Bytes/Sec	Thru-put Out Bytes/Sec	Bytes In	Bytes In % of Total	Bytes Out	Bytes Out % of Total
z/OS 1.11	TCPIP			192.168.192.9	<u>OSDL</u>	IPAQENET	∂ Ready	DEVOSA1	MPCIPA	∂Ready	0	8,992	80,457	6	48,274,032	100%	3,313	100%
z/OS 1.11	TCPIP			127.0.0.1	LOOPBACK	LOOPBACK	€ Ready	LOOPBACK	LOOPBACK	∂ Ready	0	65,535	0	0	0	0%	0	0%
z/OS 1.11	TCPIP			192.168.192.8	OSDL2	IPAQENET	€ ^{Not} active	DR281920	MPCIPA	€ ^{Not} active	0	0	₽ 0	0	0	0%	0	0%
z/OS 1.11	TCPIP			172.29.122.182	VIPLAC1D7AB6	VIPA	∂ Ready	VIPDAC1D7AB6	VIPA	∂ Ready	0	0	0	0	0	0%	0	0%
z/OS 1.11	TCPIP			255.255.255.255			€ ^{Not} active			Ostarting	0	0	0	0	0	0%	0	0%
z/OS 1.11	TCPIP			193.9.200.1	<u>TOVTAM</u>	MPCPTP	Not active	IUTSAMEH	MPCPTP	Sent SETUP Request	0	0	0	0	0	0%	0	0%
						Gateways	OSPF	Routing	Routing	VIPA VT	AM TRI	E						

Copyright © 2013 Applied Expert Systems, Inc.

ш



Check OSA Links Statistics: Netstat Devlinks

DevName: DEVOSA1	DevType: M	IPCIPA		
DevStatus: Ready				
LnkName: OSDL	LnkType	: IPAQENET	LnkStatus:	Ready
Speed: 0000001000				
IpBroadcastCapability	: No			
CfgRouter: Non		ActRouter:	Non	
ArpOffload: Yes		ArpOffloadI	nfo: Yes	
ActMtu: 8992				
VLANid: None		VLANpriorit	y: Disabled	
ReadStorage: GLOBAL (4096K)	InbPerf: Ba	lanced	
SecClass: 255		MonSysplex:	No	
Routing Parameters:				
MTU Size: n/a	Metr	cic: 00		
DestAddr: 0.0.0.0	Subr	netMask: 255.	255.255.0	
Multicast Specific:				
Multicast Capability:	Yes			
Group Ref	Cnt	SrcFltMd		
224.0.0.1 000	0000001	Exclude		
SrcAddr: None				
Link Statistics:				
BytesIn		= 25081576	230	
Inbound Packets		= 19485395	9	
Inbound Packets In Er	ror	= 19435345	9	
Inbound Packets Disca	rded	= 19435201	1	
Inbound Packets With	No Protocol	. = 0		
BytesOut		= 10352023	6	
Outbound Packets		= 387012		
Outbound Packets In E	rror	= 0		
		Copyright © 20	13 Applied Exp	ert Systems, Inc.





Check IP Statistics: Netstat Stats Proto IP

MVS TCP/IP NETSTAT CS V1R11 TCPIP Name: TCPIP IP Statistics (IPv4) Packets Received = 194959223Received Header Errors = 194429115 Received Address Errors = 194431079= 4680Datagrams Forwarded Unknown Protocols Received = 0 Received Packets Discarded = 0 Received Packets Delivered = 523425Output Requests = 409928Output Discards No Route = 0Output Discards (other) = 0 Reassembly Timeouts = 0 Reassembly Required = 0Reassembly Successful = 0Reassembly Failures = 0Datagrams Successfully Fragmented = 0 Datagrams Failing Fragmentation = 0Fragments Created = 0Inbound Packets handled by zIIP = 0Outbound Packets handled by zIIP = 0

SHARE Ischneige - Consections - Assudie

(discarded due to IP header errors) (invalid destination IP address)

02:22:49





Check Historical IP Interface Data

O AES															Cle	verV	′iew∉	o for T	CP/IP
	🔮 Sys	sPoint	🔰 🗭 Conne	ct Exper	t 🛃	StackView	ØL	.inkView	📩 Criti	cal Resou	irces	Q PinPoint	t						
International Example 2 − 2 − 2 − 2 − 2 − 2 − 2 − 2 − 2 − 2									IP Da	ata							Marc	h 1, 2011 10:	45:48 AM 🔶
🌺 MIB Lookup	0	0																Re	fresh
🛃 DNS Lookup	IP I	Reasser	mblies																
* * ×						220 it	tems found	, displaying	1 to 25.[Fi	rst/Prev] 1	1, 2, 3, 4, 5	5, 6, 7, 8 [N	ext/Last]					
 Master Commands SessionLog 	Host Name	TCP/IP Stack	Date	Time	Packets Received	Received Packets Discarded	Received Address Errors	Datagrams Forwarded	Unknown Protocol Received	Received Header Errors	Received Packets Delivered	Inbound Calls from Dev. Layer	Inbound Frame Unpack Errs	Inbound Discs Mem. Shortage	Packets Sent	Output Disc. Other	Output Disc. No Routes	Datagrams Frag. OK	Datagram Frag. Failures ≘
	z/OS	TCPIP	02/21/2011	00:00	1272065	1271793	1271793	0	0	0	258	1265328	0	0	54	0	0	0	¢
Monitor	z/OS 1.11	TCPIP	02/21/2011	00:30	1298978	1298580	1298580	26	0	0	357	1288402	0	0	132	0	0	0	C
SNMP Snapshot	z/OS 1.11	TCPIP	02/21/2011	01:00	1237456	1236980	1236979	24	0	0	438	1227558	0	0	190	0	0	0	(
• History	z/OS 1.11	TCPIP	02/21/2011	01:30	1363238	1362840	1362840	16	0	0	368	1352653	0	0	143	0	0	0	(
🗄 Utilities	z/OS 1.11	TCPIP	02/21/2011	02:00	1380440	1380124	1380124	8	0	0	293	1369457	0	0	80	0	0	0	(
	z/OS 1.11	TCPIP	02/21/2011	02:30	1158666	1158276	1158275	18	0	0	358	1148154	0	0	134	0	0	0	
	z/OS 1.11	TCPIP	02/21/2011	03:00	1297091	1296633	1296633	17	0	0	427	1288771	0	0	175	0	0	0	(
	z/OS 1.11	TCPIP	02/21/2011	03:30	1355674	1355291	1355291	14	0	0	354	1345011	0	0	129	0	0	0	(
	z/OS 1.11	TCPIP	02/21/2011	04:00	1434464	1434202	1434202	0	0	0	248	1421754	6 o	0	54	0	0	0	(
	z/OS 1.11	TCPIP	02/21/2011	04:30	1589514	1589241	1589241	0	0	0	258	1568406	0	0	54	0	0	0	t
	z/OS 1.11	TCPIP	02/21/2011	05:00	1706816	1706547	1706547	0	0	0	255	1694223	1	0	54	0	0	0	(
<	z/05	TCPIP	02/21/2011	05:30	1498456	1498193	1498193	0	0	0	249	1490032	0	0	54	0	0	0	(-

Copyright © 2013 Applied Expert Systems, Inc.



Check the Offending Packets



VARY TCPIP*tcpipproc*,PKT,ON,DISCard=ALL

54550962 S0W1	PACKET	0000000	4 14:13:05	5.687445 F	acket Tr	ace	
From Interface	SDL		Device	e: QDIO Et	thernet	Full=78	
Tod Clock	: 2011/	01/25 14	:13:05.68	7445		Intfx: 9	
Discard	: 4114	(IP MAC	BRDCST)				
Segment #	: 0		Flags	: In Dscr	rd 👘		
Source	: 172.2	9.96.9					
Destination	: 172.2	9.191.25	5				
Source Port	: 137		Dest A	Port: 137	Asid:	004F TCB: 0	00000000
IpHeader: Versi	.on : 4		Header	r Length:	20		
Tos	: 00		QOS: F	Routine No	ormal Ser	vice	
Packet Length	: 78		ÍD Nur	mber: 7887	?		
Fragment			Offset	t: 0			
TTL	: 82		Protoc	col: UDP		CheckSum:	77A4 FI
Source	: 172.2	9.96.9					
Destination	: 172.2	9.191.25	5				
UDP			K				
Source Port	: 137	(netbio	os-ns) Dest	tination F	ort: 137	' (netbios	s-ns)
🛛 Datagram Lengt	:h : 58		Checks	Sum: 0000	6836		
Ip Header	: 20		IP: 1	72.29.96.9), 172.29	0.191.255 01	fset: (
000000 4500004E	78870000 5	21177A4	AC1D6009	AC1DBFFF			
Protocol Header	: 8		Port:	137, 137		Offset: 1	. 4
000000 00890089	003A0000						
Data	: 50	Data L	ength: 50			Offset: 1	. C
000000 84E20110	00010000 0	00000000	20464946	dS			. FIF
000010 41464745	4A464345 4	8454A45	4F434143	¢	.¢	AFGEJFCEHEJ	JEOCAC
000020 41434143	41434143 4	1434141	41000020			ACACACACACA	AA
000030 0001							



-	Ρ	а	c	k	e	t	s	U	m	m	a	n	ł	

D	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port
97	18:31:27:0921 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
98	18:31:27:0926 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
99	18:31:27:0933 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
100	18:31:27:0940 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
101	18:31:27:0946 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
102	18:31:27:0956 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
103	18:31:27:0965 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
104	18:31:27:0971 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
105	18:31:27:0979 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
106	18:31:27:0987 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
107	18:31:27:0995 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
108	18:31:27:1001 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
109	18:31:27:1010 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
110	18:31:27:1017 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
111	18:31:27:1024 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
112	18:31:27:1031 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
113	18:31:27:1040 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
114	18:31:27:1048 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
115	18:31:27:1056 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
116	18:31:27:1062 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
117	18:31:27:1072 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
118	18:31:27:1080 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
119	18:31:27:1086 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
120	18:31:27:1095 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
121	18:31:27:1103 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
122	18:31:27:1112 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
123	18:31:27:1117 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
124	18:31:27:1126 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
125	18:31:27:1135 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
126	18:31:27:1142 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
127	18:31:27:1149 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
128	18:31:27:1156 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
129	18:31:27:1163 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS

Copyright © 2013 Applied Expert Systems, Inc.

S H A R E Teknologi - Conactions - Revise





The same packet is repeated 127 times – How do we know they are the same? starting with TTL=127, then TTL=126, TTL=125, ...

```
Link Header :
Source Mac : 08:00:5A:1D:BF:FF
                                  Remote Mac : 08:00:5A:1D:60:16
                                                                   ... and ending with TTL=1
ETHERTYPE : IP (0x800)
IP Version 4
                                                                  Link Header :
Header Length : 20
                                                                  Source Mac : 08:00:5A:1D:BF:FF
                                                                                                     Remote Mac : 08:00:5A:1D:60:16
Source : 172.29.96.22
                          Remote : 172.29.191.255
                                                                  ETHERTYPE : IP (0x800)
Protocol : UDP
Datagram Length : 78
                                                                  IP Version 4
ID : 0x2D70 (11632)
                                                                  Header Length : 20
Flags : Fragment Offset : 0
                                                                  Source : 172.29.96.22
                                                                                             Remote : 172.29.191.255
Time to live : 127
                                                                  Protocol : UDP
Header checksum : 0x95DE
                                                                  Datagram Length : 78
                                                                  ID : 0x2D70 (11632)
UDP Header Info
                                                                  Flags :
                                                                                Fragment Offset : 0
Source Port : 137 NetBIOS-NS
                               Remote Port : 137 NetBIOS-NS
                                                                  Time to live : 1
                                                                  Header checksum : 0x13DF
NetBIOS Name Service
  Transaction ID : 51541
                                                                  UDP Header Info
 Type : Query(Standard)
                                                                  Source Port : 137 NetBIOS-NS
                                                                                                  Remote Port : 137 NetBIOS-NS
 Flags : RD
  Questions : 1
                                                                  NetBIOS Name Service
 Answer RRs : 0
                                                                    Transaction ID : 51541
 Authority RRs : 0
                                                                    Type : Query(Standard)
 Additional RRs : 0
                                                                    Flags : RD
                                                                    Ouestions : 1
  Oueries
                                                                    Answer RRs : 0
   Name: VISTA
                                                                    Authority RRs : 0
    Type: NB (NetBIOS general name service resource record)
                                                                    Additional RRs : 0
    Class: IN (Internet class)
                                                                    Oueries
                                                                      Name: VISTA
```

Copyright © 2013 Applied Expert Systems, Inc.

Class: IN (Internet class)



Type: NB (NetBIOS general name service resource record)



Why were these packets discarded?

Discard Reason Code

<u>Comm Server IP & SNA Codes:</u>

Discard Reason Code	Category
1 – 4095	OSA
4096 – 8191	Interface and IP layer
8192 – 12287	TCP layer
12288 – 20479	Reserved

• 4114 (IP_MAC_BRDCST):

The MAC broadcast packet not accepted.

Destination IP = 172.29.191.255 ?





Discarded Packets - continued

- The drop reason code 4114 usually indicates that the packet has a non-broadcast destination IP address and a broadcast media header (the broadcast indicator is on in the media header). This is likely to be caused by an invalid locally administered MAC address.
- Big switched LAN => broadcast flood; use VLAN to preserve bandwidth
- netbios-ns
 - NetBIOS Name Service (over UDP port 137)
 - Similar to DNS
 - Name Query request



DNS



- UDP/TCP Port 53
 - Message ID Transaction ID that associates DNS queries with responses
 - Some of the flags in DNS header
 - Request/Response
 - Recursion Desired (RD)
 - Truncation Occurred (> 512 bytes)
 - Response Code
 - 0 No Error
 - 1 Format Error
 - 2 Server Failure
 - 3 Name Error
 - 4 Not Implemented
 - 5 Refused



DNS Queries



Packet	Summary							
D	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port
1	07:24:50:3078 CST	72	192.168.1.100	192.168.0.254	UDP	dns : client query (Standard)	2541	dns
2	07:24:50:3867 CST	179	192.168.0.254	192.168.1.100	UDP	dns : server response (Name Error)	dns	2541
3	07:24:51:5927 CST	71	192.168.1.106	192.168.0.254	UDP	dns : client query (Standard)	1920	dns
4	07:24:51:7502 CST	71	192.168.0.254	192.168.1.106	UDP	dns : server response (Server Failure)	dns	1920
5	07:24:52:3261 CST	68	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1178	dns
6	07:24:52:3265 CST	487	192.168.200.51	192.168.200.12	UDP	dns : server response (No Error)	dns	1178
7	07:24:52:3460 CST	68	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1179	dns
8	07:24:52:3464 CST	487	192.168.200.51	192.168.200.12	UDP	dns : server response (No Error)	dns	1179
9	07:24:54:6302 CST	57	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1183	dns
10	07:24:55:3164 CST	71	192.168.1.100	192.168.0.254	UDP	dns : client query (Standard)	2542	dns
11	07:24:55:3958 CST	178	192.168.0.254	192.168.1.100	UDP	dns : server response (Name Error)	dns	2542
12	07:24:55:6304 CST	57	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1183	dns
13	07:24:56:8673 CST	72	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1187	dns
14	07:24:57:6333 CST	57	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1183	dns
15	07:24:57:8638 CST	72	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1187	dns
16	07:24:58:5960 CST	71	192.168.1.105	192.168.0.254	UDP	dns : client query (Standard)	4555	dns
17	07:24:58:6765 CST	71	192.168.0.254	192.168.1.105	UDP	dns : server response (Server Failure)	dns	4555
18	07:24:59:6361 CST	57	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1183	dns
19	07:24:59:6627 CST	71	192.168.1.100	192.168.0.254	UDP	dns : client query (Standard)	2543	dns
20	07:24:59:7416 CST	178	192.168.0.254	192.168.1.100	UDP	dns : server response (Name Error)	dns	2543
21	07:24:59:8666 CST	72	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1187	dns
22	07:25:00:1717 CST	72	192.168.1.108	192.168.0.254	UDP	dns : client query (Standard)	1274	dns
23	07:25:00:2506 CST	72	192.168.0.254	192.168.1.108	UDP	dns : server response (Server Failure)	dns	1274
24	07:25:01:8321 CST	70	192.168.200.51	192.168.200.12	UDP	dns : server response (Server Failure)	dns	1173

Copyright © 2013 Applied Expert Systems, Inc.



DNS Response: Name Error

Packet Details

```
Packet ID : 2
Time : 4/1/2003 07:24:50:3867 CST
Link Header :
Source Mac : 00:20:78:D9:0D:DB
                                  Remote Mac : 00:D0:59:AA:AF:80
ETHERTYPE : IP (0x800)
IP Version 4
Header Length : 20
Source : 192,168.0.254 Remote : 192,168.1.100
Protocol : UDP
Datagram Length : 179
ID : 0xB998 (47512)
Flags :
           Fragment Offset : 0
Time to live : 64
Header checksum : 0x3CEF
UDP Header Info
Source Port : 53 dns Remote Port : 2541 2541
DNS Header
DNS Message ID : 31
Type : Response(Name Error)
Flags : AA RD RA
Request address of following names
  109.1.168.192.in-addr.arpa
```

Flags:

- AA Authoritative Answer response came from an authoritative server for the domain name
- RD Recursion Desired
- RA Recursion Available on this server





DNS Queries – routing problem



-Packet S	ummary							
D	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port
1	14:01:29:0704 CST	65	207.33.247.70	204.156.128.1	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
2	14:01:30:8870 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
3	14:01:34:5804 CST	65	207.33.247.70	204.156.128.10	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
4	14:01:36:3936 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
5	14:01:40:1193 CST	65	207.33.247.70	204.156.128.20	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
6	14:01:41:9358 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
7	14:01:45:6194 CST	65	207.33.247.70	204.156.128.1	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
8	14:01:47:4349 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
9	14:01:49:1244 CST	65	207.33.247.70	204.156.128.10	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
10	14:01:50:9411 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
11	14:01:52:6244 CST	65	207.33.247.70	204.156.128.20	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
12	14:01:54:4411 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
13	14:01:56:1293 CST	65	207.33.247.70	204.156.128.1	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
14	14:01:57:9524 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
15	14:02:01:6343 CST	65	207.33.247.70	204.156.128.10	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
16	14:02:03:4471 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
17	14:02:07:1421 CST	65	207.33.247.70	204.156.128.20	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
18	14:02:08:9591 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
19	14:02:12:6644 CST	65	207.33.247.70	204.156.128.1	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
20	14:02:14:4813 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
21	14:02:19:1694 CST	65	207.33.247.70	204.156.128.10	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
22	14:02:20:9833 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
23	14:02:25:6693 CST	65	207.33.247.70	204.156.128.20	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
24	14:02:27:6696 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
25	14:02:32:2063 CST	75	207.33.247.70	204.156.128.1	UDP	dns : client query (Standard)	1031	dns
26	14:02:34:5654 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
27	14:02:37:7143 CST	75	207.33.247.70	204.156.128.10	UDP	dns : client query (Standard)	1031	dns
28	14:02:40:0695 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		



DHCP



- UDP Port 67 Server daemon
- UDP Port 68 Client process
- Transaction ID keeping track of responses and requests
- DHCP Message Types:
 - 1. DHCP Discover
 - 2. DHCP Offer
 - 3. DHCP Request
 - 4. DHCP Decline
 - 5. DHCP Acknowledgement
 - 6. DHCP Negative Acknowledgement
 - 7. DHCP Release
 - 8. DHCP Informational



DHCP Decline sequence



Packet S	ummary							
ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port
1	17:25:03:7104 CST	328	0.0.0.0	255.255.255.255	UDP	dhcp : client request: discover find DHCP servers	bootpc	bootps
2	17:25:03:7241 CST	328	192.168.0.1	255.255.255.255	UDP	dhcp : server reply: offering ip address 192.168.0.104	bootps	bootpc
3	17:25:03:7299 CST	342	0.0.0.0	255.255.255.255	UDP	dhcp : client request: request new ip address	bootpc	bootps
4	17:25:03:7368 CST	342	192.168.0.1	255.255.255.255	UDP	dhcp : server reply: ACK use of 192.168.0.104 (ok to use)	bootps	bootpc
5	17:25:04:6489 CST	328	0.0.0.0	255.255.255.255	UDP	dhcp : client request: decline use of 192.168.0.104 (already in use)	bootpc	bootps

DHCP Discover (Msg Type 1) -> Offer (2) -> Request (3) -> Ack (5) -> Decline (4)





FTP – lost SYN packet



۸

v

Traces Query Builder Packet Summary Packet Details Sequence of Execution Response Time Summary Exception Report

- Packet Summary

12												
	D	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size
ŝ	1	02:35:10:5649 GMT	78	137.72.43.45	137.72.43.255	UDP		137	137			
	2	02:35:11:2518 GMT	1500	137.72.43.207	137.72.43.142	TCP	ACK : telnet : tn3270e data header	telnet	1215	424249748	4206849998	32760
	3	02:35:11:2688 GMT	136	137.72.43.207	137.72.43.142	TCP	ACK PSH : telnet : 96 bytes of telnet data	telnet	1215	424251208	4206849998	32760
	4	02:35:11:2712 GMT	40	137.72.43.142	137.72.43.207	TCP	ACK	1215	telnet	4206849998	424251304	63748
	5	02:35:11:2713 GMT	40	137.72.43.142	137.72.43.207	TCP	ACK	1215	telnet	4206849998	424251304	64240
	6	02:35:11:2775 GMT	78	137.72.43.45	137.72.43.255	UDP		137	137			
ľ	7	02:35:11:6239 GMT	71	137.72.43.207	137.72.43.207	UDP	SNMP : Community - public(v1) : pdu -	14280	snmp ctrl			
	8	02:35:11:6245 GMT	56	137.72.43.207	137.72.43.207	ICMP	Destination Unreachable : Port unreachable	0	0			
	9	02:35:12:0784 GMT	48	137.72.43.142	137.72.43.207	TCP	ACK PSH : telnet : tn3270e data header	1215	telnet	4206849998	424251304	64240
	10	02:35:12:0791 GMT	40	137.72.43.207	137.72.43.142	TCP	ACK PSH	telnet	1215	424251304	4206850006	32760
	11	02:35:12:7799 GMT	1453	137.72.43.143	137.72.43.255	UDP		6646	6646			
	12	02:35:12:7813 GMT	1453	137.72.43.142	137.72.43.255	UDP		6646	6646			
	13	02:35:13:7644 GMT	52	137.72.43.137	137.72.43.207	тср	SYN	10432	ftp control	1257181311	0	65535
	14	02:35:13:7650 GMT	48	137.72.43.207	137.72.43.137	тср	ACK SYN	ftp control	10432	452077195	1257181312	32768
	15	02:35:13:7659 GMT	40	137.72.43.137	137.72.43.207	тср	ACK	10432	ftp control	1257181312	452077196	64240
	16	02:35:13:8898 GMT	114	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 220	ftp control	10432	452077196	1257181312	32768
	17	02:35:13:9114 GMT	1453	137.72.43.108	137.72.43.255	UDP		6646	6646			
	18	02:35:14:0430 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	10432	ftp control	1257181312	452077270	64221
	19	02:35:14:0435 GMT	74	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 220	ftp control	10432	452077270	1257181312	32768
	20	02:35:14:2617 GMT	40	137.72.43.137	137.72.43.207	TCP	АСК	10432	ftp control	1257181312	452077304	64213
	21	02:35:14:3524 GMT	71	137.72.43.207	137.72.43.207	UDP	SNMP : Community - public(v1) : pdu - GetRequest	14278	snmp ctrl			
	22	02:35:14:3531 GMT	56	137.72.43.207	137.72.43.207	ICMP	Destination Unreachable : Port unreachable	0	0			
	23	02:35:16:7560 GMT	71	137.72.43.207	137.72.43.207	UDP	SNMP : Community - public(v1) : pdu -	14282	snmp ctrl			
	24	02:35:16:7567 GMT	56	137.72.43.207	137.72.43.207	ICMP	Destination Unreachable : Port unreachable	0	0			
	25	02:35:18:1661 GMT	54	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command USER	10432	ftp control	1257181312	452077304	64213



FTP Analysis – zoom in on FTP ports: Control connection vs. Data connection



						-						
Trace	es Que	ry Builder Packet S	ummary Pa	icket Details Sequ	Jence of Execution	Response Ti	me Summary Exception Report					
_ Da	cket Sum	many										
	okot oum	initian y										
10	5	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size
1	3	02:35:13:7644 GMT	52	137.72.43.137	137.72.43.207	тср	SYN	10432	ftp control	1257181311	0	65535
1	4	02:35:13:7650 GMT	48	137.72.43.207	137.72.43.137	тср	ACK SYN	ftp control	10432	452077195	1257181312	32768
1	5	02:35:13:7659 GMT	40	137.72.43.137	137.72.43.207	TCP	АСК	10432	ftp control	1257181312	452077196	64240
1	6	02:35:13:8898 GMT	114	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 220	ftp control	10432	452077196	1257181312	32768
1	8	02:35:14:0430 GMT	40	137.72.43.137	137.72.43.207	TCP	АСК	10432	ftp control	1257181312	452077270	64221
1	9	02:35:14:0435 GMT	74	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 220	ftp control	10432	452077270	1257181312	32768
2	0	02:35:14:2617 GMT	40	137.72.43.137	137.72.43.207	TCP	АСК	10432	ftp control	1257181312	452077304	64213
2	5	02:35:18:1661 GMT	54	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command USER	10432	ftp control	1257181312	452077304	64213
2	6	02:35:18:1790 GMT	67	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 331	ftp control	10432	452077304	1257181326	32754
2	7	02:35:18:3075 GMT	40	137.72.43.137	137.72.43.207	TCP	АСК	10432	ftp control	1257181326	452077331	64206
3	3	02:35:20:6157 GMT	55	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command PASS	10432	ftp control	1257181326	452077331	64206
3	4	02:35:20:8732 GMT	40	137.72.43.207	137.72.43.137	TCP	ACK PSH	ftp control	10432	452077331	1257181341	32753
3	6	02:35:21:3641 GMT	101	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 230	ftp control	10432	452077331	1257181341	32753
3	7	02:35:21:4799 GMT	40	137.72.43.137	137.72.43.207	TCP	АСК	10432	ftp control	1257181341	452077392	64191
4	1	02:35:23:5899 GMT	48	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command TYPE	10432	ftp control	1257181341	452077392	64191
4	2	02:35:23:5935 GMT	83	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077392	1257181349	32760
4	3	02:35:23:7760 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	10432	ftp control	1257181349	452077435	64180
6	61	02:35:29:5343 GMT	67	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command PORT	10432	ftp control	1257181349	452077435	64180
6	2	02:35:29:5379 GMT	າ <mark>ຽ 62</mark>	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741
6	5	02:35:30:3898 GMT	62	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741
6	8	02:35:32:1407 GMT	62	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741
7	4	02:35:35:5118 GMT	62	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741
7	5	02:35:42:2300 GMT	62	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741
9	9	02:35:55:6398 GMT	62	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741
1	66	02:36:22:7005 GMT	62	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741
2	57	02:37:16:9704 GMT	62	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741

Copyright © 2013 Applied Expert Systems, Inc.



FTP Analysis - PORT command



Traces	Query Builder	Packet Summary	Packet Details	Sequence of Execution	Response Time Summary	Exception Report	
E Pa	oket Details —						
Pa	cket Details	Hex Decode					
- Pag	ket Details						
P	acket TD : 6	1					
Т	ime : 2/28/2	009 02:35:29:	5343 GMT				
c	TE Format IF	: IPv4/6 Pac	ket Trace (P	THIdPkt) (4)			
P	THDR T Heade	r					
D	evice Type :	Ethernet					
L	ink Name :	ETH1	h				
2	Iags : Recor IP pa	cket was rece:	by +1 ived				
I	P Packet Len	igth : 67 bytes	3				
I	P Source: 13	37.72.43.137	IP Remote:	137.72.43.207			
T	ource Port : CB Address :	10432 Remo	ote Port : 2	1			
A	SID :	0x35					
Т	race Count :	191128					
I	P Version 4						
S	ource : 13	37.72.43.137	Remote :	137.72.43.207			
	rotocol : TC stagram Leng	;P (th : 67					
F	lags : Don't	; Fragment	Fragment	Offset : 0			
	CP Header In	fo					
s	ource Port :	10432 Rer	note Port :	21 ftp control			
S	eq. Number :	1257181349	Ack. Numb	er : 452077435			
W	indow : 6418	0 Flags :	ACK PSH				
F	TP Data						
C	ommand : POP	T	40.400				
P	arameters :	137,72,43,137	,40,196				



FTP Analysis – PORT command continued

Active FTP

- Server initiates the data connection
- PORT command contains the data connection listening port

PORT 137,72,43,137,40,196

- Specifies that the FTP Server will initiate the data connection
- Client's IP Address: 137.72.43.137
- Client's Port: 40 * 256 + 196 = 10436
- Expect to see a SYN packet:
 - from server (137.72.43.207)
 - to client (137.72.43.137)



FTP Analysis – check the corresponding Sniffer trace



Fraces	Query Builder Packet S	ummary P	acket Details	Sequence of Execution	Response T	ime Summary Exception Report					
-Packe	t Summary										
D	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size
10	02:42:00:5115 GMT	52	137.72.43.1	137 137.72.43.207	TCP	SYN	10432	ftp control	1257181311	0	65535
11	02:42:00:5130 GMT	48	137.72.43.2	207 137.72.43.137	TCP	ACK SYN	ftp control	10432	452077195	1257181312	32768
12	02:42:00:5130 GMT	40	137.72.43.1	137 137.72.43.207	TCP	ACK	10432	ftp control	1257181312	452077196	64240
13	02:42:00:6380 GMT	114	137.72.43.2	207 137.72.43.137	TCP	ACK PSH : ftp reply code 220	ftp control	10432	452077196	1257181312	32768
14	02:42:00:7886 GMT	40	137.72.43.1	137 137.72.43.207	TCP	ACK	10432	ftp control	1257181312	452077270	64221
15	02:42:00:7916 GMT	74	137.72.43.2	207 137.72.43.137	TCP	ACK PSH : ftp reply code 220	ftp control	10432	452077270	1257181312	32768
16	02:42:01:0073 GMT	40	137.72.43.1	137 137.72.43.207	TCP	ACK	10432	ftp control	1257181312	452077304	64213
17	02:42:04:9129 GMT	54	137.72.43.1	137 137.72.43.207	TCP	ACK PSH : ftp command USER	10432	ftp control	1257181312	452077304	64213
18	02:42:04:9278 GMT	67	137.72.43.2	207 137.72.43.137	TCP	ACK PSH : ftp reply code 331	ftp control	10432	452077304	1257181326	32754
19	02:42:05:0542 GMT	40	137.72.43.1	137 137.72.43.207	TCP	ACK	10432	ftp control	1257181326	452077331	64206
20	02:42:07:3607 GMT	55	137.72.43.1	137 137.72.43.207	TCP	ACK PSH : ftp command PASS	10432	ftp control	1257181326	452077331	64206
21	02:42:07:6216 GMT	40	137.72.43.2	207 137.72.43.137	TCP	ACK PSH	ftp control	10432	452077331	1257181341	32753
22	02:42:08:1125 GMT	101	137.72.43.2	207 137.72.43.137	TCP	ACK PSH : ftp reply code 230	ftp control	10432	452077331	1257181341	32753
23	02:42:08:2261 GMT	40	137.72.43.1	137 137.72.43.207	TCP	ACK	10432	ftp control	1257181341	452077392	64191
24	02:42:10:3368 GMT	48	137.72.43.1	137 137.72.43.207	TCP	ACK PSH : ftp command TYPE	10432	ftp control	1257181341	452077392	64191
25	02:42:10:3419 GMT	83	137.72.43.2	207 137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077392	1257181349	32760
26	02:42:10:5229 GMT	40	137.72.43.1	137 137.72.43.207	TCP	ACK	10432	ftp control	1257181349	452077435	64180
30	02:42:16:2812 GMT	67	137.72.43.1	137 137.72.43.207	TCP	ACK PSH : ftp command PORT	10432	ftp control	1257181349	452077435	64180
31	02:42:16:2865 GMT	62	137.72.43.2	207 137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741







FTP Analysis

Sniffer trace shows the PORT command was sent to the server but there was no SYN packet coming in – SYN packet was "lost"

Might be related to firewall issues - check firewall setting, FTP.DATA and TCP PROFILE settings.

Passive FTP:

- Client initiates the <u>data connection</u>.
- Check the reply to the PASV command to determine the IP address and Port number of the server for the data connection.





FTP Analysis – a Good PASV

Traces	Query Builder	Packet Summary	Packet Details	Sequence of Execution	Response Time Summary	Exception Report
--------	---------------	----------------	----------------	-----------------------	-----------------------	------------------

Packet Sun	nmary										
D	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size
730	02:42:16:2097 GMT	48	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command TYPE	21157	ftp control	3883430947	617330248	64154
731	02:42:16:2136 GMT	83	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	21157	617330248	3883430955	32760
732	02:42:16:2142 GMT	46	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command PASV	21157	ftp control	3883430955	617330291	64143
733	02:42:16:2207 GMT	89	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 227	ftp control	21157	617330291	3883430961	32762
734	02:42:16:2223 GMT	46	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command LIST	21157	ftp control	3883430961	617330340	64131
735	02:42:16:2234 GMT	52	137.72.43.137	137.72.43.207	TCP	SYN	21158	3679	3534575276	0	65535
736	02:42:16:2331 GMT	48	137.72.43.207	137.72.43.137	ТСР	ACK SYN	3679	21158	617396255	3534575277	32768
737	02:42:16:2331 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	21158	3679	3534575277	617396256	64240
738	02:42:16:2799 GMT	61	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 125	ftp control	21157	617330340	3883430967	32762
739	02:42:16:4079 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	21157	ftp control	3883430967	617330361	64126
740	02:42:16:4465 GMT	1500	137.72.43.207	137.72.43.137	TCP	ACK	3679	21158	617396256	3534575277	32768
741	02:42:16:4467 GMT	1457	137.72.43.207	137.72.43.137	TCP	ACK PSH	3679	21158	617397716	3534575277	32768
742	02, 2:16:4468 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	21158	3679	3534575277	617399133	63520
743	02:42:16:4468 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	21158	3679	3534575277	617399133	64240
744	02:42:16:4491 GMT	40	137.72.43.207	137.72.43.137	TCP	ACK PSH FIN	3679	21158	617399133	3534575277	32768
745	02:42:16:4493 GMT	40	137.72.43.137	137.72.43.207	TCP	АСК	21158	3679	3534575277	617399134	64240
746	02:42:16:4495 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK FIN	21158	3679	3534575277	617399134	64240
747	02:42:16:4524 GMT	40	137.72.43.207	137.72.43.137	TCP	ACK PSH	3679	21158	617399134	3534575278	32768



FTP Analysis – PASV Reply



Trac	es Query Builder	Packet Summary	Packet Details	Sequence of Execution	Response Time Summary Exception Report
_	Packet Details —				
	Packet Details	Hex Decode			
	Racket Details				
	ľ				
	Packet ID : 7	733			
	Time : 3/3/20	09 02:42:16:2	207 GMT		
	Header :	00-10-0C-DE-D		M 00-10-0/	- 22 - 04
	ETHERTYPE - 1	00:10:C6:DF:B	AICF Remo	ote Mac : 00:13:20	105177194
		(04000)			
	IP Version 4				
	Source : 13	37.72.43.207	Remote :	137.72.43.137	
	Protocol : TO	:P			
	Flags :	Fragment Off	set : 0		
	TCP Header In	nfo			
	Source Port :	21 ftp contro	ol Remote	Port : 21157	Client will connect to the Server Port
	Seq. Number :	617330291	Ack. Number	r : 3883430961	Olient will connect to the Server Port
	Window : 32/6	2 Flags :	ACK PSH		3679 for data connection:
	FTP Data				Server IP = 137.72.43.207
	Reply Code :	227 (Entering)	Passive Mode))	Server Port = 14 * 256 + 95 = 3679
	Message : Ent	ering Passive	Mode (137,72	2,43,207,14,95)	—



FTP Analysis – a Failed PASV

Datagram



D	Timestamp	Size	Local IP	Rmt. IP	Protocol	Messages		Local Port	Rmt. Port	S H Technology
12	13:52:08:3181 CST	40	192.233.80.108	207.33.247.67	TCP	АСК		ftp control	1538	
13	13:52:08:3421 CST	115	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 230		ftp control	1538	
14	13:52:08:4624 CST	1465	192.233.80.108	207.33.247.67	TCP	ACK : ftp reply code 230		ftp control	1538	
15	13:52:08:4626 CST	40	207.33.247.67	192.233.80.108	TCP	АСК		1538	ftp control	
16	13:52:08:4683 CST	115	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 230		ftp control	1538	
17	13:52:08:5512 CST	1465	192.233.80.108	207.33.247.67	TCP	ACK : ftp reply code 230		ftp control	1538	
18	13:52:08:5514 CST	40	207.33.247.67	192.233.80.108	TCP	АСК		1538	ftp control	
19	13:52:08:5570 CST	115	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 230		ftp control	1538	
20	13:52:08:7234 CST	40	207.33.247.67	192.233.80.108	TCP	ACK		1538	ftp control	
21	13:52:08:8335 CST	964	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 230		ftp control	1538	
22	13:52:08:8353 CST	48	207.33.247.67	192.233.80.108	TCP	ACK PSH : ftp command REST		1538	ftp control	
23	13:52:08:8960 CST	107	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 350		ftp control	1538	
24	13:52:08:8971 CST	46	207.33.247.67	192.233.80.108	TCP	ACK PSH : ftp command SYST		1538	ftp control	
25	13:52:08:9561 CST	59	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 215		ftp control	1538	
26	13:52:08:9596 CST	45	207.33.247.67	192.233.80.108	TCP	ACK PSH : ftp command PWD		1538	ftp control	
27	13:52:09:0190 CST	71	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 257		Constant and	1500	
28	13:52:09:0200 CST	46	207.33.247.67	192.233.80.108	TCP	ACK PSH : ftp command PASV	Messag	ge : Enterin	ng Passive	Mode
29	13:52:09:1183 CST	40	192.233.80.108	207.33.247.67	TCP	АСК	(192,23	3,80,108,8	9,23).	
30	13:52:09:1395 CST	90	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 227	89x256	+ 23 = 228	07	
31	13:52:09:1460 CST	48	207.33.247.67	192.233.80.108	TCP	SYN		1539	22807	
32	13:52:09:3234 CST	40	207.33.247.67	192.233.80.108	TCP	АСК		1538	ftp control	
33	13:52:12:1284 CST	48	207.33.247.67	192.233.80.108	TCP	SYN		1539	22807	
34	13:52:18:1635 CST	48	207.33.247.67	192.233.80.108	TCP	SYN		1539	22807	
35	13:52:30:2134 CST	48	207.33.247.67	192.233.80.108	TCP	SYN		1539	22807	
36	13:52:54:2620 CST	48	207.33.247.67	192.233.80.108	TCP	SYN		1539	22807	
37	13:52:54:2933 CST	40	207.33.247.67	192.233.80.108	TCP	ACK FIN		1538	ftp control	
38	13:52:54:3481 CST	40	192.233.80.108	207.33.247.67	TCP	ACK		ftp control	1538	
39	13:52:54:3528 CST	77	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 221		ftp control	1538	
40	13:52:54:3530 CST	40	207.33.247.67	192.233.80.108	TCP	RST		1538	ftp control	
41	13:52:54:3556 CST	40	192.233.80.108	207.33.247.67	TCP	ACK FIN		ftp control	1538	
42	13:52:54:3557 CST	40	207.33.247.67	192.233.80.108	TCP	RST		1538	ftp control	
43	13:52:57:2535 CST	48	207.33.247.67	192.233.80.108	TCP	SYN		1539	22807	
44	13:53:03:2785 CST	48	207.33.247.67	192.233.80.108	TCP	SYN		1539	22807	

Copyright © 2013 Applied Expert Systems, Inc.



Proactively Monitoring for FTP Server Logon Failures



I	Host Name: Cu	rrent Host	Host Addres	s: 172.29.122.	182 Use	r ID: AESDJ	IC1	Logoff	Change I	lost Select Stack Help
CA	ES								Clev	verView® for TCP/IP
		🔮 SysP	Point 🔰 🖉 🤅	Connect Exp	pert 🔰 💋 St	ackView	🔗 LinkView	📩 (Critical Resour	ces 🔰 🔍 PinPoint
>>		🍇 🛃			Ftp Serve	e <mark>r Logon</mark> I	Failure			August 2, 2012 4:56:45 PM
0	0									Refresh
					17 items fou	und, display	/ing all items.1			
Host Name	TCP/IP Stack	FTP Server	Date	Time	Remote IP	Remote port	Local IP	Local port	UserID	Reason
S0W1	TCPIP	FTPSERVE	09/19/2011	17:27:07	172.29.96.6	63702	172.29.122.182	21	AESDJC1	Password is not valid
S0W1	TCPIP	FTPSERVE	09/26/2011	21:23:22	172.29.96.39	49768	172.29.122.182	21	AESDJC1	Password is not valid
S0W1	TCPIP	FTPSERVE	09/26/2011	21:47:19	172.29.96.39	49996	172.29.122.182	21	AESDJC1	Password is not valid
S0W1	TCPIP	FTPSERVE	09/26/2011	21:48:01	172.29.96.39	49999	172.29.122.182	21	AESDJC1	Password is not valid
S0W1	TCPIP	FTPSERVE	10/26/2011	21:38:57	172.29.96.73	49188	172.29.122.182	21	AESDJC3	Password is not valid
S0W1	TCPIP	FTPSERVE	10/26/2011	21:39:13	172.29.96.73	49191	172.29.122.182	21	XX	User ID is unknown
S0W1	TCPIP	FTPSERVE	10/28/2011	20:13:09	172.29.96.22	60604	172.29.122.182	21	Х	User ID is unknown
S0W1	TCPIP	FTPSERVE	10/28/2011	20:13:15	172.29.96.22	60605	172.29.122.182	21	AESDJC3	Session terminated before password is entered
S0W1	TCPIP	FTPSERVE	11/02/2011	15:03:44	172.29.96.53	50348	172.29.122.182	21	XXX	User ID is unknown
S0W1	TCPIP	FTPSERVE	11/02/2011	15:03:48	172.29.96.53	50349	172.29.122.182	21	AESDJC1	Password is not valid
S0W1	TCPIP	FTPSERVE	11/02/2011	15:03:53	172.29.96.53	50350	172.29.122.182	21	AESDJC1	Session terminated before password is entered
S0W1	TCPIP	FTPSERVE	12/30/2011	16:37:13	172.29.96.13	55285	172.29.122.182	21	ANONYMOU	User ID is unknown
S0W1	TCPIP	FTPSERVE	12/30/2011	16:37:16	172.29.96.13	55286	172.29.122.182	21	ANONYMOU	User ID is unknown
S0W1	TCPIP	FTPSERVE	12/30/2011	17:12:03	172.29.96.13	55754	172.29.122.182	21		User ID is unknown
S0W1	TCPIP	FTPSERVE	03/30/2012	14:44:03	172.29.96.4	51504	172.29.122.182	21	AESDJC1	Password is not valid
S0W1	TCPIP	FTPSERVE	04/06/2012	17:21:33	172.29.96.48	33988	172.29.122.182	21	AESDJC1	User ID is unknown
S0W1	TCPIP	FTPSERVE	07/13/2012	16:45:09	172.29.96.14	23926	172.29.122.182	21		User ID is unknown
					Export options:	CSV Ex	cel XML PDF			

FTP Brute Force Attack – over 460 attempts within 21 seconds

v® for cTrace An

33



			or nespi rime rin					uvi Litois			
es (Query Builder Packet	Summary S	ession Summary	Packet Details							
acket	Summary										
	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size
	16:21:31:9531 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1285	ftp control	3093229813	0	16384
	16:21:31:9532 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1285	3090751062	3093229814	65535
	16:21:31:9656 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1288	ftp control	606814161	0	16384
	16:21:31:9657 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1288	2147941734	606814162	65535
	16:21:31:9706 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1291	ftp control	4028165621	0	16384
	16:21:31:9706 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1291	573343984	4028165622	65535
	16:21:31:9751 CST	40	69.181.135.56	67.161.39.46	TCP	ACK	1285	ftp control	3093229814	3090751063	17520
	16:21:31:9757 CST	87	67.161.39.46	69.181.135.56	TCP	ACK PSH : ftp reply code 220	ftp control	1285	3090751063	3093229814	65535
	16:21:31:9799 CST	40	69.181.135.56	67.161.39.46	TCP	ACK RST	1285	ftp control	3093229814	3090751063	0
	16:21:31:9844 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1294	ftp control	1544714838	0	16384
	16:21:31:9845 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1294	3586017418	1544714839	65535
	16:21:31:9895 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1297	ftp control	1806621893	0	16384
	16:21:31:9895 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1297	2638101644	1806621894	65535
	16:21:31:9987 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1300	ftp control	472763074	0	16384
	16:21:31:9987 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1300	1450173204	472763075	65535
	16:21:32:0035 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1303	ftp control	2566042477	0	16384
	16:21:32:0035 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1303	3242763093	2566042478	65535
	16:21:32:0131 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1306	ftp control	2573926232	0	16384
	16:21:32:0131 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1306	639928657	2573926233	65535
	16:21:32:0179 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1309	ftp control	3804249418	0	16384
	16:21:32:0179 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1309	669909982	3804249419	65535
	16:21:32:0278 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1312	ftp control	964812875	0	16384
	16:21:32:0278 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1312	201635732	964812876	65535
	16:21:32:0324 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1315	ftp control	506003278	0	16384
	16:21:32:0324 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1315	2057902338	506003279	65535
	16:21:32:0474 CST	40	69.181.135.56	67.161.39.46	TCP	ACK	1288	ftp control	606814162	2147941735	17520
	16:21:32:0478 CST	87	67.161.39. <mark>4</mark> 6	69.181.135.56	TCP	ACK PSH : ftp reply code 220	ftp control	1288	2147941735	606814162	65535
	16:21:32:0614 CST	40	69.181.135.56	67.161.39.46	NON IP	0				-	
	16:21:32:0617 CST	87	67.161.39.46	69.181.135.56	TCP	ACK PSH : ftp reply code 220	ftp control	1291	573343985	4028165622	65535
	16:21:32:0850 CST	40	69.181.135.56	67.161.39.46	EMCON						
	16:21:32:0854 CST	87	67.161.39.46	69.181.135.56	ERROR	8	39	1 (j		2	
	16:21:32:0903 CST	40	69.181.135.56	67.161.39.46	UDP		20496	17520			
	16:21:32:0907 CST	87	67.161.39.46	69.181.135.56	TCP	ACK PSH : ftp reply code 220	ftp control	1297	2638101645	1806621894	65535

Copyright © 2013 Applied Expert Systems, Inc.



RE

FTP Brute Force Attack – Zoom in on FTP Control Sessions

CleverView® for cTrace Analysis

File Help

🖬 🗁 🤩 🕲 🔲 ← ⇒ 🔍 🍭 🔧 🕅 🖻 💡

📇 Traffic Errors 📴 Session Errors 🕖 Resp. Time Thresh. 🛠 Application Errors 🕘 INIT Packets 🕘 TERM Packets 🛛 INIT Errors 🛛 TERM Errors

Traces Query Builder Packet Summary Session Summary Packet Details Sequence of Execution

SID	Start Time	End Time	Elapsed Time (hh:mm:ss.tttt)	Server Time (hh:mm:ss.tttt)	Network Time (hh:mm:ss.tttt)	Local IP	Local Port	Rmt. IP	Rmt. Port	Datagrams In (Bytes)	Datagrams Out (Bytes)	Avg. Datagram
1	16:21:36:3820 CST	16:21:52:6847 CST	00:00:16:3027	00:00:16:3027	00:00:00:0000	69.181.135.56	20500	67.161.39.46	0	0	4	40
2	16:21:31:9531 CST	16:21:31:9799 CST	00:00:00:0268	00:00:00:0261	00:00:00:0007	69.181.135.56	1285	67.161.39.46	ftp control	2	3	52.6
3	16:21:31:9656 CST	16:21:32:2567 CST	00:00:00:2911	00:00:00:2801	00:00:00:0110	69.181.135.56	1288	67.161.39.46	ftp control	4	4	58.5
ļ.	16:21:31:9706 CST	16:21:32:2723 CST	00:00:00:3017	00:00:00:2949	00:00:00:0068	69.181.135.56	1291	67.161.39.46	ftp control	4	3	61.14
5	16:21:31:9844 CST	16:21:32:2892 CST	00:00:00:3048	00:00:00:3046	00:00:00:0002	69.181.135.56	1294	67.161.39.46	ftp control	3	3	56.83
	16:21:31:9895 CST	16:21:32:4115 CST	00:00:00:4220	00:00:00:4110	00:00:00:0110	69.181.135.56	1297	67.161.39.46	ftp control	4	4	58.5
	16:21:31:9987 CST	16:21:32:3050 CST	00:00:00:3063	00:00:00:2992	00:00:00:0071	69.181.135.56	1300	67.161.39.46	ftp control	4	4	58.5
	16:21:32:0035 CST	16:21:32:4359 CST	00:00:00:4324	00:00:00:4302	00:00:00:0022	69.181.135.56	1303	67.161.39.46	ftp control	4	5	56.44
	16:21:32:0131 CST	16:21:32:4451 CST	00:00:00:4320	00:00:00:4309	00:00:00:0011	69.181.135.56	1306	67.161.39.46	ftp control	4	5	56.44
0	16:21:32:0179 CST	16:21:32:4595 CST	00:00:00:4416	00:00:00:4414	00:00:00:0002	69.181.135.56	1309	67.161.39.46	ftp control	4	4	58.5
1	16:21:32:0278 CST	16:21:32:3300 CST	00:00:00:3022	00:00:00:3016	00:00:00:0006	69.181.135.56	1312	67.161.39.46	ftp control	4	4	58.5
2	16:21:32:0324 CST	16:21:32:3420 CST	00:00:00:3096	00:00:00:3073	00:00:00:0023	69.181.135.56	1315	67.161.39.46	ftp control	4	4	58.5
3	16:21:32:3588 CST	16:21:32:7287 CST	00:00:00:3699	00:00:00:2995	00:00:00:0704	69.181.135.56	1318	67.161.39.46	ftp control	4	4	58.5
4	16:21:32:3827 CST	16:21:32:7340 CST	00:00:00:3513	00:00:00:2985	00:00:00:0528	69.181.135.56	1321	67.161.39.46	ftp control	3	4	56
5	16:21:32:4068 CST	16:21:35:1573 CST	00:00:02:7505	00:00:02:7368	00:00:00:0137	69.181.135.56	1324	67.161.39.46	ftp control	5	3	63
5	16:21:32:4163 CST	16:21:32:7428 CST	00:00:00:3265	00:00:00:2993	00:00:00:0272	69.181.135.56	1327	67.161.39.46	ftp control	4	4	58.5
7	16:21:32:4307 CST	16:21:32:8484 CST	00:00:00:4177	00:00:00:4175	00:00:00:0002	69.181.135.56	1330	67.161.39.46	ftp control	4	4	58.5
в	16:21:32:4403 CST	16:21:32:7526 CST	00:00:00:3123	00:00:00:3121	00:00:00:0002	69.181.135.56	1333	67.161.39.46	ftp control	4	3	61.14
9	16:21:32:4499 CST	16:21:32:7616 CST	00:00:00:3117	00:00:00:2948	00:00:00:0169	69.181.135.56	1336	67.161.39.46	ftp control	4	4	58.5
C	16:21:32:4643 CST	16:21:32:7634 CST	00:00:00:2991	00:00:00:2895	00:00:00:0096	69.181.135.56	1339	67.161.39.46	ftp control	4	4	58.5
1	16:21:32:4739 CST	16:21:32:8869 CST	00:00:00:4130	00:00:00:4081	00:00:00:0049	69.181.135.56	1342	67.161.39.46	ftp control	4	5	56.44
2	16:21:32:4839 CST	16:21:32:7733 CST	00:00:00:2894	00:00:00:2892	00:00:00:0002	69.181.135.56	1345	67.161.39.46	ftp control	4	3	61.14
3	16:21:32:8245 CST	16:21:33:1533 CST	00:00:00:3288	00:00:00:2679	00:00:00:0609	69.181.135.56	1348	67.161.39.46	ftp control	4	4	58.5
4	16:21:32:8339 CST	16:21:33:1585 CST	00:00:00:3246	00:00:00:3245	00:00:00:0001	69.181.135.56	1351	67.161.39.46	ftp control	4	3	61.14
5	16:21:32:8441 CST	16:21:33:2589 CST	00:00:00:4148	00:00:00:3630	00:00:00:0518	69.181.135.56	1354	67.161.39.46	ftp control	4	4	57.12
5	16:21:32:8531 CST	16:21:33:1693 CST	00:00:00:3162	00:00:00:2694	00:00:00:0468	69.181.135.56	1357	67.161.39.46	ftp control	4	4	58.5
	16:21:32:8627 CST	16:21:33:1726 CST	00:00:00:3099	00:00:00:3099	00:00:00:0000	69.181.135.56	1360	67.161.39.46	ftp control	4	3	61.14
3	16:21:32:8723 CST	16:21:33:2874 CST	00:00:00:4151	00:00:00:3764	00:00:00:0387	69.181.135.56	1363	67.161.39.46	ftp control	4	5	56.44
9	16:21:32:8819 CST	16:21:33:1819 CST	00:00:00:3000	00:00:00:3000	00:00:00:0000	69.181.135.56	1366	67.161.39.46	ftp control	4	3	61.14
D	16:21:32:8931 CST	16:21:33:1869 CST	00:00:00:2938	00:00:00:2638	00:00:00:0300	69.181.135.56	1369	67.161.39.46	ftp control	4	4	58.5
1	16:21:32:9011 CST	16:21:33:1915 CST	00:00:00:2904	00:00:00:2904	00:00:00:0000	69.181.135.56	1372	67.161.39.46	ftp control	4	3	61.14
2	16:21:33:2454 CST	16:21:33:5756 CST	00:00:00:3302	00:00:00:3299	00:00:00:0003	69.181.135.56	1375	67.161.39.46	ftp control	4	3	61.14
2	16-21-22-25/11 CST	18-21-33-5808 CCT	00.00.00.3267	00-00-00-3266	00-00-00-0001	60 181 135 56	1378	67 161 30 AR	fte control	4	2	61 14

Copyright © 2013 Applied Expert Systems, Inc.



- Connections - Results

FTP Brute Force Attack – Check FTP Commands and Replies



не	ip									
2	🕽 🗇 🥅 🖨 🔶 🤇) 🍕 🕹 🗊 🖻) 🤋							
🔄 Tra	ffic Errors D+D Session	Errors 🥑 Resp.	Time Thresh	. 🛠 Application Errors 🔵 INIT Packets 🧧	TERM Packets	INIT Errors	TERM Er	rors		
	any Builder Desket Su	mmany Sanaian S		ket Detaile Sequence of Execution						
03 Q0	cry builder racket our									
Sea of F	vecution									
ocal IP:	69 181 135 56 Re	mote IP: 67 161 3	9.46 Pro	tocol: TCP Sessions Count: 1						
	00.101.100.00	101.101.5	ю.но тто							
ID	Timestamp	Elapsed Time (hh:mm:ss.tttt)	Datagram Size	Messages	Local Port	Direction	Rmt. Port	Seq. Number	Ack. Number	Window Size
ID 87	Timestamp 16:21:32:3588 CST	Elapsed Time (hh:mm:ss.tttt) 00:00:00:0000	Datagram Size 48	Messages SYN	Local Port 1318	Direction	Rmt. Port	Seq. Number 1399143626	Ack. Number	Window Size 16384
ID 87 88	Timestamp 16:21:32:3588 CST 16:21:32:3589 CST	Elapsed Time (hh:mm:ss.tttt) 00:00:00:0000 00:00:001	Datagram Size 48 48	Messages SYN ACK SYN	Local Port 1318 1318	Direction > <	Rmt. Port ftp control ftp control	Seq. Number 1399143626 2602916262	Ack. Number 0 1399143627	Window Size 16384 65535
ID 87 88 116	Timestamp 16:21:32:3588 CST 16:21:32:3589 CST 16:21:32:4992 CST	Elapsed Time (hh:mm:ss.tttt) 00:00:00:0000 00:00:00:0001 00:00:00:1403	Datagram Size 48 48 48 40	Messages SYN ACK SYN ACK	Local Port 1318 1318 1318 1318	Direction > >	Rmt. Port ftp control ftp control ftp control	Seq. Number 1399143626 2602916262 1399143627	Ack. Number 0 1399143627 2602916263	Window Size 16384 65535 17520
ID 87 88 116 125	Timestamp 16:21:32:3588 CST 16:21:32:3589 CST 16:21:32:3589 CST 16:21:32:4992 CST 16:21:32:5691 CST	Elapsed Time (hh:mm:ss.tttt) 00:00:00:0000 00:00:00:0001 00:00:00:1403 00:00:00:0699	Datagram Size 48 48 40 87	Messages SYN ACK SYN ACK ACK ACK PSH : ftp reply code 220	Local Port 1318 1318 1318 1318 1318	Direction	Rmt. Port ftp control ftp control ftp control ftp control	Seq. Number 1399143626 2602916262 1399143627 2602916263	Ack. Number 0 1399143627 2602916263 1399143627	Window Size 16384 65535 17520 65535
ID 87 88 116 125 136	Timestamp 16:21:32:3588 CST 16:21:32:3589 CST 16:21:32:3589 CST 16:21:32:4992 CST 16:21:32:5691 CST 16:21:32:697 CST	Elapsed Time (hh:mm:ss.tttt) 00:00:00:0000 00:00:00:001 00:00:00:1403 00:00:00:0699 00:00:00:584	Datagram Size 48 48 40 87 51	Messages SYN ACK SYN ACK ACK ACK PSH : ftp reply code 220 ACK PSH : ftp command USER	Local Port 1318 1318 1318 1318 1318 1318 1318	Direction> <> <>	Rmt. Port ftp control ftp control ftp control ftp control ftp control	Seq. Number 1399143626 2602916262 1399143627 2602916263 1399143627	Ack. Number 0 1399143627 2602916263 1399143627 2602916310	Window Size 16384 65535 17520 65535 17473
ID 87 88 116 125 136 137	Timestamp 16:21:32:3588 CST 16:21:32:3589 CST 16:21:32:3589 CST 16:21:32:4992 CST 16:21:32:5691 CST 16:21:32:6275 CST 16:21:32:6277 CST	Elapsed Time (hh:mm:ss.tttt) 00:00:00:0000 00:00:00:001 00:00:00:1403 00:00:00:0699 00:00:00:0584 00:00:00:0002	Datagram Size 48 48 40 87 51 51 76	Messages SYN ACK SYN ACK ACK PSH : ftp reply code 220 ACK PSH : ftp command USER ACK PSH : ftp reply code 331	Local Port 1318 1318 1318 1318 1318 1318 1318 131	Direction > > > > > > >	Rmt. Port ftp control ftp control ftp control ftp control ftp control ftp control	Seq. Number 1399143626 2602916262 1399143627 2602916263 1399143627 2602916310	Ack. Number 0 1399143627 2602916263 1399143627 2602916310 1399143638	Window Size 16384 65535 17520 65535 17473 65524
ID 87 88 116 125 136 137 156	Timestamp 16:21:32:3588 CST 16:21:32:3589 CST 16:21:32:3589 CST 16:21:32:4992 CST 16:21:32:5691 CST 16:21:32:6275 CST 16:21:32:6277 CST 16:21:32:7285 CST	Elapsed Time (hh:mm:ss.tttt) 00:00:00:0000 00:00:00:1403 00:00:00:0699 00:00:00:0584 00:00:00:002 00:00:001008	Datagram Size 48 48 40 87 51 51 76 50	Messages SYN ACK SYN ACK ACK ACK PSH : ftp reply code 220 ACK PSH : ftp command USER ACK PSH : ftp reply code 331 ACK PSH : ftp command PASS	Local Port 1318 1318 1318 1318 1318 1318 1318 1318 1318 1318	Direction > > > > > >	Rmt. Port ftp control ftp control ftp control ftp control ftp control ftp control ftp control ftp control	Seq. Number 1399143626 2602916262 1399143627 2602916263 1399143627 2602916310 1399143638	Ack. Number 0 1399143627 2602916263 1399143627 2602916310 1399143638 2602916346	Window Size 16384 65535 17520 65535 17473 65524 17437



FTP Brute Force Attack – Check PASS Command Packet Details



🙀 CleverView® for cTrace Analysis	R I stors - April
File Help	
📩 Traffic Errors 🖧 Session Errors 🧶 Resp. Time Thresh. 🛠 Application Errors 🌒 INIT Packets 🌒 TERM Packets 🛛 INIT Errors 🖉 TERM Errors	
Traces Query Builder Packet Summary Session Summary Packet Details Sequence of Execution	
Packet Details	
Packet Details Hex Decode	
Packet Details	
Packet ID : 156	
Time : 5/26/2006 16:21:32:7285 CST	
Link Wesder	
Source Mac : 00:01:5C:22:A5:82 Remote Mac : 08:00:46:F4:3A:09	
ETHERTYPE : IP (0x800)	
TR Transferr 4	
Header Length - 20	
Source : 69.181.135.56 Remote : 67.161.39.46 Protocol : TCP	
Datagram Length : 50 ID : 0x078B (1931)	
Flags : Don't Fragment Fragment Offset : 0	
Time to live : 127	
header checksum - baboss	
TCP Header Info	
Source Port : 1318 1318 Remote Port : 21 ftp control	
Seq. Number : 1399143638 Ack. Number : 2602916346	
WINDOW : 1/45/ FIAGE : ACK PSH	
FTP Data	
Command : PASS	
Parameters : een	



TLS/SSL https (Port 443), AT-TLS (appl. port)



- Transport Layer Security provides security for communications over networks by encrypting the segments at the transport layer end to end.
- TLS V1.0 (RFC 2246) is based on SSL V3.0.
- It does not require the client and the server to arrange for a secret key to be exchanged *before* the transaction.
 - Asymmetric keys (public/private) for handshaking and secret key exchange.
 - Secret key (symmetric) mechanism for subsequent communication.



TLS/SSL, AT-TLS – Secret Key (Symmetric)



ciphertext

Source: http://middleware.its.state.nc.us/middleware/Documentation/en_US/htm/csqzas00/csq01skc.gif

SHARE in San Francisco 2013

TLS/SSL, AT-TLS – Public/Private Keys

ASYMMETRIC ENCRYPTION



Source: http://www.teracomtraining.com/tutorials/teracom-tutorial-asymmetric-encryption.gif

Copyright © 2013 Applied Expert Systems, Inc.



TLS/SSL Basic Flow



- Negotiate cipher suites and compression algorithms.
- Authenticate the server (and optionally the client) through certificates and public/private keys.
- Server -> Client: The server uses its private key to encrypt and the client uses the public key to decrypt.
- Client -> Server: the client uses the public key to encrypt and the server uses its private key to decrypt.
- Exchange random numbers and a pre-master secret, which is used with other data to create a shared secret key – the Master Secret is used to encrypt/decrypt the data.



TLS/SSL Handshake – Server Authentication

Server



Client

Client Hello

Server Hello Certificate Server Done

Client Key Exchange Change Cipher Spec Finished

Change Cipher Spec Finished

Hello

Highest SSL/TLS version supported Ciphers and Compression Method Session ID Random data for key generation

Certificate: Server Certificate – contains server's public key.

Client Key Exchange

Client generates the pre-master secret and encrypt it with server's <u>public key</u>. Both the client and the server generate the Master Secret key (symmetric) on their own using the pre-master secret and the random data that is generated from the SERVER_HELLO and CLIENT_HELLO commands.

Change Cipher Spec

Indicates that all subsequent data will be encrypted.










Copyright © 2013 Applied Expert Systems, Inc.

HTTPS (Port 443)

CleverV	iew® for cTrace A	nalysis										
File Help)											
		0 📾 🐒										
		~~~~~	CTD HE 8									
🔄 Traf	fic Errors a+a Session	Errors 🕗 🖗	Resp. Time Thresh	🛠 Application Err	ors 🙁 INIT	Packets 😑 TERM Packets INIT Errors TERM	1 Errors					
races Que	erv Ruilder Packet St	ummary										
	., .											
Packet Su	mmary											_
ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size	
52	18:36:09:5954 EST	52	137.72.43.113	161.113.0.6	TCP	SYN	53755	https	373845382	0	8192	
53	18:36:09:6604 EST	52	161.113.0.6	137.72.43.113	TCP	ACK SYN	https	53755	3140938962	373845383	4380	
54	18:36:09:6606 EST	40	137.72.43.113	161.113.0.6	TCP	ACK	53755	https	373845383	3140938963	16588	- a -
55	18:36:09:6685 EST	238	137.72.43.113	161.113.0.6	TCP	TLS: Client Hello	53755	https	373845383	3140938963	16588	וכ
56	18:36:09:7484 EST	1316	161.113.0.6	137.72.43.113	TCP	TLS: Server Hello, Certificate	https	53755	3140938963	373845581	4380	
57	18:36:09:7552 EST	1316	161.113.0.6	137.72.43.113	TCP	АСК	https	53755	3140940239	373845581	4380	
58	18:36:09:7552 EST	40	137.72.43.113	161.113.0.6	TCP	ACK	53755	https	373845581	3140941515	16588	
59	18:36:09:7622 EST	1316	161.113.0.6	137.72.43.113	TCP	ACK	https	53755	3140941515	373845581	4380	1
60	18:36:09:7657 EST	733	161.113.0.6	137.72.43.113	TCP	TLS: Server Hello Done	https	53755	3140942791	373845581	4380	
61	18:36:09:7658 EST	40	137.72.43.113	161.113.0.6	TCP	ACK	53755	https	373845581	3140943484	16588	_
62	18:36:09:7718 EST	222	137.72.43.113	161.113.0.6	TCP	TLS: Client Key Exchange, Change Cipher Spec,	53755	https	373845581	3140943484	16588	- 2
63	18:36:09:8372 EST	40	161.113.0.6	137.72.43.113	TCP	ACK	https	53755	3140943484	373845763	4760	
64	18:36:09:8424 EST	83	161.113.0.6	137.72.43.113	TCP	TLS: Change Cipher Spec, Encrypted Data	https	53755	3140943484	373845763	4760	
65	18:36:09:8437 EST	879	137.72.43.113	161.113.0.6	TCP	TLS: Application	53755	https	373845763	3140943527	16577	
66	18:36:09:9180 EST	40	161.113.0.6	137.72.43.113	TCP	АСК	https	53755	3140943527	373846602	5599	
67	18:36:09:9508 EST	1316	161.113.0.6	137.72.43.113	TCP	TLS: Application	https	53755	3140943527	373846602	5599	
68	18:36:09:9576 EST	1316	161.113.0.6	137.72.43.113	TCP	TLS: Application	https	53755	3140944803	373846602	5599	
69	18:36:09:9577 EST	40	137.72.43.113	161.113.0.6	TCP	АСК	53755	https	373846602	3140946079	16588	-
70	18:36:09:9648 EST	1316	161.113.0.6	137.72.43.113	TCP	TLS: Application	https	53755	3140946079	373846602	5599	12
71	18:36:09:9716 EST	1316	161.113.0.6	137.72.43.113	TCP	TLS: Application	https	53755	3140947355	373846602	5599	
72	18:36:09:9717 EST	40	137.72.43.113	161.113.0.6	TCP	АСК	53755	https	373846602	3140948631	16588	
73	18:36:09:9787 EST	1316	161.113.0.6	137.72.43.113	TCP	TLS: Application	https	53755	3140948631	373846602	5599	
74	18:36:09:9855 EST	1316	161.113.0.6	137.72.43.113	TCP	TLS: Application	https	53755	3140949907	373846602	5599	
75	18:36:09:9856 EST	40	137.72.43.113	161.113.0.6	TCP	ACK	53755	https	373846602	3140951183	16588	_
76	18:36:09:9925 EST	1316	161.113.0.6	137.72.43.113	TCP	TLS: Application	https	53755	3140951183	373846602	5599	

Copyright © 2013 Applied Expert Systems, Inc.



74 Complete your sessions evaluation online at SHARE.org/SFEval



#### AT-TLS - FTP w/SSL

幽 (	CleverVi	iew® for cTrace A	nalysis											
Fil	e Help													
	2		२ 💐 🌫	🛱 🖬	ę									
	🔄 Trafi	fic Errors b+b Session	Errors Ø F	Resp. Time	e Thresh.	🛠 Applica	tion Errors 🛛 🙁 I	NIT Packets 🛛 😑 TERM Packet:	s INIT Errors	TERM Errors				
Tree		Packet Si	Immary											
Trac	ces   Que	ery Builder Facility St							Find co	nnection INIT Erro	rs			
ΓP	acket Sur	mmary							415					
6	D	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	AUTH TLS-P	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size	
	105	23:13:41:9787	52	10.192.	10.192	TCP	SYN		4042	ftp control	3440233762	0	65535	
	106	23:13:41:9788	48	10.192.	10.192	TCP	ACK SYN		ftp control	4042	2371254549	3440233763	65535	
	107	23:13:41:9797	40	10.192.	10.192	TCP	ACK		4042	ftp control	3440233763	2371254550	32768	
	108	23:13:43:5468	117	10.192.	10.192	TCP	ACK PSH : ftp	reply code 220	ftp control	4042	2371254550	3440233763	32768	0
	109	23:13:43:7276	40	10.192.	10.192	TCP	ACK		4042	ftp control	3440233763	2371254627	32748	
	110	23:13:43:7278	13:43:7278 196 10.192. 10.192 TCP ACK PSH : ftp reply code 220					reply code 220	ftp control	4042	2371254627	3440233763	32768	
	111	23:13:43:7342	52	10.192.	10.192	TCP	ACK PSH : ftp	command AUTH	4042	ftp control	3440233763	2371254783	32709	
-	112	23:13:43:7343	40	10.192.	10.192	TCP	ACK PSH		ftp control	4042	2371254783	3440233775	32767	
ŀ	113	23:13:45:7779	102	10.192.	10.192	TCP	ACK PSH : ftp	reply code 234	ftp control	4042	2371254783	3440233775	32767	
-	114	23:13:45:8833	152	10.192.	10.192	TCP	TLS: Client Hell		4042	ftp control	3440233775	2371254845	32694	
	115	23:13:45:8834	40	10.192.	10.192	TCP	ACK PSH		ftp control	4042	2371254845	3440233887	32761	
ŀ	116	23:13:45:8850	1492	10.192.	10.192	TCP	TLS: Server He		ftp control	4042	2371254845	3440233887	32761	
	117	23:13:45:8850	1492	10.192.	10.192	TCP	ACK	Client Hello	ftp control	4042	2371256297	3440233887	32761	
	118	23:13:45:8850	375	10.192.	10.192	TCP	ACK PSH		ftp control	4042	2371257749	3440233887	32761	
	119	23:13:45:9375	40	10.192.	10.192	TCP	ACK		4042	ftp control	3440233887	2371257749	32768	
	120	23:13:45:9920	179	10.192.	10.192	TCP	TLS: Client Key	Exchange	4042	ftp control	3440233887	2371258084	32684	
	121	23:13:45:9921	40	10.192.	10.192	TCP	ACK PSH		ftp control	4042	2371258084	3440234026	32759	
	122	23:13:45:9922	46	10.192.	10.192	TCP	TLS: Change C	ipher Spec	4042	ftp control	3440234026	2371258084	32684	
	123	23:13:45:9922	85	10.192.	10.192	TCP	TLS: Encrypted	l Data	4042	ftp control	3440234032	2371258084	32684	
	124	23:13:45:9922	40	10.192.	10.192	TCP	ACK PSH		ftp control	4042	2371258084	3440234077	32756	
	125	23:13:46:0030	46	10.192.	10.192	TCP	TLS: Change C	ipher Spec	ftp control	4042	2371258084	3440234077	32756	
	126	23:13:46:0032	85	10.192.	10.192	TCP	TLS: Encrypted	l Data	ftp control	4042	2371258090	3440234077	32756	
	127	23:13:46:0035	40	10.192.	10.192	TCP	ACK		4042	ftp control	3440234077	2371258135	32671	
1	128	23:13:46:0984	77	10.192.	10.192	TCP	TLS: Applicatio	Π	4042	ftp control	3440234077	2371258135	32671	
	129	23:13:46:0986	40	10.192.	10.192	TCP	ACK PSH		ftp control	4042	2371258135	3440234114	32765	
	130	23:13:46:0991	109	10.192.	10.192	TCP	TLS: Applicatio	n	ftp control	4042	2371258135	3440234114	32765	V

Copyright © 2013 Applied Expert Systems, Inc.







#### **TLS Header**



Offset	Length	Description	Decimal	Meaning				
			Value					
0	1	Content Type	20 (0x14)	Change Cipher Spec				
			21 (0x15)	Alert				
			22 (0x16)	Handshake				
			23 (0x17)	Application				
1	2	Version						
1	1	Major Version	3					
2	1	Minor Version	0	SSLv3				
			1	TLS 1.0				
			2	TLS 1.1				
			3	TLS 1.2				
3	2	Length	N	The length of the Protocol Message				
5	N	Protocol Message						

Copyright © 2013 Applied Expert Systems, Inc.



76 Complete your sessions evaluation online at SHARE.org/SFEval

## Sample TLS/SSL Decoding



Hex Data:

16 03 01 00 C1 01 00 00 BD 03 01 4B 71 F1 69 DA 10 ....

Secure Socket Layer

TLSv1 Record Layer: Handshake Protocol: Client Hello Content Type: Handshake (22) Version: TLS 1.0 (0x0301) Length: 193 Handshake Protocol: Client Hello Handshake Type: Client Hello (1) Length: 189 Version: TLS 1.0 (0x0301) Random GMT Unix Time: Feb 9, 2010 15:36:09.000000000 Random Bytes: DA10 ... _ Session ID Length: 32 Session ID: 2D585DAEF198D9BB951DD9F58D7766465B88A493B98ACC3C... Cipher Suites Length: 70 Cipher Suites (35 suites) Cipher Suite: TLS ECDHE ECDSA WITH AES 256 CBC SHA

Cipher Suite: TLS ECDHE RSA WITH AES 256 CBC SHA

28 Random Bytes - to be used with the premaster secret to generate the symmetric key.

Ciphers are listed in order of preference – from the strongest to the weakest

Copyright © 2013 Applied Expert Systems, Inc.



Cipher Suite: .....

#### **Sample Digital Certificate**

Certificate Viewer:"www.wellsfargo.com"



#### General Details Certificate Viewer:"www.wellsfargo.com" This certificate has been verified for the following uses: General Details SSL Server Certificate Issued To Common Name (CN) www.wellsfargo.com Organization (O) Wells Fargo and Company Organizational Unit (OU) ISG Serial Number 4C:CD:A7:E2:A0:24:38:20:07:91:A4:F0:32:28:4E:7D Issued By Common Name (CN) <Not Part Of Certificate> Organization (O) VeriSign Trust Network Organizational Unit (OU) VeriSign, Inc. Validity Issued On 4/19/2011 Expires On 4/19/2012 Fingerprints SHA1 Fingerprint 4D:43:DA:08:EC:F2:D3:14:85:CA:0A:B3:B4:73:CD:75:F3:6E:3D:BE MD5 Fingerprint 87:38:7B:EA:AB:78:48:51:C1:F7:95:FD:A8:F3:01:79

х

⊿ Bu	uiltin	Ob	ject	Tok	en:V	erisi	gn C	lass	3 P	ublic	: Prir	nary	Cer	tific	ation Author	ity
-	Veri	Sigr	n, Ind	c.												
	w	ww.	well	sfarg	jo.co	om										
Cer	tifica	ate	Field	ls												
	S	ubje	ct													-
	#S	ubje	ct P	ublic	: Key	/ Info	D									
		Sub	oject	Pub	olic I	(ey /	٩lgo	rithr	n							
		-Sul	oject	's Pu	ublic	Key	7									
	a E	xten	sion	s												
		Cer	tifica	ate E	Basio	: Cor	nstra	ints								=
		Cer	tifica	ate I	(ey l	Usaq	e									
		CR	L Dis	trib	utio	n Po	ints									
		Cer	tific	ate l	olic	ies										
		Ext	ende	ed K	ev U	sage	e									-
Fiel	d Va	lue														
Mod	dulu	15	(102	24 1	oit	3):										
<b>c6</b>	92	24	18	1c	<b>d0</b>	6f	<b>a</b> 9	3f	08	24	7e	<b>1</b> b	e5	a0	36	
b0	9f	56	05	52	f8	10	0d	64	2f	f9	0a	49	db	f4	26	
33 h3	0a	50	аю 2 в	13	CI 6C	30	10	C2	18	e/ 73	20	6C 62	23 9b	90. 33	eu c5	=
c7	e4	a3	05	50	5a	86	ad	35	64	ff	66	5e	1d	f6	7f	
54	77	82	01	80	1d	50	dd	1d	93	ff	81	ed	d0	a5	42	
7a	b5	c6	1b	a4	1b	ce	02	7c	78	a1	bd	97	7f	5f	f6	
fe	5b	10	dc	94	22	b1	8c	ec	97	4a	2d	92	7 <b>f</b>	16	b3	-

Copyright © 2013 Applied Expert Systems, Inc.





# **AT-TLS Data Decryption**

- AT-TLS data is always encrypted in the packet trace. By default, Data Trace does not show unencrypted AT-TLS data either for security reason.
- However, user can configure AT-TLS policy to turn on the CtraceClearText parameter to trace the unencrypted application data.

