



Levels of Protection: BCP user experience at Isracard



Mike Shorkend

mshorkend@isracard.co.il

Tuesday, March 14, 2012

Session Number 10527



Trademarks

The following are trademarks of the International Business Machines Corporation in the United States and/or other countries.

AIX*
DB2*
HiperSockets
IBM*
IBM logo*
IMS
CICS
System z
System z9
System z10
System z114
Tivoli
WebSphere*
z/OS*
z/V*
zSeries*

* Registered trademarks of IBM Corporation

The following are trademarks or registered trademarks of other companies.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

Red Hat, the Red Hat "Shadow Man" logo, and all Red Hat-based trademarks and logos are trademarks or registered trademarks of Red Hat, Inc., in the United States and other countries.

Control-M and Control-O are trademark of BMC

* All other products may be trademarks or registered trademarks of their respective companies.



Agenda

Introduction

Level 1: Synchronous Replication

Level 2: Logical Copies

Level 3: DRP testing

Level 4: Third Site Copy

Questions



About Isracard



Over 100,000
merchants

Over 50 million business
transaction per month

Monthly
turnover
of
8 billion NIS

3.4 Million Cards
47 % market share

2 million card holders


About me

- Manager, Central Infrastructure at Isracard
- Responsible for z/OS, z/VM, Linux(z and x), enterprise storage
- Team of 7
- My background is z/OS system programming, tuning and capacity planning
- 5 years at Isracard

The Challenges

- Normal threats like floods, earthquake, fire
- Geo-political specific threats like terror and cyber attacks
- In November 2009 a large Israeli financial institute had a 60 hour outage due to a logical error that was replicated to the DR site.
- Regulation
- Financial Constraints

Isracard Infrastructure




Isracard Mainframe Infrastructure

z/OS 1.11 (1.13 in August 2012)
DB2 10
CICS/TS 4.1
IMS(DBCTL) 11.1

z114




z114



z/VM 5.4
RHEL 5.6
WAS
Oracle
WMB

z10 BC - ELS



VT7720

Agenda

Introduction

Level 1: Synchronous Replication

Level 2: Logical Copies

Level 3: DRP testing

Level 4: Third Site Copy

Questions

Synchronous replication

- All production DASD are replicated to the DR site using Metro Mirroring(aka PPRC).
- Managed by Tivoli Productivity Center for Replication
- Approximately 16TB (9TB allocated) on 1800 volumes
- If one pair fails, I/O is frozen and all pairs are suspended creating a write dependent consistent mirror at the DR site(deals with the ‘rolling disaster’ scenario)
- I/O is released after a suspend(the other option is a sysplex wide outage). Availability preferred over mirror update.
- Monitored by hourly jobs

Tivoli Storage Productivity Center for Replication - Windows Internet Explorer

File Edit View Favorites Tools Help

Favorites Citrix XenApp - Applications Enterprise Automated Tape ... Shortcut to START.HTML usp100 דן והבינה - ייחודה System MF

HP Quality C... Citrix XenApp... http://hrpro... Enterprise P... Detailed Dat... Detailed Dat... Detailed Dat... Detailed Dat... Tivoli Sto... Page Safety >

Tivoli Storage Productivity Center for Replication

View / Modify Properties (Masger-DRP) Last Update: Jan 18, 2012 4:15:17 PM

Description
Masger to DRP

ESS / DS Metro Mirror Options:
(These options only affect ESS/DS Storage Systems.)

Reset Secondary Reserves
 Fail MM/GC if target is online (CKD only)

Metro Mirror Suspend Policy:

Hold I/O after Suspend
 Release I/O after Suspend

Manage H1-H2 with Hyperswap
 Disable HyperSwap

On Configuration Error:
 Partition the system(s) out of the sysplex
 Disable HyperSwap

On Planned HyperSwap Error:
 Partition out the failing system(s) and continue swap processing on the remaining system(s)
 Disable HyperSwap after attempting backout

On Unplanned HyperSwap Error:
 Partition out the failing system(s) and continue swap processing on the remaining system(s)
 Disable HyperSwap after attempting backout

Manage H1-H2 with Open HyperSwap
 Disable Open HyperSwap

OK Cancel

Agenda

Introduction

Level 1: Synchronous Replication

Level 2: Logical Copies

Level 3: DRP testing

Level 4: Third Site Copy

Questions

Logical Error Challenges


- If you have a software , hardware or application error that corrupts your data it gets replicated synchronously to your mirror
- Backups can help, but how do you get a consistent production copy?
- FLASH COPY is good but costly
- How do you check that your copy images are valid?



Our solution

- We take a space efficient flash copy of our production data every business day
- Two copies are kept: todays and yesterdays
- A third copy can be taken at any time(more on that later)
- After the copy is created, it is IPLed and data integrity is verified
- Only after it is verified, the previous days copy can be removed
- All automatic, using BMC/Control-M and Control-O,DSCLI and BCPii

Building Blocks(1/3):Space Efficient Flash Copy




10954: Making the Most of DFSMSdss and SMS: Hints, Tips, and Best Practices in your z/OS Environment

Wednesday, March 14, 2012: 1:30 PM-2:30 PM



Building Blocks(2/3):BCPii

What is BCPii?



10626: Simple BCPii Programming for the z/OS System Programmer
 Wednesday, March 14, 2012: 3:00 PM-4:00 PM
 Steve Warren

Building Blocks(3/3)

- Control-M – z/OS and distributed scheduling
- Control-O – z/OS Automation
- DSCLI – command line interface to the SSPC(System Storage Productivity Center)

The Big Picture




- When the job(on z/OS) indicating end of day processing has finished, a condition is raised by Control-M.
- This condition causes a script to be run on the SSPC that creates the flash
- When the script ends, Control-M raises a condition that causes a job on z/OS to run that activates the coupling facility and the z/OS image at the DR site.
- Another job monitors the IPL message log

Creating the New Flash

```
cd\
cd "C:\Program Files\IBM\dscli"
echo *****
date/t
time/t
dscli -cfg "C:\Program Files\IBM\dscli\profile\DS8700_DRP.profile" -hmc1 xxx.xx.52.211 -script c:\ControlM\rmflashmanka1.script >c:\ControlM\rmflashmanka1.log
dscli -cfg "C:\Program Files\IBM\dscli\profile\DS8700_DRP.profile" -hmc1 xxx.xx.52.211 -script c:\ControlM\flashmanka1.script >c:\ControlM\flashmanka1.log
dscli -cfg "C:\Program Files\IBM\dscli\profile\DS8700_DRP.profile" -hmc1 xxx.xx.52.211 -script c:\ControlM\unfreezeflashmanka1.script >c:\ControlM\unfreezeflashmanka1.log
exit
```

flashmanka1.script

```
mkflash -freeze -tgtse -necp -seqnum 81 9000-9018:7000-7818 9100-911F:7100-711F 9400-942F:7400-742F 9500-
952F:7500-752F 9600-963B:7600-763B 9700-973B:7700-773B 9800-98C7:7800-78C7 9900-99C7:7900-79C7 9A00-9AC7:7A00
-7AC7 9B00-9BC7:7B00-7BC7 9C00-9CC7:7C00-7CC7 9D00-9DC7:7D00-7DC7 9E00-9EB4:7E00-7EB4 9F00-9FEF:7F00-7FEF
unfreezeflash 90 91 94 95 96 97 98 99 9A 9B 9C 9D 9E 9F
lsflash -l 9000-9018
lsflash -l 9100-911F
lsflash -l 9400-942F
lsflash -l 9500-952F
lsflash -l 9600-963B
lsflash -l 9700-973B
lsflash -l 9800-98C7
lsflash -l 9900-99C7
lsflash -l 9A00-9AC7
lsflash -l 9B00-9BC7
lsflash -l 9C00-9CC7
lsflash -l 9D00-9DC7
lsflash -l 9E00-9EB4
lsflash -l 9F00-9FEF
```



Automated IPL

- Submit job that activates the coupling facility
- Submit job that listens on console traffic (of the IPLing image)
- Submit job that activates the z/OS image(load on activation set)
- Respond to WTORs using the listener job using CONTROL/O
- ControlO/Cosmos takes over the IPL process when it can
- When the system is up , run a CICS transaction (using the MODIFY command) to verify data integrity

Automated IPL

```

- SDSF OUTPUT DISPLAY S16LISTN JOB06908 DSID      2 LINE  INVALID COMMAND
COMMAND INPUT ===>                                     SCROLL ===> CSR
***** TOP OF DATA *****
J E S 2 J O B L O G -- S Y S T E M S Y S E -- N O D E


04.14.11 JOB06908 ---- SUNDAY, 12 FEB 2012 ----
04.14.11 JOB06908 IRR010I USERID DCONOP IS ASSIGNED TO THIS JOB.
04.14.11 JOB06908 ICH70001I DCONOP LAST ACCESS AT 04:14:11 ON SUNDAY, FEBRUAR
04.14.11 JOB06908 $HASP373 S16LISTN STARTED - INIT IT - CLASS Z - SYS SYSE
04.14.11 JOB06908 IEF403I S16LISTN - STARTED - TIME=04.14.11
04.14.11 JOB06908 BCPIILSN Starting
04.14.11 JOB06908 BCPIILSN Opening Log file
04.14.11 JOB06908 BCPIILSN Preparing
04.14.11 JOB06908 BCPIIXEQ Driven
04.14.12 JOB06908 BCPIIXEQ Main
04.14.12 JOB06908 BCPIIXEQ Prepare
04.14.12 JOB06908 BCPIILSN Conecting to target CPC
04.14.12 JOB06908 BCPIIXEQ Driven
04.14.12 JOB06908 BCPIIXEQ Main
04.14.12 JOB06908 BCPIIXEQ Connect
04.14.12 JOB06908 BCPIILSN Conecting to target LPAR
04.14.12 JOB06908 BCPIIXEQ Driven
04.14.12 JOB06908 BCPIIXEQ Main
04.14.12 JOB06908 BCPIIXEQ Connect
04.14.12 JOB06908 BCPIIXEQ Driven
04.14.12 JOB06908 BCPIIXEQ Main
04.14.12 JOB06908 BCPIIXEQ Event
04.14.12 JOB06908 BCPIILSN to ask when to stop ...
04.14.12 JOB06908 *81 BCPIILSN Deactive BCPii Listener? Y to deactivate
04.19.33 JOB06908 *MANKAL1 - IXC420D - I
04.29.43 JOB06908 *MANKAL1 - COSMOS - 5
04.30.11 JOB06908 MANKAL - *MASTER* IS UP
04.30.11 JOB06908 MANKAL - PCAUTH__ IS UP
04.30.11 JOB06908 MANKAL - RASP__ IS UP
04.30.12 JOB06908 MANKAL - TRACE__ IS UP
04.30.12 JOB06908 MANKAL - DUMPSRV__ IS UP
04.30.12 JOB06908 MANKAL - XCFAS__ IS UP
04.30.13 JOB06908 MANKAL - GRS__ IS UP
04.30.13 JOB06908 MANKAL - SMSPDSE__ IS UP
04.30.13 JOB06908 MANKAL - CONSOLE__ IS UP

```

Automated IPL

```
SDSF OUTPUT DISPLAY S16LISTN JOB06908 DSTD 102 LINE 0 COLUMNS 02- 81
COMMAND INPUT ==> SCROLL ==> CSR
```

```
***** TOP OF DATA *****
2012043 02.18.34.24 IEA371I SYS0.IPLPARM ON DEVICE 7BB0 SELECTED FOR IPL PAR
2012043 02.18.34.27 IEA246I LOAD ID M1 SELECTED
2012043 02.18.34.30 IEA246I NUCLST ID 00 SELECTED
2012043 02.18.34.33 IEA519I IODF DSN = IODF.IODFD3
2012043 02.18.34.35 IEA520I CONFIGURATION ID = SYSIM1 . IODF DEVICE NUMBER =
2012043 02.18.34.38 IEA091I NUCLEUS 1 SELECTED
2012043 02.18.44.35 IEA370I MASTER CATALOG SELECTED IS CATALOG.MASTER.SYSI
2012043 02.18.44.55 IEA009I SYMBOLIC DEFINITIONS WILL BE READ FROM:
2001177 02.18.44.58 IEASYM00
2001177 02.18.44.61 IEASYM1
2001177 02.18.44.63 IEASYMSI
2012043 02.18.44.82 *IEA247I USING IEASYSGB FOR z/OS 01.11.00 HBB7760
2012043 02.18.44.92 IEA007I STATIC SYSTEM SYMBOL VALUES
2001181 02.18.44.94 &SYSALVL. = "2"
2001181 02.18.44.97 &SYSCLONE. = "1I"
2001182 02.18.45.00 &SYSNAME. = "SYSI"
2001182 02.18.45.02 &SYSPLEX. = "PLX1"
2001182 02.18.45.05 &SYSR1. = "NSR101"
2001183 02.18.45.08 &BCMVER. = "V6R3M0"
2001183 02.18.45.11 &BHPFTPPIP. = "SIV"
2001183 02.18.45.14 &BHPOSAAD. = "032"
2001184 02.18.45.17 &BMCCVER. = "V2R2M25"
2001184 02.18.45.19 &BMCDVER. = "V10R1MK"
2001184 02.18.45.22 &BMCEVER. = "V2R2M26"
.
.
.
2012043 04.19.30.89 IXC404I SYSTEM(S) ACTIVE OR IPLING: SYS1 SYSE SYSU
2012043 04.19.30.92 IXC419I SYSTEM(S) NOT SYNCHRONIZED: SYS1 SYSE SYSD
2012043 04.19.30.95 * IXC420D REPLY I TO INITIALIZE SYSPLEX PLX1, OR R TO REIN
2012043 04.19.34.39 IEE600I REPLY TO 00 IS;I
```



Automated IPL

```
RL: IXC420D LIB SYPO.CONTR0LO.CTP0.RULES TABLE: MANKAL
COMMAND ==> SCROLL==> CRSR
+
ON SYSOUT = MESSAGES JNAME S16LISTN JTYPE SMFID SYSTEM
PROCSTEP PGMSTEP
ON STRING = IXC420D REPLY I TO
JNAME JTYPE SMFID SYSTEM
ROUTE DESC CONSOLEID CONSOLE
APPEARED TIMES IN MINUTES
OWNER DCONOP GROUP MODE PROD RUNTSEC
THRESHOLD
DESCRIPTION IXC420D REPLY I TO INITIALIZE SYSPLEX SYSI, OR R TO
DESCRIPTION
=====
DO SET = %%REPNUM = 00 GLOBAL N
DO SET = %%ANSWER = I GLOBAL N
DO SET = %%CPC = ISRAB GLOBAL N
DO SET = %%LPAR = %%MANKALTODAY GLOBAL N
/*
DO SET = %%ISSUECMD = %%CPC %%LPAR REPLY %%REPNUM,%%ANSWER GLOBAL N
DO TSO = EX 'SYPO.CONTR0LO.CTP0.CLIST(BCPIICMN)' %%ISSUECMD'
WAITMODE N TIMEOUT STOP Y
INITPROC SHARELOC N IMMEDIATE N
DO SHOUT = TO OPER2 URGENCY R SYSTEM CTO282I N
MESSAGE %%MANKALTODAY - IXC420D - %%ANSWER
DO
=====
DAYS DCAL AND/OR
WDAYS ALL WCAL
MONTHS 1- Y 2- Y 3- Y 4- Y 5- Y 6- Y 7- Y 8- Y 9- Y 10- Y 11- Y 12- Y
DATES
CONFICAL SHIFT
ENVIRONMENT SMFID SYSTEM
=====
IN
TIME FROM UNTIL INTERVAL PRIORITY CONTINUE SEARCH Y
=====
>>>>>>>>>>>>>>> END OF RULE DEFINITION PARAMETERS <<<<<<<<<< ====
=====
```




Automated IPL

CONTROL-O COSMOS OBJECT STATUS						< D >	(OC)
						SCROLL==>	CRSR
O	OBJECT	CURRENT	DESIRED	CLASS	MODE	STATUS	
	CICSPIN1	DOWN	DOWN	CICS	FREE	STEADY	DOWN
	CICSPTR1	DOWN	UP	CICS	FREE	CD=DU PR=IMSPDBC	CICSPIS1
	CICSPIS1	DOWN	DOWN	CICS	FREE	STEADY	DOWN
	CICSPIS2	DOWN	DOWN	CICS	FREE	STEADY	DOWN
	CICSPHR1	DOWN	DOWN	CICS	FREE	STEADY	DOWN
	CICSPBT1	DOWN	DOWN	CICS	FREE	STEADY	DOWN
	CICSPMQ1	DOWN	DOWN	CICS	FREE	STEADY	DOWN
	CICSPPXI	DOWN	DOWN	STANDARD FREE		STEADY	DOWN
>>>>>>>>>>			NO MORE ENTRIES IN THE LIST				<<<<<<<<<

```
06.10.09 JOB06908 *MANKAL - ****
06.10.09 JOB06908 *MANKAL - * THE CICS CHECK OF MANKAL ENDED OK *
06.10.09 JOB06908 *MANKAL - ****
```

Logical Copy - Recap



Logical Copy – side benefits

- A DR test every day!
- A true production environment which can be used to test new versions of software
- Improves MTTR – picks up errors at IPL time

SEFC– the downside

- SEFC impacts PPRC latency
- SEFC performance is impacted
- If we ever need to use it, we will not IPL directly from the copy. We will have to restore some or all of our data to the primary volumes

BCPii gotcha

- We had a problem responding to WTORs early in an IPL
- You need to set the HWI_CMD_OSCMD_PRIORITYTYPE field to HWI_CMD_PRIORITY

Agenda

Introduction

Level 1: Synchronous Replication

Level 2: Logical Copies

Level 3: DRP Testing

Level 4: Third Site Copy

Questions

DRP testing – the limitations

- We do not use the secondary PPRC volumes for DR testing
- We never stop the mirroring
- The User DR site and the IT DR center are 30km apart

DRP testing - How do we do it?

- We take snapshots of our production secondary copies and use them
 - For z/OS it is another SEFC set
 - For zVM it is a FC set
 - For the distributed environment we use XIV snapshots
 - The VTL does not support snapshots, but we can read the production tapes. Scratches are taken from a special pool
- All communication between the primary site and the DR site is disconnected
- Synchronous replication for the DS8700 and XIV continues
- A test runs for about 36 hours

Agenda

Introduction

Level 1: Synchronous Replication

Level 2: Logical Copies

Level 3: DRP Testing


Level 4: Third copy

Questions

Third Copy

- The financial regulation laws require that we have a third copy(that is, at neither of our sites) of our data at a secured location
- The assumption is that this copy will be used if both sites are permanently unavailable.
- Every Friday morning we bring up an LPAR at our primary site that reads that mornings logical copy and dumps it to a TS3500.
- Cartridges and reports are exported and sent off site
- Another LPAR is needed because you can't bring the logical copies online (same VOLSERs as the production)

Third Copy



Third Copy - Output

- Cartridges that contain:
 - Our production data
 - Rexx and edit macros to customize the restore jobs at the new (unknown) site
- Hardcopy documentation
 - Requirements – Hardware, software
 - Inventory reports(created dynamically for each copy)
 - VOLSER to dataset mapping
 - Catalog structure

Next Steps

- Implement Hyperswap with TPC on z/OS
- For third copy – add stand alone IPL cartridge and test at a third site
- Distributed environment – implement logical copy

Summary

Scenario	Protection
Primary site DS8700 failure	Metro Mirror Copy
Primary site complete failure	MM copy + Backup CEC
Logical error that gets mirrored	Logical Copy
Both sites fail	Third copy

Questions ?

