

What's new with DFSMSrmm z/OS V1.13 Big Changes

Vickie Dault
IBM

03/13/2012
Session 10551



Trademarks

- The following terms are trademarks of International Business Machines Corporation in the United States, other countries, or both:

- DFSMS
- DFSMSdfp
- DFSMSdss
- DFSMShsm
- DFSMSrmm
- DFSORT
- IBM
- RACF
- TotalStorage
- z/OS
- zEnterprise

Other company, product or service names may be trademarks or service marks of others.

Agenda

- z/OS Release 13 Enhancements
- Selected z/OS Release 12 Enhancements
- Appendix

DS8700



TS1140 Tape Drive



3



TS3500 Library



*TS7700
Virtualization
Engine*



Agenda




- z/OS Release 13 Enhancements
 - Selective volume movement
 - More „Last change“ details
 - Last Reference Date for VRS
 - ISPF Navigation Enhancements
 - Show Effective Retention/Expiration Date
 - Search Dataset Extensions
 - TVEXTPURGE Extra Days
 - More information on Expiry Date source
 - Exclude data sets from VRSEL
 - **New RETENTIONMETHOD(EXPDT)**
 - Enhanced Tape Copy Support

RMM Selective Volume Movement

- This new capability is designed **for libraries** that contain virtual volumes or other volumes which **either cannot** be moved or for which you **do not want** DFSMSrmm to initiate the movement.
- With new **LOCDEF** operand **AUTOMOVE(YES/NO)**, you can define locations that are not applicable for automated movement.
- **When current location of a volume is defined with LOCDEF...AUTOMOVE(NO), DSTORE processing will not set the destination from the required location.**
- During inventory management **DSTORE**, DFSMSrmm validates the current location name for a volume and determines if automated movement is required.
 - If **validation fails** no movement is initiated.
 - If a **location is not defined** via LOCDEF on the inventory management system automated **movement is started**.
- All volumes can be **manually** moved by RMM subcommands.

Volume Movement: Parmlib LOCDEF option AUTOMOVE



YES

Volume movement will be attempted by DSTORE processing, if the current location does not match the required location.

NO

No automatic volume movement will attempted.

DFSMSRMM Location Definitions						Row 1 to 6 of 6
Location	Locdef	Management	Location	Prio-	AM Media Names	Scroll ---> PAGE
	Type		Type	rity		
	NO		AUTO	4800	Y	
	NO		MANUAL	4900	Y	
DISTANT	NO		STORE	200	Y	
LOCAL	NO		STORE	300	Y	
REMOTE	NO		STORE	100	Y	
SHELF	NO		SHELF	5000	Y	

Agenda



- z/OS Release 13 Enhancements
 - Selective volume movement
 - More „Last change“ details
 - Last Reference Date for VRS
 - ISPF Navigation Enhancements
 - Show Effective Retention/Expiration Date
 - Search Dataset Extensions
 - TVEXTPURGE Extra Days
 - More information on Expiry Date source
 - Exclude data sets from VRSEL
 - **New RETENTIONMETHOD(EXPDT)**
 - Enhanced Tape Copy Support

MORE, Last Change Details

- Last change information is added to the
 - TSO list command output
 - ISPF List-, Change- and Delete- panels
 for all resources stored in the RMM CDS
- Reduced need for running EDGAUD audit reports.
- If the most recent change was made by DFSMSrmm processing the ID starts with an asterisk (*).
 - *OAM DFSMSrmm system managed tape support
 - *HKP Inventory management
 - *OCE DFSMSrmm OPEN/CLOSE EOVS support

```
DFSMSrmm Owner Details - BSIN
Command ==> _____
                               Surname . : Sinram
                               Forenames . : Horst
                               Department . : 3272

                               Address:
                               Line 1 . : IBM R&D
                               Line 2 . : D-71032 Boeblingen
                               Line 3 . : Germany

                               Telephone:
                               Internal . . . . . External . . . . .

                               Electronic mail:
                               Email . : sinram@de.ibm.com
                               Userid . : SINRAM      Node . . . . . : IBMDE

Last Change information:
Date . . . . . : 2011/07/05     Time . . : 15:29:17     System : IRD6
User change date : 2011/07/05     Time . . : 15:29:17     User ID : BSIN
```

Agenda




- z/OS Release 13 Enhancements
 - Selective volume movement
 - More „Last change“ details
 - Last Reference Date for VRS
 - ISPF Navigation Enhancements
 - Show Effective Retention/Expiration Date
 - Search Dataset Extensions
 - TVEXTPURGE Extra Days
 - More information on Expiry Date source
 - Exclude data sets from VRSEL
 - **New RETENTIONMETHOD(EXPDT)**
 - Enhanced Tape Copy Support




Last Reference Date for VRS

- After some time the number of Vital Record Specifications in a customer installation may be grown to a number that is hard to comprehend.
 - Especially no longer used VRS' are hard to identify.
- RMM can now
 - display the VRS last reference date in the dialog, and
 - Allow to sorting / search results by last reference date
- You can now cleanup unused VRS' more easily


Last Reference Date for VRS





RMM ISPF Panel Updates (1)

```
DFSMSrmm Display Data Set VRS
Command ==> _____  
  
Data set mask . . : 'BACKUP.DB2ISA.*' GDG . . : NO
  Job name mask . . :  
  
Count . . . . : 35 Retention type . . . . . : DAYS
  Delay . . . . : 0  Days While cataloged . . . . . : NO
                           Until expired . . . . . : NO  
  
Location . . . . . : HOME
Number in location . . : 35
Priority . . . . . : 0
Next VRS in chain . . : Release options:
  Chain using . . . : Expiry date ignore . . . . . : NO
                           Scratch immediate . . . . . : NO  
  
Owner . . . . . : DBUSER
Description . . . . . :
Last reference . . . . . : 2011/07/03 16:33:42 ( YYYY/MM/DD HH:MM:SS )
Delete date . . . . . : 1999/12/31 ( YYYY/MM/DD )  
  
Last Change information:
Date . . . . . . . . : 2011/07/03      Time . . . . . . . . : 17:04:00      System . . . . . . . . : IRD6
User change date . . . . . : 2011/04/04      Time . . . . . . . . : 07:43:27      User ID . . . . . . . . : DBUSER
```



SHARE
Technology • Connections • Results

RMM ISPF Panel Updates (2)

DFSMSrmm Search VRSs

Command ==> _____

Optionally specify one of:

Data set mask _____	GDG . . . _____
Job name mask _____	(Yes or No)
Volume serial _____	Retention type _____
VRS name	While cataloged _____ (Yes or blank for all)
Location	Until expired _____ (Yes or blank for all)
Next VRS in chain _____	Release options:
Chain using	Expiry date ignore _____ (Yes or No)
Owner * _____	Scratch immediate _____ (Yes or No)
Limit 150	Limit search to first n VRSs. Default is *
Dates Start _____	End Date, date range or relative value
Reference . . . 2011/01/01 . . .	
Changed . . . CM . . .	
Clist NO	YES to create a data set, or NO, or blank

DFSMSrmm VRSs (Page 4 of 4) Row 1 to 30 of 150

Command ==> _____ Scroll ==> PAGE

Enter HELP or PF1 for the list of available line commands.
Use the LEFT and RIGHT commands to view other data columns.

S	Volume/Data set/Name specification	Store	Last
		Count	number reference
	BACKUP.DB2ISA.**	35	35 2011/07/03

Agenda



- z/OS Release 13 Enhancements
 - Selective volume movement
 - More „Last change“ details
 - Last Reference Date for VRS
 - ISPF Navigation Enhancements
 - Show Effective Retention/Expiration Date
 - Search Dataset Extensions
 - TVEXTPURGE Extra Days
 - More information on Expiry Date source
 - Exclude data sets from VRSEL
 - **New RETENTIONMETHOD(EXPDT)**
 - Enhanced Tape Copy Support



ISPF Navigation Enhancements

- New primary commands CHAINV and CHAIND display multi-volume and multi-file information.
- 16 Point-and-Shoot fields on Volume display, and 5 Point-and-Shoot fields on Data set display allow for more immediate navigation options
- To control how P&S fields are displayed:
 - Select the Point-and-Shoot... choice from the Colors pull-down, or
 - Issue the ISPF system command PSCOLOR from any ISPF command line
 - Subsequent examples use

Panel Element	Color	Intensity	Highlight	More:
Point-and-Shoot	<u>YELLOW</u>	<u>HIGH</u>	<u>REVERSE</u>	

to highlight Point & Shoot fields

ISPF Navigation – New Primary Commands CHAINV/CHAIND

```
DFSMSrmm Data Set Details          MULTI-FILE
Command ==> chaind

Data set name . . . : 'D109123.B10501.SEQ003'
Volume serial . . . : B10501      Physical file sequence number . . . : 3
Owner . . . . . : BSIN          Data set sequence number . . . . : 0
                                         More: +
Job name . . . . . :
Step name . . . . . :
Program name . . . . . :
DD name . . . . . :
Create date . . . . : 2011/07/05  YYYY/MM/DD  Record format . . . . . :
Create time . . . . : 16:45:59        Block size . . . . . : 0
System id . . . . . : IRD6         Logical record length : 0
                                         Block count . . . . . : 0
                                         Total block count . . . : 0
                                         Data set size (KB) . . . : 0
                                         Percent of volume . . . : 0
Expiration date . . . : 2011/07/15  YYYY/MM/DD  Device number . . . . . :
Set by . . . . . : CMD_DEF
```

The CHAIND command shows all data sets of the multi-volume set

```
DFSMSrmm Data Sets (Page 1 of 2)          Row 1 to 11 of 11
Command ==>                               Scroll ==> PAGE

Enter HELP or PF1 for the list of available line commands
Use the RIGHT command to view other data columns

S  Data set name                      Volume   File
   serial Owner    seq
--- -----
  D109123.B10501.SEQ001                B10501  BSIN   1
  D109123.B10501.SEQ002                B10501  BSIN   2
  D109123.B10501.SEQ003                B10501  BSIN   3
  D109123.B10501.SEQ004                B10501  BSIN   4
  D109123.B10501.SEQ005                B10501  BSIN   5
  D109123.B10501.SEQ006                B10501  BSIN   6
  D109123.B10501.SEQ007                B10501  BSIN   7
  D109123.B10501.SEQ008                B10501  BSIN   8
  D109123.B10501.SEQ009                B10501  BSIN   9
  D109123.B10501.SEQ010                B10501  BSIN  10
  D109123.B10501.SEQ011                B10501  BSIN  11
```

The CHAINV command shows all volumes of the multi-volume set


ISPF Navigation – POINT and SHOOT Fields

- New point-and-shoot fields are available on the
 - volume and
 - data set display panels

```
DFSMSrmm Data Set Details          Multi-Fi

Command ==> _____
Data set name . . . : 'SAMPLE3.B10001.SEQ002'
Volume serial . . . : B10001      Physical file sequence number . . . : 2
Owner . . . . . : BSIN          Data set sequence number . . . . . : 0
                                         More:
Job name . . . . . :
Step name . . . . . :
Program name . . . . . :
DD name . . . . . :
Create date . . . . : 2011/07/05  YYYY/MM/DD  Record format . . . . . :
                                         Block size . . . . . : 0
                                         Logical record length : 0
                                         Block count . . . . . : 0
                                         Total block count . . . : 0
                                         Data set size (KB) . . . : 0
                                         Percent of volume . . . : 0
                                         Device number . . . . . :
Expiration date . . . : 2011/07/15  YYYY/MM/DD
Set by . . . . . : CMD_DEF
Original . . . . . : YYYY/MM/DD
```

PSCOLOR from any ISPF command line allows to customize the color, intensity and highlighting of point and shoot fields



SHARE
Technology • Connections • Results

ISPF Navigation in ISPF GUI mode

EDGPT110 -D016216

Panel Help

DFSMSrmm Volume Details - A11583 Multi-Vol/Multi-File

Command ==> []

Volume : A11583	VOL1 volser : []	Rack number : R00075
Media name : 3480		Status . . . : MASTER
		More: +
Volume type : PHYSICAL	Stacked count : 0	
WorldWide ID :		Worm . . . : NO
Retention date :	Expiration date : 2010/320	
Set retained : NO		Set by : OCE_DEF
Hold : NO		Original expiration date :
Retention method : VRSEL		

Example of Point-and-Shoot fields on the Display Volume Details panel (GUI mode)

List of Point and Shoot Volume Fields

Field	RMM Dialog displays
VOL1 volser	Volume Details for VOL1 volser
Rack number	Rack Details
Set retained	Volume search result list for the volume set
Expiration date	Dialog User Options (date options)
Availability	Volume search result list for the volume set
Owner	Owner Details
Security	Security Classification Rules for the security level
Last changed by	Owner Details
Previous volume	Volume Details for previous volser
Next volume	Volume Details for next volser
Volume sequence	Volume search result list for the volume set
Number of data sets	Data set search result list for all data sets on this volume
Actions pending	Volume Action Status list
Location	Location Definitions list
Bin number	Bin Details
Product info	Product Details

Usage & Invocation – List of Point-and-Shoot Data Set Fields

Field	RMM Dialog displays
Volume serial	Volume Details for volser
Owner	Owner Details
Physical file sequence nbr	Data set search result list for all data sets on this volume
Data set sequence number	Data set search result list for all data sets in the volume set
Create date	Dialog User Options (Date options)

Agenda



- z/OS Release 13 Enhancements
 - Selective volume movement
 - More „Last change“ details
 - Last Reference Date for VRS
 - ISPF Navigation Enhancements
 - Show Effective Retention/Expiration Date
 - Search Dataset Extensions
 - TVEXTPURGE Extra Days
 - More information on Expiry Date source
 - Exclude data sets from VRSEL
 - **New RETENTIONMETHOD(EXPDT)**
 - Enhanced Tape Copy Support



Show Effective Retention/Expiration Date

- If a resource is retained by VRS, the results list for volumes or data sets might show retained resources with an expiration date that is already passed.
- RMM will now display the **retention date instead of the expiration date** in the
 - volume search results list
 - data set result listif the volume or data set is VRS retained.
- You can now more easily determine from the search results list why a volume is retained, without viewing the volume and data set details.

RETENTION VALUE

Be Aware ... If VRS hasn't applied then EXPDT will appear


Show Effective Retention/Expiration Date

- The Search Volume and Search Dataset dialog results list will show the retention date, when a resource is VRS retained.
- The Search Dataset TSO subcommand will return the REXX variables EDG@RTDT and EDG@RTDJ in any case
- The ‘Search Dataset’ command issued via API will return the RTDJ SFI (X’88C000’), like it was returned by the ‘Search Dataset Extended’ command before already

TSO output is not changed. If you issue SearchDataset or SearchVolume commands via TSO, the displayed ,Expiration date will always be the real Expiration date, no matter, if the resource is VRS retained or not.


Show Effective Retention/Expiration Date DATA SET Search Results Panel

DFSMSrmm Volumes (Page 1 of 2)							Row 1 to 2 of 2
							Scroll ==> PAGE
Command ==> _							
Enter HELP or PF1 for the list of available line commands							
Use the RIGHT command to view other data columns							
Volume Assigned Expiration S							Dest- Tr- Data
S serial	Owner	date	date	R Status	Location	ination	ans sets
---	---	---	---	---	---	---	---
V10000	RMMUSER	2010/100	2010/105	MASTER	SHELF	N	0
V10001	RMMUSER	2010/100	2010/105	VRS	SHELF	N	4
***** Bottom of data *****							



V1 R12

DFSMSrmm Volumes (Page 1 of 2)							Row 1 to 2 of 2
							Scroll ==> PAGE
Command ==> _							
Enter HELP or PF1 for the list of available line commands							
Use the RIGHT command to view other data columns							
Volume Assigned Expir./ S							Dest- Tr- Data
S serial	Owner	date	Retn. date	R Status	Location	ination	ans sets
---	---	---	---	---	---	---	---
V10000	RMMUSER	2010/100	2010/105	MASTER	SHELF	N	0
V10001	RMMUSER	2010/100	PERMANENT	VRS	SHELF	N	4
***** Bottom of data *****							



V1 R13

Show Effective Retention/Expiration Date VOLUME Search Results Panel

Panel Help Scroll

EDGPD030 DFSMSrmm Data Sets (Page 2 of 2) Row 1 to 4 of 4
 Command ==> = Scroll ==> PAGE

Enter HELP or PF1 for the list of available line commands
 Use the LEFT command to view other data columns

S	Data set name	Create date	Expiration date	V
---				R
___	RMMUSER.D10000	10/04/2010	15/04/2010	Y
___	RMMUSER.D20000	10/04/2010	15/04/2010	
___	RMMUSER.D30000	10/04/2010	15/04/2010	Y
___	RMMUSER.D40000	10/04/2010	15/04/2010	

***** Bottom of data *****

V1 R12

Panel Help Scroll

DFSMSrmm Data Sets (Page 2 of 2) Row 1 to 4 of 4
 Command ==> = Scroll ==> PAGE

Enter HELP or PF1 for the list of available line commands
 Use the LEFT command to view other data columns

S	Data set name	Create date	Expir./ Retn. date	V
---				R
___	RMMUSER.D10000	10/04/2010	11/04/2010	Y
___	RMMUSER.D20000	10/04/2010	15/04/2010	
___	RMMUSER.D30000	10/04/2010	PERMANENT	Y
___	RMMUSER.D40000	10/04/2010	15/04/2010	

***** Bottom of data *****

V1 R13

Agenda



- z/OS Release 13 Enhancements
 - Selective volume movement
 - More „Last change“ details
 - Last Reference Date for VRS
 - ISPF Navigation Enhancements
 - Show Effective Retention/Expiration Date
 - Search Dataset Extensions
 - TVEXTPURGE Extra Days
 - More information on Expiry Date source
 - Exclude data sets from VRSEL
 - **New RETENTIONMETHOD(EXPDT)**
 - Enhanced Tape Copy Support




Search Dataset Extensions

- Previously, the SEARCHDATASET subcommand had limited ability for searching on attributes of data sets.
- RMM does now allow to search on more search criteria
 - including many on specific date ranges.
- You can now search more efficiently in a large number of data sets.

Search Dataset Extensions


SEARCHDATASET Syntax 1/2

- Options listed in red were added:



Search Dataset Extensions SEARCHDATASET Syntax 2/2

- Options listed in red were added:



Search Dataset Extensions Examples

- List all data sets that were last read or written a month ago or newer:
 - SD LASTREFDATE(START(-1M)) OWNER(*) LIMIT(*)
- List all data sets, of which the last CDS change is 1 year ago or longer and that have no original expiration date set:
 - SD LASTCHANGEDATE(START(1900/001) END(-1Y)) + NOOEXPDT OWNER(*) LIMIT(*)
- List all data sets that are retained forever and cataloged:
 - SD RETDATE(PERMANENT) CATLG(YES) OWNER(*) LIMIT(*)
- List all data sets, defined with data class “DC000001”, but no storage class:
 - SD DATACLASS(DC000001) NOSTORAGECLASS OWNER(*) LIMIT(*)

Usage and Invocation - Dialog

```
DFSMSrmm Data Set Search
Command ==> _____
Enter fully qualified or partial data set name and job name:
Data set name . . . . . _____ Specific or generic name
Job name . . . . . _____
Enter optional parameters to qualify search
More: + _____
Owner . . . . . _____ Owner of volumes (Default is your userid)
Volume serial . . . . . _____ OR Volume serial
List entire set . . . . . _____ YES, For all data sets in the
multi-volume set, otherwise NO
Status . . . . . _____ PRIVATE, SCRATCH, or blank for all
Retained by VRS . . . . . _____ YES, NO, or blank for all
Excluded from VRSEL . . . . . _____ YES, NO, or blank for all
Dates Start End Date, date range or relative value
Create . . . . . . . .
Expiration . . . . . . . .
Reference . . . . . . . .
Read . . . . . . . .
Write . . . . . . . .
Changed . . . . . . . .

Physical file seq . . . . . _____ Relative position on the volume
Limit . . . . . . . . . 10 Limit search to first nnnn data sets
Clist . . . . . . . . . _____ YES to create a data set, or NO, or blank
Program name . . . . . . . . . Specific or generic name
Closed by Abend . . . . . . . . . YES, NO, or blank for all
Deleted . . . . . . . . . YES, NO, or blank for all
BES key index . . . . . . . . . CA BTE tape encryption key index
Original EXPDT . . . . . . . . . YES, NO, or a specific date YYYY/MM/DD
Retention . . . . . . . . . . . Data set retained up to YYYY/MM/DD
Cataloged . . . . . . . . . . . YES, NO or UNKNOWN
Force . . . . . . . . . . . Data sets used with FORCE ( YES or NO )
Data class . . . . . . . . . . Data class name or NO
Storage class . . . . . . . . . Storage class name or NO
Management class . . . . . . . Management class name or NO
Storage group . . . . . . . . . Storage group name or NO
```

- the ISPF panel for SEARCH DATASET has also been enhanced for the new search criteria

Agenda



- z/OS Release 13 Enhancements
 - Selective volume movement
 - More „Last change“ details
 - Last Reference Date for VRS
 - ISPF Navigation Enhancements
 - Show Effective Retention/Expiration Date
 - Search Dataset Extensions
 - TVEXTPURGE Extra Days
 - More information on Expiry Date source
 - Exclude data sets from VRSEL
 - **New RETENTIONMETHOD(EXPDT)**
 - Enhanced Tape Copy Support



TVEXTPURGE Extra Days

- If DFMSHsm tapes are expired by the EDGTVEXT HSM exit, extra days for retention can only be defined with an EXTRADAYS VRS.
- With the new parmlib option
TVEXTPURGE(EXPIRE(days))
 a number of extra days can be defined globally with no additional VRS definition.

```
>---+-----+----->
|           . -RELEASE----- .   |
' -TVEXTPURGE ( -+-----+-- ) - '
          + -NONE-----+
          |           . ---0-- .   |
' -EXPIRE ( -+--days--+ ) - '
```

PRIOR method was to define a VRS to add extra days to the dataset patterns using the exit

Agenda



- z/OS Release 13 Enhancements
 - Selective volume movement
 - More „Last change“ details
 - Last Reference Date for VRS
 - ISPF Navigation Enhancements
 - Show Effective Retention/Expiration Date
 - Search Dataset Extensions
 - TVEXTPURGE Extra Days
 - More information on Expiry Date source
 - Exclude data sets from VRSEL
 - **New RETENTIONMETHOD(EXPDT)**
 - Enhanced Tape Copy Support



MORE Information in the EXPIRY Date Source

- Just by looking at the expiration date of the volume or data set it may be hard to understand how it was set:
 - Does it stem from OCE or from VOLCAT, during conversion or export, or did RMM set or change it due to parmlib OPTIONS?
- DFSMSrmm now records details of what event caused the EXPDT to be set or changed.
- You can now easily determine what caused the expiration date to be set or changed.

DFSMSrmm Data Set Details		Mult-File
Command ==> _____		
Data set name . . . : 'SAMPLE3.B10001.SEQ002'		
Volume serial . . . : B10001	Physical file sequence number . . . : 2	
Owner : BSIN	Data set sequence number : 0	
		More: +
Job name :		
Step name :	Record format :	
Program name :	Block size : 0	
DD name :	Logical record length : 0	
Create date : 2011/07/05 YYYY/MM/DD	Block count : 0	
Create time : 16:39:56	Total block count : 0	
System id : IRD6	Data set size (KB) : 0	
	Percent of volume : 0	
Expiration date . . . : 2011/07/15 YYYY/MM/DD	Device number :	
Set by : CMD_DEF		

MORE Information in the EXPIRY Date Source

The **Set by** field displays the event that caused the expiration date to be set or changed:

blank	Not set
CMD	Set by TSO subcommand
CMD_DEF	Default RETPD applied during subcommand processing
CMD_VOLCAT	EXPDT obtained from VOLCAT during subcommand processing
OCE_JFCB	EXPDT obtained from EXPDT/RETPD keywords or from dataclass applied during tape recording
OCE_EXIT	EDG_EXIT100 updated the JFCB EXPDT during tape recording
OCE_DEF	Default RETPD applied during tape recording
OCE_MAX	MAXRETPD was used to reduce the requested EXPDT during tape recording
OCE_VOLCAT	EXPDT obtained from VOLCAT during tape recording
LCS	EXPDT obtained from VOLCAT for system managed tapes when called from OAM installation exits
LCS_DEF	Default RETPD applied for system managed tapes when called from OAM installation exits
TVEXTPURGE	Set as a result of TVEXTPURGE parmlib option
CNVT	Set during conversion by EDGCNVT
EXPORT	Set during export processing

Reporting on EXPIRY Date Source

EDGRDEXT – Data set name record

```
...
RDTOTAL_BLKCNT    DS     OCL20      Total block count across all vol
...
RDESB    DS    CL10      Expdt set by
RDUCDATE DS    CL10      Last "user" change date of
*                                         data set record
```

EDGRVEXT – Volume record

```
...
RVHOLD        DS  C      VOLUME HOLD - Y/N
RVESB         DS  CL10   Expdt set by
RVUCDATE     DS  CL10   LAST "USER" CHANGE DATE
RVUCTIME      DS  CL6    LAST "USER" CHANGE TIME (HHMMSS)
```

EDGRXEXT – Extended extract record

```
...
XVHOLD        DS  C      VOLUME HOLD - Y/N
XVESB         DS  CL10   Expdt set by - of the volume
XDESB         DS  CL10   Expdt set by - of the data set
XVUCDATE     DS  CL10   VOLUME LAST "USER" CHANGE DATE
XVUCTIME      DS  CL6    VOLUME LAST "USER" CHANGE TIME
```

Agenda




- z/OS Release 13 Enhancements
 - Selective volume movement
 - More „Last change“ details
 - Last Reference Date for VRS
 - ISPF Navigation Enhancements
 - Show Effective Retention/Expiration Date
 - Search Dataset Extensions
 - TVEXTPURGE Extra Days
 - More information on Expiry Date source
 - Exclude data sets from VRSEL
 - **New RETENTIONMETHOD(EXPDT)**
 - Enhanced Tape Copy Support




Exclude datasets from VRSEL and RETENTIONMETHOD(EXPDT)

- Previously data in the RMM inventory were managed by dynamic VRS policies. With every housekeeping run the retention for a volume or a data set can change.



- While VRS' are extremely powerful constructs not all data may require that dynamic management



Exclude datasets from VRSEL with RETENTIONMETHOD(EXPDT)

- **It is now possible to**


- exclude certain data from VRSEL, or to
- assign a retention method at the time a tape data set is created .
 - This provides you with a choice of whether data is managed by expiration date or by VRS policies.

- With these capabilities you can


- reduce VRSEL runtime by eliminating certain types of data from VRSEL processing
- Effectively achieve Controlling Data set Support When a volume or volume set is VRS retained, and you exclude one or more of the data sets from VRSEL, you can have the volume managed just by those data sets not excluded from VRSEL.


- **Work with simpler retention policies and avoid or reduce batch VRS policy management.**
- **The retention information for expiration date retained data can be known when a tape data set is created.**
- Note: z/OS releases lower than V1R13 require the PTF for coexistence APAR OA32984 to be installed before exploiting these new functions on V1R13.

Exclude datasets from VRSEL RMM Changedataset and Searchdataset Commands



- If VRSELEXCLUDE is changed from NO to YES then:
 - the “VRS retained” flag is reset and
 - the retention date is set to the **current** date
- For multivolume data sets set VX or every data set record





Exclude datasets from VRSEL: ISPF Panels


DFSMSrmm Data Set Details		Multi-File		
Command ==> _____				
Data set name . . . : 'SAMPLE3.B10001.SEQ002'				
Volume serial . . . : B10001	Physical file sequence number . . . : 2			
Owner : BSIN	Data set sequence number : 0	More: +		
Job name :	Record format :			
Step name :	Block size : 0			
Program name :	Logical record length : 0			
DD name :	Block count : 0			
Create date : 2011/07/05 YYYY/MM/DD	Total block count : 0			
Create time : 16:39:56	Data set size (KB) : 0			
System id : IRD6	Percent of volume : 0			
Expiration date : 2011/07/15 YYYY/MM/DD	Device number :			
Set by : CMD_DEF				
Original : YY' EDGPD010	DFSMSrmm Data Set Search			
Last job name :	Command ==> _____			
Last step name :	Enter fully qualified or partial data set name and job name:			
Last program name :	Data set name **			
Date last read :	Job name Specific or generic name			
Date last written :	Enter optional parameters to qualify search			
VRSEL exclude : YES	More: +			
Retention date :	Owner BSIN Owner of volumes (Default is your userid)			
VRS retained : NO	OR Volume serial			
	List entire set YES, For all data sets in the			
	multi-volume set, otherwise NO			
	Status PRIVATE, SCRATCH, or blank for all			
	Retained by VRS YES, NO, or blank for all			
	Excluded from VRSEL yes YES, NO, or blank for all			
	Dates	Start	End	Date, date range or relative value
	Creation			
	Expiration			
	Reference			
	Read			
	Write			
	Changed			

Exclude datasets from VRSEL: ISPF Panel updates

Change Dataset

EDGPD310 DFSMSrmm Change Data Set Details			
Command ==>			
Data set name . . . :	'SAMPLE3.B10001.SEQ001'		
Volume serial . . . :	B10001	Physical file sequence number . . . :	1
Owner :	BSIN	Data set sequence number :	0
More: +			
Job name :		Record format :	
Step name :		Block size :	0
Program name :		Logical record length :	0
DD name :		Block count :	0
Create date :	<u>2011/07/05</u> YYYY/MM/DD	Total block count :	0
Create time :	<u>16:39:56</u>	Percent of volume :	0
System id :	<u>IRD6</u>	Device number :	
Last job name :		Last DD name :	
Last step name :		Last device number :	
Last program name :		VRS management value :	
Date last read :		Management class :	
Date last written :		Data class :	
VRSEL exclude :	<u>YES</u>	Storage class :	
Retention date :		Storage group :	
VRS retained :	NO		

Exclude datasets from VRSEL: Installation Exits overview



Exclude datasets from VRSEL: EDGUX100 sample VX Table

- The sample EDGUX100 exit module includes an example of setting the VRSELEXCLUDE attribute.
 - The order in which the table entries are listed is important because the exit scans the table top to bottom **until** it finds the first entry where the job name, data set name and program name masks match the current request. **You can change the priority of matching by changing the order of the table entries.**

VXTAB	DS OF	START OF VRSELEXCLUDE TABLE
	SPACE 1	
DC	CL8 '*'	JOBNAME
DC	CL44'RMMUSER.VX.*'	DATA SET NAME
DC	CL8 '*'	PROGRAM NAME
SPACE 1		
DC	CL8'VX END'	END OF VX TABLE MARKER

Exclude datasets from VRSEL: EDGUX100 sample VX Table

The VXTAB table contains:

Jobname

One-to-eight alphanumeric or national characters including % and *.

% can be used to ignore a positional character in the job name.

* can be used to ignore all remaining characters in the job name. A jobname of * means that the entry applies to all jobs.

Data set name

Can be up to forty-four characters, following z/OS data set naming conventions, including % and *.

The character % can be used to ignore a positional character in the data set name.

The character * can be used to ignore all remaining characters in the data set name. A data set name of * means that the entry applies to all data sets.

The use of the character * is not the same as in the generic data set names supported by DFSMSrmm for vital records specifications and search data set masks. Here the * works like the characters *.* might in a generic data set name mask.

Program name

A value up to eight alphanumeric character including % and *.

% can be used to ignore a positional character in the program name.

* can be used to ignore all remaining characters in the program name. A program name of * means that the entry applies to all programs.

Tip: DFSMSrmm provides a second sample for EDGUX100. This sample is called EDGCVRSX. It is different from the EDGUX100 sample because the special date, retention method, VRSELEXCLUDE, and pooling function is table driven and you can change the table dynamically. Refer to SAMPLIB member EDGCMM01 and the IBM Red book Converting to Removable Media Manager: A Practical Guide for documentation on using EDGCVRSX for EDGUX100.

Migration and Coexistence

- There are no migration concerns introduced by this support.
- Standard coexistence recognizes and supports:
 - Data set level VRSELEXCLUDE
 - VRSEL processing on releases below z/OS V1.13 skips these data sets

Agenda



- z/OS Release 13 Enhancements
 - Selective volume movement
 - More „Last change“ details
 - Last Reference Date for VRS
 - ISPF Navigation Enhancements
 - Show Effective Retention/Expiration Date
 - Search Dataset Extensions
 - TVEXTPURGE Extra Days
 - More information on Expiry Date source
 - Exclude data sets from VRSEL
 - **New RETENTIONMETHOD(EXPDT)**
 - Enhanced Tape Copy Support




RETENTIONMETHOD(EXPDT): RMM Parmlib Option (1)

- A new parmlib options RETENTIONMETHOD(EXPDT) allows to set the system-wide default retention method for new tape volume sets created during OCE processing, and for tape volumes added to the DFSMSrmm CDS.

OPTION Command: RETENTIONMETHOD

```
>----+-----+--->
|          . -VRSEL----- . |
'--RETENTIONMETHOD---( -+-----+- ) - '
' -RM----- '     ' -EXPDT----- '
```



SHARE
Technology • Connections • Results

RETENTIONMETHOD(EXPDT): RMM Parmlib Option (2)

▪ VRSEL

- Specify VRSEL to set the default retention method for new tape volume sets to be VRSEL. This option enables DFSMSrmm inventory management to attempt to match data sets and volumes to VRSes, and if a match is found, to determine if the data set or volumes is to be retained by VRS.
- The VRSEL retention method is controlled by all the other VRS related options in parmlib including OPTION RETAINBY MOVEBY.

▪ EXPDT

- Specify EXPDT to set the default retention method for new tape volume sets to be based on EXPDT. Data sets and volumes managed by this retention method are never processed by VRSEL inventory management.
- The EXPDT retention method manages at the volume level: each volume is considered separately for expiration, and each file on a volume can increment the volume expiration date.
- All files of a multi volume data set on a volume set managed by the EXPDT retention method have the same expiration date and time.
- When you specify the EXPDT retention method the DFSMSrmm inventory management EXPROC processing always attempts to return volumes to scratch on the same run as the volume is released (Note: this is as if the SCRATCHIMMEDIATE attribute is set for the volume).

- Default: RETENTIONMETHOD(VRSEL) Use parmlib RETENTIONMETHOD(EXPDT) only if you want to switch the DEFAULT retention method to EXPDT.

RM(EXPDT):ADDVOLUME subcommand

```
>--CV---+-----+-->
|           . -VRSEL-----.
'--RETENTIONMETHOD--( +-----+ )-' 
' -RM-----'   ' -EXPDT-----'
```

RETENTIONMETHOD|RM(VRSEL|EXPDT)

- Use this operand for any volume to set the retention method for a tape volume set. Specify this operand only for the first volume in a volume set. All other volumes in the set assume the same retention method.
- Specify **VRSEL** to set the retention method for a tape volume set to be VRSEL. This option enables DFSMSrmm inventory management to attempt to match data sets and volumes to VRSes, and if a match is found, to determine if the data set or volumes are to be retained by VRS.
- Specify **EXPDT** to set the retention method for a tape volume set to be based on EXPDT. Data sets and volumes managed by this retention method are never processed by VRSEL inventory management.
- RETENTIONMETHOD is mutually exclusive with PREVVOL and NOPREVVOL operands.

RM(EXPDT):CHANGEVOLUME subcommand

```
>--AV---+-----+-->
|           . -VRSEL-----.   |
'--RETENTIONMETHOD--( +-----+ )--'
| -RM-----'     | -EXPDT-----'
```

RETENTIONMETHOD|RM(VRSEL|EXPDT)

- Use this operand to set the retention method for a tape volume set. Specify this operand for the first volume in a multi-volume sequence. All other volumes added to the set assume the same retention method.
- Specify **VRSEL** to set the retention method for a tape volume set to be VRSEL. This option enables DFSMSrmm inventory management to attempt to match data sets and volumes to VRSes, and if a match is found, to determine if the data set or volumes are to be retained by VRS.
- Specify **EXPDT** to set the retention method for a tape volume set to be based on EXPDT. Data sets and volumes managed by this retention method are never processed by VRSEL inventory management.

Default: RETENTIONMETHOD as specified or defaulted to in parmlib.


RM(EXPDT):SEARCHVOLUME subcommand

```
>--SV---+-----+-->
          |           . -VRSEL----- .
' --RETENTIONMETHOD---( -----+-- ) - '
      ' -RM----- '     ' -EXPDT----- '
```

RETENTIONMETHOD|RM (VRSEL|EXPDT)

Use this operand to restrict the returned volumes based on the retention method.

- Specify VRSEL to select volumes with the VRSEL retention method.
- Specify EXPDT to select volumes with the EXPDT retention method.



RM(EXPDT): LISTCONTROL OPTION output

```
EDGPC200           DFSMSrmm System Options Display
Command ==> [ ] More: +  
  
Parmlib suffix . : 02  
  
Operating mode . : PROTECT  
  
Data sets:  
  Control . . . : BRMM.MASTER.CDS  
  Journal . . . : BRMM.MASTER.JOURNAL  
  CDS id . . . : IRD6  
  Catalog SYSID : NO  
  
  RM(VRSEL)  
  remains the  
  default  
  
Retention method : VRSEL  
  
Retention period:  
  Default . . . : 10  
  Maximum . . . : NOLIMIT  
  Catalog . . . : 12    hours  
  
Journal threshold . : 50 %  
Journal transaction : NO  
  
SMF:  
  System id . . . : IRD6  
  Audit . . . . . : 248  
  Security . . . : 249  
  
Report options:  
  Lines per page . . : 54  
  Date format . . . : JULIAN
```

RM(EXPDT): EDG_EXIT100 Retention Method Support

- You can use the EDG_EXIT100 installation exit to set the retention method to be used for new tape data. When you create a new tape volume set, or rewrite an existing set from the first file you can override the system default retention method.

```

ENT1ST   DS      OF
* start of RDS entries
    EDGCVRSG DSN=RMMUSER.RMEXPDT.*,
                RM=EXPDT,
                RO=NO,
                RETPD=5
    EDGCVRSG DSN=*,*
                RM=NONE,
                RO=NO,
                RETPD=5
* start of keyword dates from EDGC5LDR
    EDGCVRSG KEYDATE=98010,
                VRSVAL=D98010
    EDGCVRSG KEYDATE=99000,
                VRSVAL=D99000
    EDGCVRSG KEYDATE=99010,
                VRSVAL=D99010
    EDGCVRSG KEYDATE=99110,
                VRSVAL=D99110
    EDGCVRSG KEYDATE=99201,
                VRSVAL=D99201
ENTLAST  EDGCVRSG DSN='*',RO='NO'

```

RM(EXPDT): EXPRY DATE Equalization

- RMM maintains a consistent data set expiration date and time for data sets on EXPDT-managed volumes at these times:
 - During O/C/EOV processing.
The expiration time is rounded up to the next whole hour.
 - Minimize I/O to the RMM CDS.
 - This is done for the first data set record of a data set, and only incremented again when data set creation continues onto a new volume and current time exceeds the rounded value.
 - The ASSIGN time remains unchanged
 - When you specify EXPDT/RETPD on ADDDATASET or CHANGEDATASET subcommands.
 - During CHANGEVOLUME PREVVOL
 - When the retention method of the volume set is changed from VRSEL to EXPDT


RM(EXPDT): EXPRY DATE Equalization (cont.)

- **VRSEL retention method**

- Data sets on volumes managed by the VRSEL retention method are unchanged.

- **EXPDT retention method**

- All files of a multi volume data set on a volume set managed by RM(EXPDT) have the same expiration date and time.



RM(EXPDT): Retention Method Considerations

- You **do not need** to run VRSEL processing unless any volumes are defined with the VRSEL retention method.
 - Only **EXPROC processing is required** to handle expiration of all volumes managed by the EXPDT retention method.
 - **EXPROC processing provides a summary of volumes by retention method.** See the MESSAGE file example below.
- The expiration date of volumes is set during OPEN processing, so for volumes managed by the EXPDT retention method no special considerations exist for open data sets – they are managed based on the volume EXPDT. **SPECIAL VRS' no longer apply**
- EXPROC processing currently remains to be date-sensitive only (i.e., not time sensitive)
- Volumes containing data sets closed by ABEND processing or which are DELETED are handled as if no special ABEND/DELETED VRS had been defined. i.e. All retention is based only on the volume EXPDT.
- Volumes managed by the EXPDT retention method are included only in the EXPDTDROP limit. VRSRETAIN and VRSDROP limits apply only to volumes managed by VRSEL retention method.


RM(EXPDT): new TSO Subcommand Return/Reason codes

Return Code	Reason Code	Message Number	Issuing Command	Description
12	266	3363	CV, AV	Retention method can only be specified for the first volume in a set

RM(EXPDT): Authorization

Define the resource	To Control the
STGADMIN.EDG.CV.RM ^{minlength}	Updating of retention method. Supporting CV RETENTIONMETHOD RM

When you Define	With Access	Then
STGADMIN.EDG.CV.RM <small>minlength</small>	Entity not defined	Based on STGADMIN.EDG.MASTER access.
	UPDATE	Allows any volume to be updated



SHARE
Technology • Connections • Results

RM(EXPDT): New EDGJRPT/EDGRRPTE Report 18

DFSMSrmm
DATE - 2010/129

Inventory of Data Set Names by Volume Retention Method EXPDT

PAGE - 1 EDGRPT18

TIME - 08:11:53

Data Set Name	Volume	Vol -	DSN-	Creating	Create	Create	Volume	DSN	V EXPDT
	Serial	Seq.	Seq.	Jobname	Date	Time	Exp. Date	Exp. Date	X Set by
RMMUSER. D16002	A16002	1	1		2010/123	081146	2010/133	2010/128	Y CMD_DEF
RMMUSER. D16003	A16003	2	1		2010/129	081147	2010/135	2010/135	Y CMD
RMMUSER. D16004. DS1	A16004	3	1	BERNDS	2010/129	081147	2010/134	2010/099	Y CMD
RMMUSER. D16004. DS2	A16004	3	2	BERNDS	2010/129	081147	2010/134	2010/111	Y CMD

End of Report. 4 Entries Listed

DFSMSrmm INTERNAL USE ONLY
EDGRPT18
2010/129

Inventory of Data Set Names by Volume Retention Method VRSEL

PAGE - 2

DATE -

TIME - 08:11:53

Data Set Name	Volume	Vol -	DSN-	Creating	Create	Create	Volume	DSN	V V
	Serial	Seq.	Seq.	Jobname	Date	Time	Ret. Date	Ret. Date	X R
BERNDS. DATASET	A16007	1	1		2010/123	081146	2010/240	2010/240	N Y
BERNDS. DATASET	A16006	1	1		2010/129	081147	2010/250		Y Y
BERNDS. DATASET	A16006	1	2		2010/129	081150	2010/250	2010/240	N Y
RMMUSER. D16001. A	A16001	1	1	TEST	2010/123	081146	PERMANENT	PERMANENT	N Y
RMMUSER. D16001. B	A16001	1	2	TEST	2010/123	081146	PERMANENT		Y Y
RMMUSER. D16001. C	A16001	1	3	TEST	2010/123	081146	PERMANENT	PERMANENT	N Y
RMMUSER. D16005	A16005	1	1		2010/129	081147			N N

End of Report. 7 Entries Listed


RM(EXPDT): New EDJACTP Report

- **VRSRETN Report**

- A new data column is added to include the data set VRSEXCLUDE attribute.
- Note that the VRSRETN and VRSRETNS reports are produced only for volumes that are managed by the VRSEL retention method.

- **EXPDROP Report**

- A new data column is added to include the retention method



SHARE
Technology • Connections • Results

RM(EXPDT): New EDGJACTP VRSRTN Report

Newly assigned volumes subject to VRSRETAIN

01/20/09

05:55:21

- 1 -

Status: RETAINED

DATA SET			DATA SET VRS				VOLUME					
VOLSER	FSEQ	DSNAME	JOBNAME	V	DROP	REASON	PRIMARY VRS	JOB MASK	TYPE	VRS	RETAIN	REASON
A22251	1	RMMUSER.DSN1		N	Y		RMMUSER.*		D			DATASET
A22252	1	RMMUSER.DSN20		N	Y		RMMUSER.*		D			DATASET
A22252	2	RMMUSER.DSN21		N	Y		RMMUSER.*		D			DATASET
A22253	1	D046059.DSN01		Y	N	W	D046059.*		D			IMPLICIT
A22253	2	DSN02		Y								IMPLICIT
A22253	3	D046059.DSN03		N	Y		D046059.*		D			DATASET
VOL001	1	First.data.set	F1J	N	N	D	ABEND	*	D	VOL001	VOLUME	
VOL001	2	Second.data.set	F1J	Y						VOL001	VOLUME	
VOL002	1	Second.data.set	F1J	Y							SET	
VOL002	2	third.data.set	F1J	Y							SET	

data sets in this status: 10

Newly assigned volumes subject to VRSRETAIN

01/20/09

05:55:21

- 2 -

Status: NOTRETAINED

DATA SET			DATA SET VRS				VOLUME					
VOLSER	FSEQ	DSNAME	JOBNAME	V	DROP	REASON	PRIMARY VRS	JOB MASK	TYPE	VRS	RETAIN	REASON
A22250	1	D046059.WCATALOG	SSTEINHA	N	N	W	D046059.*		D			
A22256	1	DSN6		N								
NO0001	1	ANOTHER.DSET	WOODY1	Y								
NO0001	2	YET.ANOTHER	WOODY2	Y								

data sets in this status: 4

RM(EXPDT): Conversion EDGCNVT SYSIN

- **OPTION RM**

- Use the OPTION statement to specify the defaults for DFMSrmm options which affect volume and data set attributes during conversion.
- Supported options:
 - RM - Specify the **default** retention method. You can override the default retention method at the volume set level by setting the appropriate flags in the 'L record'. See the EDGCLREC mapping: LVRMVRS, LVRMEXP.
- When you specify the RM option you must select one of the following retention_methods:
 - **VRSEL**: Specify VRSEL as the default retention method for all volume sets.
 - **EXPDT**: Specify EXPDT to set the default retention method for volume sets to be based on EXPDT. Data sets and volumes managed by this retention method are never processed by VRSEL inventory management.
 - The EXPDT retention method manages at the volume level: each volume is considered separately for expiration, and each file on a volume can increment the volume expiration date.
- Default: OPTION RM VRSEL

SAMPLIB is now updated.. If you've got JCL copy from SAMPLIB again.

RM(EXPDT): Conversion EDGCNVT SAMPLE JCL

```

// EDGCNVT EXEC PGM=EDGCNVT
// SYSUDUMP DD SYSOUT=*
// SYSPRINT DD SYSOUT=*
// SYSOUT DD DI SP=( , CATLG , LRECL=80, RECFM=FB,
//   SPACE=( 80, ( 1, 1 ), RLSE ), UNIT=SYSDA,
//   DSN=D046059. RM EDGCNVT. SYSOUT. DATA
// VRSCMDS DD DI SP=( , CATLG , LRECL=80, RECFM=FB,
//   SPACE=( 80, ( 10, 5 ), RLSE ), UNIT=SYSDA,
//   DSN=D046059. RM EDGCNVT. VRSCMDS. DATA
// DEXTRCT DD DI SP=SHR, DSN=D046059. RM EDGC5LDR. DEXTOUT. DATA
// DD DI SP=SHR, DSN=D046059. RM EDGC5LDR. DEXTOUTK. DATA
// LI BLIST DD DI SP=( , CATLG , LRECL=1000, RECFM=VB,
//   SPACE=( TRK, ( 1, 1 ), RLSE ), UNIT=SYSDA,
//   DSN=D046059. RM EDGCNVT. LI BLIST. DATA
// OMNLIST DD DI SP=( , CATLG , LRECL=400, RECFM=VB,
//   SPACE=( TRK, ( 1, 1 ), RLSE ), UNIT=SYSDA,
//   DSN=D046059. RM EDGCNVT. OMNLIST. DATA
// BNLIST DD DI SP=( , CATLG , LRECL=256, RECFM=VB,
//   SPACE=( TRK, ( 1, 1 ), RLSE ), UNIT=SYSDA,
//   DSN=D046059. RM EDGCNVT. BNLIST. DATA
// VRSЛИST DD DI SP=( , CATLG , LRECL=256, RECFM=VB,
//   SPACE=( TRK, ( 1, 1 ), RLSE ), UNIT=SYSDA,
//   DSN=D046059. RM EDGCNVT. VRSЛИST. DATA
// SYSIN DD *

```

OPTION RM EXPDT

```

LOCDEF VAULT1 B1 NS
LOCDEF VAULT2 B1 NS
IF VMEDI A EQUALS TAPE1600 THEN MEDI ANAME EQUALS REELS

```

NEW OPTION FOR CONVERSION

Agenda




- z/OS Release 13 Enhancements
 - Selective volume movement
 - More „Last change“ details
 - Last Reference Date for VRS
 - ISPF Navigation Enhancements
 - Show Effective Retention/Expiration Date
 - Search Dataset Extensions
 - TVEXTPURGE Extra Days
 - More information on Expiry Date source
 - Exclude data sets from VRSEL
 - **New RETENTIONMETHOD(EXPDT)**
 - Enhanced Tape Copy Support



ENHANCED TAPE COPY SUPPORT

- Tape copy applications could previously use RMM subcommands to update data set and volume meta data after a copy is completed.
 - BUT not all data set and volume attributes could be copied via RMM subcommands.
 - Retention of the source and target data sets is subject to VRS processing and results were not always predictable.
- A new data set subcommand option COPYFROM, does now support copying all applicable attributes and controlling the retention of the source data set.
 - Using installation exit EDG_EXIT100 option tape copy applications can avoid issuing the subcommands needed for copying data set attributes.
- Whether by using subcommands or the user exit copied data sets can now inherit all required attributes
 - Even without the copy application knowing what all the attributes are

Enhanced Tape Copy Support RMM CHANGEDATASET



- If you specify any other CHANGEDATASET operands
 - the COPYFROM operand is processed first,
 - then the additional operands.
 Therefore additional operands can specify data that overrides the copied attributes.
- Example:
`COPYFROM(RETPD(0) VX)`
 copies data set and sets the source data set to pending release

Enhanced Tape Copy Support Copying Dataset Attributes

- After copying the data set attributes, all data set records of the target data set make the data set appear to be the original.
- DFSMSrmm copies **all** attributes that are **not related to the physical aspects** of the data set, volume and tape drive.
- Attributes related to retention are subject to update by the next run of inventory management. The intention is that the copied data set will be retained in the same way as the source data set.
- After the attributes are copied there will be no trace of the copy application or the batch job used to perform the copy because all target data set attributes reflect the creation and use of the source data set.
 - The “last change” information of the target data set is updated during command processing to reflect that the command was processed.

Enhanced Tape Copy Support Dataset Attributes not Copied

Command operand	No cmd operand	Extract file field	REXX Variable/SFI
dsname	RDDNAME	EDG@DSN	
VOLUME	RDVOLSER	EDG@VOL	
SEQ FILESEQ	RDDSNSEQ	EDG@FILE	
LABELNUMBER	RDLABNO	EDG@DSEQ	
TOTALBLKCOUNT	RDTOTAL_BLKCNT	EDG@BLKT	
PERCENT	RDPERCENT	EDG@DPCT	
DEVNUM	RDUNITAD	EDG@DEV	
LRECL	RDLRECL	EDG@LRCL	
RECFM	RDRECFM	EDG@RCFM	
BLKSIZE	RDBLKSIZE	EDG@BLKS	
BLKCOUNT	RDBLKCOUNT	EDG@BLKC	
owner	RDOWNDSN	EDG@OWN	
data set size	RDDSSIZE,RDSIZE	EDG@DSS6	
catalog status	RDCAT	EDG@CTLG	
STORAGECLASS	RDSCNAME	EDG@SC	
storage group	RDSGNAME	EDG@SG	
DATACLASS	RDDCNAME	EDG@DC	
start block ID	n/a	n/a	
end block ID	n/a	n/a	
last device number	RDLDEVN	EDG@LDEV	
BESKEY	RDBESKEY	EDG@BESK	
VRSELEXCLUDE	RDVEX	EDG@VEX Note: This attribute is not copied unless both the source and target volumes are managed by RM(VRSEL)	
ABEND	RDABEND	EDG@ABND Note: This attribute is not copied unless it is set. The source setting is merged with the target setting.	

Enhanced Tape Copy Support Installation Exit Support

- A new EDG_EXIT100 option is provided to notify RMM that the data set being created **is being copied from another**.
- During OPEN processing the exit can identify the source data set from which RMM will obtain all existing data set attributes which will be used for the new data set.
 - RMM EOF processing ensures that the attributes are copied to all new data set records when the output data set becomes a multi-volume data set.

```
PL100_CAN_COPYFROM      EQU X'08'  
PL100_SET_COPYFROM      EQU X'04'  
PL100_COPYFROM_DSN      DS CL44  
PL100_COPYFROM_VOLSER   DS CL6  
PL100_COPYFROM_DSEQ     XL4  
PL100_COPYFROM_OWNER    DS CL8    ...
```

Enhanced Tape Copy Support Installation Exit Exploitation

- **Dynamic Exit Available since z/OS V1R11**

- Add exit module dynamically prior to the first copy
 - Pass source data set key via exit - Dsname, file sequence, volser
 - Select required retention method and VRSELEXCLUDE for target via exit
 - During OPEN &CLOSE the attributes are copied from source to target Data Set record
 - Physical attributes are set based on volume and drive used
- Delete exit module at end of processing / all copies completed
- Your copy application must communicate with your exit module
- When processing successful use the RMM API to:
 - Issue RMM commands for source data sets and volumes, for example:

RMM DV volser RELEASE
or
RMM CV volser RETENTIONMETHOD(EXPDT) RETPD(4)
or
RMM CD sourcedsn VOLUME(sv) SEQ(ss) VRSELEXCLUDE(YES)

Agenda

- z/OS Release 13 Enhancements
- ▪ Selected z/OS Release 12 Enhancements
- Appendix

DS8700



TS1140 Tape Drive



73



TS3500 Library



*TS7700
Virtualization
Engine*



Support for TS1140

- DFSMSrmm Support provided via
 - APAR OA35804 (zOS V1.10)
 - APAR OA33958 (z/OS V1.11 – V1.12)
 - z/OS V1.13
- DFSMSrmm support in z/OS V1.10 and V1.11 is a subset of the SUPPORT available with V1.12 and above

z/OS V1.10 and above provides	In addition, z/OS V.12 and above provides
<ul style="list-style-type: none"> ▪ New Media Types ▪ New Recording Formats ▪ Changed RMM commands: <ul style="list-style-type: none"> – ADDVOLUME – CHANGEVOLUME – SEARCHVOLUME 	<ul style="list-style-type: none"> ▪ New maximum values for <ul style="list-style-type: none"> – BLKCOUNT – TOTALBLKCOUNT ▪ New volume and data set attributes ▪ LISTVOLUME output; LISTDATASET output ▪ RMM ISPF Dialog ▪ REXX and API SFIs ▪ Reporting

New media types and recording modes

Media Type	Alias	Full Media Name
MEDIA11	EATC	IBM Enterprise Advanced Tape Cartridge 3592.
MEDIA12	EAWTC	IBM Enterprise Advanced WORM Tape Cartridge 3592.
MEDIA13	EAETC	IBM Enterprise Advanced Economy Tape Cartridge 3592.

Recording Format	Description	Valid with media types
EFMT4	Data is written to the volume in EFMT4 format.	Existing: EXTC, EXWTC, New: EATC, EAWTC, EAETC
EEFMT4	Data is written to the volume in <u>encrypted</u> EFMT4 format.	Existing: EXTC, EXWTC, New: EATC, EAWTC, EAETC

- New types and recording formats can be used with ADDVOLUME, CHANGEVOLUME, SEARCHVOLUME commands.

Larger counts and new attributes

- Larger block counts
 - BLKCOUNT can be now up to 4294967295 (10 characters).
 - ADDDATASET and CHANGEDATASET
 - TOTALBLKCOUNT can be now up to 18446744073709551615 (20 characters)
 - CHANGEDATASET

- New attributes
 - VOLUME
 - Physical space Used
 - Compression
 - DATASET
 - Physical Size
 - Compression

EDGPT110 DFSMSrmm Volume Details - JC0176			
Command ==>			
Volume	: JC0176	VOL1 vol ser :	Rack number :
Media name	: 3480		Status . . . : USER
			More: - +
Volume use count	: 1	Volume usage (KB)	: 500000
Compression	: 1.05	Physical space used (KB)	: 476844
Capacity (MB)	: 3814697	Percent full	: 0
Create date	: 2011/187	Create time	: 06:36:54
Date last read	: 2011/187	System ID	: W98MVS2
Drive last used	: 0BB3	Date last written	: 2011/187
		Write Mount count	: 1

$$\text{Compression} = \frac{\text{ApplicationBytesWritten}}{\text{DeviceBytesWritten}}$$

-Due to granularity of data the compression value for smaller data sets may not be meaningful

-0.00 displayed when no ration can be computed

Summary of z/OS DFSMSrmm V1R12



Ease of Use

- Retention Limit Reporting (Roll-back to R10 via APAR OA30881)
- Ignore for duplicate volumes
- Automation for WTORs in Production and Parallel Running
- Expiration Override for Volumes
- ISPF Dialog CLIST option to avoid search results list

Optimization

- Copy Export Sample Reports from Export Status and BVIR

Performance and Scalability

- All RMM Data Sets EAS Eligible, 'XTIOT' Support
- IPV6 Support
- Contribution to z/OS Target of 5% improvement / Release

Availability and RAS

- Status Available via Subcommand and API
- STOP/CANCEL Recovery Improvements
- PDA Trace Enhanced to trace outside subsystem address space

Summary of z/OS DFSMSrmm V1R12



Ease of Use

- Retention Limit Reporting (Roll-back to R10 via APAR OA30881)
- Ignore for duplicate volumes
- Automation for WTORs in Production and Parallel Running
- Expiration Override for Volumes
- ISPF Dialog CLIST option to avoid search results list

Optimization

- Copy Export Sample Reports from Export Status and BVIR

Performance and Scalability

- All RMM Data Sets EAS Eligible, 'XTIOT' Support
- IPV6 Support
- Contribution to z/OS Target of 5% improvement / Release




Availability and RAS

- Status Available via Subcommand and API
- STOP/CANCEL Recovery Improvements
- PDA Trace Enhanced to trace outside subsystem address space

Summary of z/OS DFSMSrmm V1R12

Safety Net: EXPDTDROP / VRSDROP / VRSRETAIN

- **VRSDROP** specifies how many existing VRS-retained volumes may be dropped from vital records retention and the action to be taken by DFSMSrmm.
- **VRSRETAIN** specifies how many newly assigned volumes are to be retained by vital records retention.
 - A newly assigned volume is one that has a volume assignment time that is higher than the run time of the previous VRSEL processing and that is not VRS-retained.
- **EXPDTDROP** specifies how many existing expiration date retained volumes may be dropped from retention.
 - An EXPDT-retained volume is one that is not VRS-retained and is not newly assigned
 - EXPROC: additional processing may be required



Summary of z/OS DFSMSrmm V1R12 Sample VRSRETAIN Report



Newly assigned volumes subject to VRSRETAIN										01/20/09	15:55:21	- 1 -	
Status RETAINED			DATA SET							VOLUME			
SOURCE	F-REQ	UPNAME	JOB NAME	RETAINED	PRIM	REASON	PRIMARY SR	JOB NAME	VRS TYPE	VRS	RETAIN	FILE COUNT	IN SET
VOL1	1	RMMUSER.DEM11		N			RMMTTER *		D		DATASET	1	3
VOL1	2	RMMUSER.DEM12		N	7		RMMTTER *		D		IMPLICIT	3	3
VOL1	3	RMMUSER.DEM13		N			RMMTTER *		D		DATASET	1	3
VOL2	1	DL46059.DEM21		N	7		DL46059 *		D	RCLD	VOLUME	2	3
VOL2	2	DL10155.DEM22		N			DL46059 *		D	RCLD	VOLUME	2	3
VOL3	1	DL46059.DEM31		N	3		DL46059 *		D		SET	1	3
VOL3	2	DL77077.DEM31					DL77077.DSN22		D		IMPLICIT	2	3
VOL3	3	DL77077.DEM32		N			DL77077.DSN22		D		DATASET	2	3
Data sets in this status:													
Newly assigned volumes subject to VRSRETAIN										01/20/09	15:55:21	- 2 -	
Status NOTRETAINED			DATA SET							VOLUME			
SOURCE	F-REQ	UPNAME	JOB NAME	RETAINED	PRIM	REASON	PRIMARY SR	JOB NAME	VRS TYPE	VRS	RETAIN	FILE COUNT	IN SET
VOL1	1	RMMUSER.DEM31		N	7		RMMTTER *		D			1	3
VOL4	1	DL10155.DEM41	RETNEA	N	7		RMMTTER *		D			2	3
VOL4	2	RMMUSER.DEM42		N	7		RMMTTER *		D			2	3
VOL5	1	DL10155.DEM51		N			DL10155.DEM51		D			3	3
VOL5	1	DL10155.DEM52		N			DL10155.DEM52		D			3	3
VOL5	1	DL10155.DEM53		N			DL10155.DEM53		D			3	3
Data sets in this status:													

Summary of newly assigned volumes for VRSRETAIN

01/20/09

05:55:21

- 1 -

Status	VOLUME COUNT
RETAINED	4
NOTRETAINED	3




Summary of z/OS DFSMSrmm V1R12 OPENRULE IGNORE

Ignore processing for specific volser request (read and write)
 The external/vision volser is used to identify the mounted volume

Library	OPENRULE for		Result in	
	requested volser	VOL1 volser	V1R11	V1R12
Non-system managed (SHELF)	IGNORE	ACCEPT	requested volser ignored (at file validation)	requested volser ignored (at mount verification)
	ACCEPT	IGNORE	VOL1 volser ignored, LBL ERR VOL1	accepted
System managed (ATL)	IGNORE	ACCEPT	requested volser ignored (at file validation)	requested volser ignored (at mount verification)
	ACCEPT	IGNORE	VOL1 volser ignored, 613-1C requested vol ser	accepted

Summary of z/OS DFSMSrmm V1R12 Expiration Override

- **Problem**
 - Difficult to determine how data sets and volumes are retained
 - Setting EXPDT(99365) might not force retention
 - Changing policies or EXPDT causes loss of actual retention policy
- **Solution**
 - New Subcommand to prevent expiration
 - Existing policy and retention is unchanged
- **Subcommand Changes:**



- **Setting using the dialog**
 - New 'HY' and 'HN' line commands
- **When HOLD attribute is set:**
 - Unable to RELEASE the volume
 - EXPROC prevents expiration

Summary of z/OS DFSMSrmm V1R12 Dialog CLIST Option

```
EDGP@CLS          DFSMSrmm CLIST Processing
Command ===>

Enter optional prefix and suffix values
Prefix . . . . . 'RMM LV'
Returned text depending on resource being searched
Suffix . . . . . 'ALL'

Enter optional fully qualified or partial data set information for CLIST
Data set name . . .
Expected data set size      records
Extend existing CLIST       YES, NO or blank

View search results   NO      YES, NO or blank
```

Press ENTER to CONTINUE, or END to RETURN.



If you choose **View search results: NO** (which is the default),
the search result list is not displayed

Summary of z/OS DFSMSrmm V1R12 Copy Export Processing

- Use EDGJCEXP sample job to generate reports about copy exported data combining information from
 - TS7700 library
 - BVIR or Export status file
 - DFSMSrmm extended extract records
- Reports are provided sorted
 1. by data set name
 2. by logical volume serial number
 3. by stacked volume serial number



Summary of z/OS DFSMSrmm V1R12 Copy Export Reporting



- EDGJCEXP Report – sorted by dataset

Copy Exported Data Sets		- 1 -		12/08/2009		03: 30: 21							
based on Bulk Volume Information Retrieval data													
DATA SET INFORMATION													
DATA SET NAME		CREATE DATE	CREATE TIME	REC FM	BLK SIZE	RETENTION DATE	EXPIRATION DATE						
BERNDS. EXPIRED. HYD868		2009/338	082750	F	80	2009/353	2009/341						
BERNDS. EXPIRED. HYD880		2009/337	150732	F	80	2009/352	2009/340						
BERNDS. MULTI . VOLUME. DS1		2009/338	082524	FB	80	2009/353	2009/341						
BERNDS. MULTI . VOLUME. DS1		2009/338	082524	FB	80	2009/353	2009/341						
LOGICAL VOLUME INFO													
VOLSER	VOLSEQ	REQUIRED LOCATION	EXPIRATION DATE	STACKED VOLSER	CURRENT LOCATION	DESTINATION	IN TRAN						
HYD868	1	MAZ2	2009/341	A02039	ATL3484F	MAZ1	Y						
HYD880	1	MAZ2	2009/341	A02039	ATL3484F	MAZ1	Y						
HYD862	1	MAZ2	2009/341	A02039	ATL3484F	MAZ1	Y						
HYD861	1	MAZ2	2009/341	A02039	ATL3484F	MAZ1	Y						
COPY EXPORT INFO													
				RETENTION DATE	EXPORT DATE	EXPORT TIME							
				2020/001	Y 2009/338	083938							
				2020/001	Y 2009/338	083938							
				2020/001	Y 2009/338	083938							
				2020/001	Y 2009/338	083938							

Summary of z/OS DFSMSrmm V1R12 Copy Export Reporting



- EDGJCEXP Report – sorted by logical volume

Copy Exported Data Sets By Logical Volume			- 1 -	12/08/2009	03: 30: 22
based on Bulk Volume Information Retrieval data					
Logical Volume Info: HYD861 1 MAZ2 2009/341					
DATA SET INFORMATION			CREATE DATE	CREATE TIME	REC FM
DATA SET NAME	SIZE	BLK	RETENTION DATE	EXPIRATION DATE	PHYSICAL FILE SEQ R
BERNDS. MULTI . VOLUME. DS1	2009/338	082524 FB	80 2009/353	2009/341	1 Y
BERNDS. SEC14. HYD861	2009/338	082527 F	80 2009/353	2009/341	2 Y
BERNDS. SEC14. HYD861	2009/338	082638 F	80 2009/353	2009/341	3 Y
BERNDS. SEC14. HYD861	2009/338	082749 F	80 2009/353	2009/341	4 Y
STACKED VOLSER	VOLUME LOCATION	CURRENT DESTINATION	IN TRAN	RETENTION DATE	COPY EXPORT INFO
				R DATE	V EXPORT TIME
A02039	ATL3484F	MAZ1	Y	2020/001	Y 2009/338 083938
A02039	ATL3484F	MAZ1	Y	2020/001	Y 2009/338 083938
A02039	ATL3484F	MAZ1	Y	2020/001	Y 2009/338 083938
A02039	ATL3484F	MAZ1	Y	2020/001	Y 2009/338 083938

Summary of z/OS DFSMSrmm V1R12 Copy Export Reporting

- EDGJCEXP Report – sorted by stacked volume

Copy Exported Data Sets By Stacked Volume				- 1 -	12/08/2009	03: 30: 22																																																						
based on Bulk Volume Information Retrieval data																																																												
Stacked Volume Info: A02039 ATL3484F MAZ1 Y 2020/001 Y 2009/338 083938																																																												
<table border="1"> <thead> <tr> <th>LOGICAL VOLUME INFO</th> <th>REQUIRED EXPIRATION</th> </tr> <tr> <th>VOLSER VOLSEQ LOCATION</th> <th>DATE</th> </tr> </thead> <tbody> <tr> <td>HYD861 1 MAZ2 2009/341</td> <td></td> </tr> </tbody> </table>							LOGICAL VOLUME INFO	REQUIRED EXPIRATION	VOLSER VOLSEQ LOCATION	DATE	HYD861 1 MAZ2 2009/341		HYD861 1 MAZ2 2009/341		HYD861 1 MAZ2 2009/341		HYD861 1 MAZ2 2009/341																																											
LOGICAL VOLUME INFO	REQUIRED EXPIRATION																																																											
VOLSER VOLSEQ LOCATION	DATE																																																											
HYD861 1 MAZ2 2009/341																																																												
HYD861 1 MAZ2 2009/341																																																												
HYD861 1 MAZ2 2009/341																																																												
HYD861 1 MAZ2 2009/341																																																												
<table border="1"> <thead> <tr> <th>DATA SET INFORMATION</th> <th>CREATE DATE</th> <th>CREATE TIME</th> <th>REC FM</th> <th>BLK SIZE</th> <th>RETENTION DATE</th> <th>EXPIRATION DATE</th> <th>PHYSICAL FILE</th> <th>SEQ R</th> </tr> <tr> <th>DATA SET NAME</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>BERNDS. MULTI. VOLUME. DS1</td> <td>2009/338</td> <td>082524</td> <td>FB</td> <td>80</td> <td>2009/353</td> <td>2009/341</td> <td>1</td> <td>Y</td> </tr> <tr> <td>BERNDS. SEC14. HYD861</td> <td>2009/338</td> <td>082527</td> <td>F</td> <td>80</td> <td>2009/353</td> <td>2009/341</td> <td>2</td> <td>Y</td> </tr> <tr> <td>BERNDS. SEC14. HYD861</td> <td>2009/338</td> <td>082638</td> <td>F</td> <td>80</td> <td>2009/353</td> <td>2009/341</td> <td>3</td> <td>Y</td> </tr> <tr> <td>BERNDS. SEC14. HYD861</td> <td>2009/338</td> <td>082749</td> <td>F</td> <td>80</td> <td>2009/353</td> <td>2009/341</td> <td>4</td> <td>Y</td> </tr> </tbody> </table>							DATA SET INFORMATION	CREATE DATE	CREATE TIME	REC FM	BLK SIZE	RETENTION DATE	EXPIRATION DATE	PHYSICAL FILE	SEQ R	DATA SET NAME									BERNDS. MULTI. VOLUME. DS1	2009/338	082524	FB	80	2009/353	2009/341	1	Y	BERNDS. SEC14. HYD861	2009/338	082527	F	80	2009/353	2009/341	2	Y	BERNDS. SEC14. HYD861	2009/338	082638	F	80	2009/353	2009/341	3	Y	BERNDS. SEC14. HYD861	2009/338	082749	F	80	2009/353	2009/341	4	Y
DATA SET INFORMATION	CREATE DATE	CREATE TIME	REC FM	BLK SIZE	RETENTION DATE	EXPIRATION DATE	PHYSICAL FILE	SEQ R																																																				
DATA SET NAME																																																												
BERNDS. MULTI. VOLUME. DS1	2009/338	082524	FB	80	2009/353	2009/341	1	Y																																																				
BERNDS. SEC14. HYD861	2009/338	082527	F	80	2009/353	2009/341	2	Y																																																				
BERNDS. SEC14. HYD861	2009/338	082638	F	80	2009/353	2009/341	3	Y																																																				
BERNDS. SEC14. HYD861	2009/338	082749	F	80	2009/353	2009/341	4	Y																																																				

Agenda

- z/OS Release 13 Enhancements
- Selected z/OS Release 12 Enhancements
- ▪ Appendix

DS8700



TS1140 Tape Drive



88



TS3500 Library



*TS7700
Virtualization
Engine*



Summary of z/OS DFSMSrmm V1R13

+: Support integrated into release base

<i>Function</i>	<i>z/OS (RMM) release</i>	<i>z/OS V1.13</i>	<i>z/OS V1.12</i>	<i>z/OS V1.11</i>	<i>z/OS V1.10</i>
VRSELEXCLUDE & RM(EXPDT)	+	OA32984 (Toleration)	OA32984 (Toleration)	OA32984 (Toleration)	OA32984 (Toleration)
TS1140 Support	+	OA33958	OA33958	OA35804	
<ul style="list-style-type: none"> ▪ Selective volume movement ▪ More „Last change“ details ▪ Last Reference Date for VRS ▪ ISPF Navigation Enhancements ▪ Show Effective Retention/Expiration Date ▪ Search Dataset Extensions ▪ TVEXTPURGE Extra Days ▪ More information on Expiry Date source ▪ Enhanced Tape Copy Support 	+				
Retention limit reporting	+	+	OA30881	OA30881	
Volume Hold	+	+	OA30436 (Honor Volume Hold)	OA30436 (Honor Volume Hold)	
<ul style="list-style-type: none"> • EAS Eligibility • OPENRULE IGNORE • IPv6 • AUTOR • Addt. Status commands & RAS enhancements 	+	+			
Option to turn uppercasing on/off	+	+	OA32661	OA32661	
TS7700 1.6 Support , Logical WORM	+	+	OA28637	OA28637	

Summary of z/OS DFSMSrmm V1R13 Important APAR and Enhancements provided in Service Stream

- OA34036
 - The “volume hold” flag –newly introduced with z/OS V1.12- will be honored on R10, R11
- OA31661
 - Additional option to control uppercasing of dataset names. The default is to convert to upper case (R9-R11)
- OA32754, OA33498
 - In a client/server configuration the client may hang after a network error (R9-R12)
 - Or a loop issuing EDG0356E SERVER COMMUNICATION ERROR messages may occur
- OA33876
 - TS7700 COPY EXPORT related fixes and documentation updates
 - Fixes to address problems until microcode fix level is available
 - Refer to updated documentation:

⁹⁰ <http://publibz.boulder.ibm.com/zoslib/pdf/OA33876.pdf>

Summary of z/OS DFSMSrmm V1R12

+: Support integrated into release base

Function	z/OS (RMM) release	z/OS V1.12	z/OS V1.11	z/OS V1.10	z/OS V1.9
Retention limit reporting		+	OA30881	OA30881	
Volume Hold		+	OA30436 (Honor Volume Hold)	OA30436 (Honor Volume Hold)	
•EAS Eligibility •OPENRULE IGNORE •IPv6 •AUTOR •Addt. Status commands & RAS enhancements		+			
Option to turn uppercasing on/off		+	OA32661	OA32661	OA32661
TS7700 1.6 Support , Logical WORM		+	OA28637	OA28637	OA28637
•Report generator extensions •Journaling for D/R, EDGUPDT •EDGINERS SCAN		+	+		



Where to go for more information on DFSSrmm

- DFSSrmm Homepage: <http://www.ibm.com/systems/storage/software/sms/rmm>
 - DFSSrmm Enhancements: <https://www.ibm.com/support/docview.wss?q1=T1010391&rs=0&uid=isg3T1010391>
- z/OS V1.12 DFSMS library:
<http://www.ibm.com/systems/z/os/zos/bkserv/r12pdf/#dfsms>, especially
 - DFSSrmm Managing and Using Removable Media
<http://publibz.boulder.ibm.com/epubs/pdf/dgt2r390.pdf>
 - DFSSrmm Implementation and Customization Guide
<http://publibz.boulder.ibm.com/epubs/pdf/dgt2c890.pdf>
- DFSSrmm Primer: <http://www.redbooks.ibm.com/abstracts/SG245983.html>

Thank you!



धन्यवाद
Hindi

多謝
Traditional Chinese

ขอบคุณ
Thai

Спасибо
Russian

Gracias
Spanish

شُكْرًا
Arabic

Grazie
Italian

Thank You

English

Obrigado
Brazilian Portuguese

多謝
Simplified Chinese

Danke
German

Bedankt
Dutch

நன்றி
Tamil

ありがとうございました
Japanese

감사합니다
Korean