



Simplifying ICF Catalog Management With Tivoli Advanced Catalog Management for z/OS

Janet Sun
Rocket Software
jsun@rocketsoftware.com
Session 13771



Agenda

- Why Are ICF Catalogs Important?
- Catalog Management Activities
 - Backup
 - Diagnostics
 - Recovery
 - Split/Merge
 - Reorganization
 - Disaster recovery synchronization
- Monitoring Catalog Health

ICF Catalogs Are Critical

Why Are Catalogs Important?

- All current and migrated data is cataloged
- Cataloged data is not accessible if the catalog is not available
- If a catalog becomes damaged and is out of service, large amounts of business data will be unavailable until the catalog is recovered
- Compare the loss of a catalog to the loss of access to your company phone and email list – how would you contact someone when you needed them?





Catalog Management



Catalog Management

Catalog Management Activities Are Batch Oriented

- Many catalog management tasks are performed with IDCAMS
 - Backup
 - Diagnostics
 - Split/Merge
 - Reorganization
- Some catalog management tasks are performed with multiple utilities
 - Recovery
 - Catalog synchronization at disaster recovery



Catalog Backup



Catalog Backup

Backup with IDCAMS EXPORT

- IDCAMS EXPORT reads through the index of the KSDS to back up the data in the catalog
- EXPORT may not be able to back up the BCS if it is damaged
- If there is a broken sequence set chain pointer, EXPORT will back up only what can be accessed by the index
 - Many records may not be backed up, but a return code of 0 will be received
- Only one BCS can be backed up per invocation of EXPORT

Catalog Backup

Using IDCAMS EXPORT to Back Up Catalogs

```
//STEP1      EXEC PGM=IDCAMS
//OUTCAT     DD DSN=BACKUP.CATALOG.TEST,DISP=(NEW,CATLG),
//           SPACE=(CYL,(20,5)),UNIT=SYSALLDA
//SYSPRINT  DD SYSOUT=*
//SYSIN      DD *
EXPORT CATALOG.UCATTEST OUTFILE(OUTCAT) TEMPORARY
/*
```


Catalog Backup

Backup with Advanced Catalog Management

- Can back up a BCS with a broken index or a damaged self-describing record
- Directly accesses the data component of the KSDS to read data
 - Ensures all data is backed up even if the index is damaged
- Backs up aliases from the master catalog
- Backs up BCS definition parameters
- Much faster run time than IDCAMS EXPORT
- Can back up many or all BCSs in one command invocation using name masking

Catalog Backup

Using Advanced Catalog Management for z/OS

```
//STEP1      EXEC PGM=CKM00010
. . .
//OUTCAT     DD DSN=BACKUP.MANY.CATS(+1),DISP=(NEW,CATLG),
//           SPACE=(CYL,(100,50)),UNIT=SYSALLDA
//SYSPRINT   DD SYSOUT=*
//SYSIN      DD *
    BACKUP BCS(CATALOG.** ) OUTFILE(OUTCAT)
/*
```

Catalog Backup

Simplifying and Improving Backup Processing

- Ensure all BCSs are being backed up by using name masking
 - Back up the master catalog and all connected user catalogs with one command
- Rapid backup capability makes it practical to take backups more frequently
- Easy to create multiple backup copies
- The detailed return code summary makes it easy to identify where a problem occurred
- Multi-tasking option for backups can further reduce execution time



Catalog Diagnostics



Catalog Diagnostics

Diagnostics with IDCAMS

- EXAMINE INDEXTEST ensures that sequential and key direct access is accurate
- EXAMINE DATATEST reads all data CIs to ensure structural integrity
- DIAGNOSE ICFCATALOG (without compare) checks information integrity within each BCS record (inside-the-BCS only)
- DIAGNOSE VVDS (without compare) checks information integrity within each VVDS record (inside-the-VVDS only)

Catalog Diagnostics

Diagnostics with IDCAMS (continued)

- DIAGNOSE ICFCATALOG (with compare) checks the catalog entries to confirm that they point to the VVDS being referenced
 - A maximum of 99 VVDS names can be specified
- DIAGNOSE VVDS (with compare) checks the data sets to confirm that they point to the BCS being referenced

Catalog Diagnostics

EXAMINE and DIAGNOSE Error Messages

- EXAMINE
 - IDC0xxxx – Supportive informational messages
 - IDC1xxxx – Individual data set structural error messages
 - IDC2xxxx – Summary error messages
 - IDC3xxxx – Function not performed error messages
- DIAGNOSE
 - IDC21364I – ERROR DETECTED BY DIAGNOSE:
{VVDS|ICFCAT} ENTRY: *entry* RECORD: *rec* OFFSET: *offset*
REASON: *reason-code*

Catalog Diagnostics

EXAMINE and DIAGNOSE Error Messages (continued)

- EXAMINE and DIAGNOSE produce error messages but do not correct the problems identified
- Sample EXAMINE error message:
 - IDC11734I SEQUENCE SET AND DATA CI KEY SEQUENCE MISMATCH
- Sample DIAGNOSE reason codes:
 - 11 – Incomplete delete detected
 - 20 – Association not found
 - 23 – Truename loop failure
 - 33 – Incomplete update detected
 - 45 – Volume cell not found

Catalog Diagnostics

Diagnostics with Advanced Catalog Management

- Two unique options for diagnostics
 - Invoke IDCAMS EXAMINE and DIAGNOSE to verify structural integrity of catalogs
 - *Data set name masking eliminates requirement to manually code each catalog in a separate invocation of EXAMINE or DIAGNOSE*
 - *Return code summary table facilitates identifying catalogs with errors*
 - Customized diagnostic commands to analyze between BCSs and volumes (VVDSs and VTOCs), and master catalog aliases
 - *Provides detailed report of problems identified*
 - *Generates fixes to correct problems found*

Catalog Diagnostics

Customized Diagnostics

- Diagnostic commands verify data set entries on catalogs exist on DASD and that data sets on DASD are cataloged
- Extensive diagnostics between VTOC and VVDS to identify any orphan components
- Thorough multi-volume data set analysis
- Analysis of master catalog aliases to determine if they are in sync with each other
- Identification of empty aliases and user catalogs without any aliases associated to them
- Check tape management database pointers towards BCSs to identify uncataloged tapes and catalog entries for missing tape data sets



Catalog Recovery



ICFRU

Used for BCS Forward Recovery

- IBM field developed product
- Incorporated into DFSMS 1.7
- Takes IDCAMS EXPORT copy of the BCS and SMF records from all sharing systems as input
- Creates a new EXPORT format backup which is used as input to IDCAMS IMPORT to rebuild the catalog

Catalog Recovery

Forward Recovery with ICFRU and IDCAMS IMPORT

- Gather the SMF records from all systems sharing access to the catalog
- Execute the CRURRSV component of ICFRU with the SMF data as input to extract the appropriate SMF records
- Execute the CRURRAP component of ICFRU with the extracted SMF records from CRURRSV along with an IDCAMS EXPORT format backup of the catalog to create a new, updated EXPORT format backup
- Execute IDCAMS DELETE and DEFINE for the catalog
- Execute IDCAMS IMPORT to load the catalog from the EXPORT format backup created by CRURRAP

Catalog Recovery

Forward Recovery with Advanced Catalog Management

- Gather the SMF records from all systems sharing access to the catalog
- Execute the RECOVER command providing an Advanced Catalog Management format backup or an IDCAMS EXPORT format backup and the SMF data as input to create a new, updated catalog ready for use
- Note: Advanced Catalog Management provides a simulation option to allow advanced testing and error correction of all recovery commands
- *New:* Advanced Catalog Management release 2.5 supports recovery of z/OS 2.1 RLS catalogs



Splitting and Merging Catalogs



Catalog Split/Merge

Why Should Entries in a Catalog Be Split or Merged?

- When the data sets for multiple critical business applications are all cataloged in a single catalog
- When the size of the BCS becomes very large
- When the number of entries in a BCS is very high
- When related applications are spread across several catalogs
- When mergers and acquisitions occur and data must be combined
- When business divestitures occur and data must be divided

Catalog Split/Merge

Using IDCAMS REPRO

- IDCAMS REPRO MERGECAT is used to move data set entries either individually, by a high level qualifier group, or all entries from one catalog to another
 - The output catalog may already have other data set entries in it
 - Entries are deleted from the input catalog after they are successfully added to the output catalog
 - The VVRs for the data set entries moved are updated to point to the new output catalog

Catalog Split/Merge

Using IDCAMS REPRO (continued)

- IDCAMS REPRO NOMERGE CAT is used to copy the entire input catalog into a new, empty output catalog
 - The output catalog must be empty
 - The VVRs for the data set entries copied are updated to point to the new output catalog following REPRO NOMERGE CAT processing
 - *All subsequent processing must be done to the new output catalog*

Catalog Split/Merge

Using Advanced Catalog Management for z/OS

- MERGECAT is used to move data set entries either individually, by one or more high level qualifier groups, or all entries from one catalog to another
 - The output catalog may already have other data set entries in it
 - Entries are deleted from the input catalog after they are successfully added to the output catalog
 - The VVRs for the data set entries moved are updated to point to the new output catalog
 - Alias pointers for high level groups moved can be updated in any number of connected master catalogs
 - Execution time much faster than IDCAMS
 - Simulation option allows advanced testing

Catalog Split/Merge

Using Advanced Catalog Management for z/OS (continued)

- MERGECAT COPYONLY is used to copy the entire input catalog into a new, empty output catalog
 - The output catalog must be empty
 - The VVRs for the data set entries copied are *not* updated to point to the new output catalog following MERGECAT processing
 - *The original catalog is used for subsequent processing*



Catalog Reorganization



Catalog Reorganization

When Should A Catalog Be Reorganized?

- When it is approaching maximum extents
- An attribute of the catalog needs to be changed
- When there has been a large amount of deletion activity against the catalog
 - Mass deletions
 - Removal of many entries to another catalog as a result of splitting the catalog
- If the catalog resides on a volume where there is not enough room to take additional extents and there is no other data sets that can be moved off of the volume to provide additional space and reclamation of space through reorganization will help

Catalog Reorganization

Reorganization with IDCAMS

- Execute IDCAMS EXPORT to create a backup copy of the BCS
- Execute IDCAMS IMPORT to delete, reallocate, and load the BCS
- If allocation attribute changes are required, manually delete and redefine the BCS after EXPORT and add the INTOEMPTY keyword to the IMPORT step

Catalog Reorganization

Reorganization with Advanced Catalog Management

- Execute the BACKUP command to create a backup copy of the BCS
- Execute the RECOVER command to delete, reallocate, and load the BCS
- If allocation attribute changes are required, specify the appropriate keywords on the RECOVER command to automatically reallocate the BCS with the desired parameter changes
 - Space allocation
 - CI sizes
 - Volume serial
 - Data set name
 - SMS classes
 - Free space
 - Buffers
 - String number

Catalog Reorganization

Another Option with Advanced Catalog Management!

- The REORG command will allow a BCS to be reorganized while it is open and in use
 - No need to schedule an application or system outage
 - Recommended to run at a low-activity time for the BCS being reorganized
 - Attribute changes are supported during REORG processing
 - Space allocation
 - Free space
 - CI sizes
 - Buffers
 - Volume serial
 - String number
 - SMS classes
 - EATTR value

Catalog Reorganization

Another Option with Advanced Catalog Management! (continued)

- The REORG command will allow a BCS to be reorganized while it is open and in use
 - Structural problems can be repaired
 - Simulation option allows advanced testing
 - Automatically removes IMBED and REPLICATE if found to be present





Catalog Synchronization at Disaster Recovery



Catalogs and Disaster Recovery

What is the Problem?

- When data is recovered at the disaster recovery site, the entries in the catalog are not synchronized with the actual data sets that are recovered
- Catalog entries may indicate a data set resides on a different volume than where it was actually recovered
- Not all data sets will be recovered at the disaster recovery site
- Catalog entries that exist for data sets that do not exist could cause job failures or allocation failures
- Occurs most frequently when catalogs are in a fully populated state, usually as the result of full volume restore or mirroring

Catalogs and Disaster Recovery

Using IDCAMS

- When catalog entries exist for data sets that do not, IDCAMS can be used to remove those entries
- The entries to be removed must be identified first
 - There is no easy way to accomplish this
 - A user-written program could identify the data sets and build the IDCAMS DELETE ... NOSCRATCH commands
- Once the commands are created, run DELETE NOSCRATCH to remove the unwanted entries
- The DELETE NOSCRATCH commands may take a long time to run

Catalogs and Disaster Recovery

Using Advanced Catalog Management

- Use the CATSCRUB command to compare each record in the selected BCSs against the actual data sets on the online DASD
 - If the catalog record doesn't match up with a DASD data set, the catalog record is deleted
 - The records are deleted directly from the BCS by CATSCRUB without invoking IDCAMS
 - *Results in extremely fast processing*
 - A report is provided detailing the actions taken
 - A simulation capability is available for advance testing and error correction



Catalogs and Disaster Recovery

Using Advanced Catalog Management (continued)

- Other types of entries exist in the BCS and their dispositions can also be controlled by CATSCRUB:
 - Migrated data sets
 - *On DASD or on tape*
 - Tape data sets
 - GDG bases without active generations
 - Generation data sets not found on volumes
 - Non-VSAM aliases where the real data set does not exist
 - Multi-volume data sets where one or more components are missing from the volume
 - Specific data set names
 - Specific volume serial numbers

Catalogs and Disaster Recovery

Advanced Catalog Management CATSCRUB

- CATSCRUB performance
 - Actual customer benchmark:
 - *118 BCSs scrubbed*
 - *1,814,956 records deleted*
 - *IDCAMS required 15+ hours to complete*
 - *CATSCRUB required 20 minutes*





Monitoring Catalog Health



Tivoli Enterprise Portal (TEP)

TEP Provides the Central User Interface for IBM Monitoring and Management Solutions

- Links key facets of System z Storage Management together
- Provides built-in tools to capture expert knowledge
 - Reduces reliance on technical “gurus”
- Makes it much easier to detect, diagnose and correct problems


Advanced Catalog Management and TEP

Advanced Catalog Management is TEP Enabled

- Centralized, real-time viewing of catalog health:
 - Number of BCS extents taken
 - Amount of available space on the volume for extents
 - Alias count nearing the maximum
 - Display CAS statistics
 - Display return codes from catalog backups taken
 - View catalog data set attributes
- Situations provided that monitor thresholds for out of space conditions
- Can link into OMEGAMON XE for Storage, if available, to obtain additional information and take actions


Advanced Catalog Management and TEP

Provides an Overview of Key Catalog Information



Advanced Catalog Management and TEP

Drill Down to Get Details When a Problem Occurs



The screenshot displays the 'Catalog Volume Details' application interface. The left sidebar shows a navigation tree with 'Catalog Volume Summary' selected. The main area contains three data tables and two charts.

Catalog Volume Attributes for QASMS2

Volume Serial	Free	Allocated	Device Capacity	Largest Free Extent	Fragmentation Index	Volume % Full	Timestamp
QASMS2	96	2711	2807	6	663	96	02/11/11 16:43:22

Dataset Attributes for Catalogs on QASMS2

Catalog Name	Volume Serial	% 4GB Limit	Extents	% Used CAs	Allocated to CAS	Allocation Type	Cache Type	CI/CA	CI Size	ECS	High Allocated RBA	High Used RBA	Locked
UCATAE3.MERGCAT	QASMS2	0	1	50	Yes	CYLS	ISC	180	4096	No	1474560	737280	No
UCATAE3.TEST2	QASMS2	0	1	50	Yes	CYLS	ISC	180	4096	No	1474560	737280	No
CATNBA	QASMS2	0	1	50	Yes	CYLS	ISC	180	4096	No	1474560	737280	No

Catalog Cache Performance On QASMS2

Catalog Name	Volume Serial	Records	Searches	Hits	Deletes	Updates	Purges	% Hits	Catalog Type	Cache Type	Timestamp
UCATAE3.MERGCAT	QASMS2	1	290	289	0	0	0	99	User	ISC	02/11/11 16:43:43
UCATAE3.TEST2	QASMS2	1	290	289	0	0	0	99	User	ISC	02/11/11 16:43:43
CATNBA	QASMS2	30	2090	2060	0	0	0	98	User	ISC	02/11/11 16:43:43

Volume % Full for QASMS2

A bar chart showing the volume percentage full over time. The y-axis ranges from 00 to 100. The x-axis shows timestamps from 02/11/11 16:43:55 to 02/11/11 16:48:30. The bars are consistently at 96%.

Volume Fragmentation Index for QASMS2


A bar chart showing the volume fragmentation index over time. The y-axis ranges from 000 to 700. The x-axis shows timestamps from 02/11/11 16:43:40 to 02/11/11 16:48:30. The bars are consistently at 663.

At the bottom of the application window, it shows 'Hub Time: Fri, 02/11/2011 07:43 PM' and 'Server Available'.

Summary

Tivoli Advanced Catalog Management for z/OS offers:

- Rapid ICF catalog backup
- One-step forward recovery
- Extensive diagnosis and repair facilities
- Reorganize and repair BCSs while open
- High speed split/merge/copy utility
- Comprehensive disaster recovery support
- Audit and synchronization of master catalog aliases



Conclusion

Simplification of ICF Catalog Management Tasks

- Tivoli Advanced Catalog Management for z/OS simplifies catalog management tasks:
 - Fewer steps to execute for many tasks
 - Faster execution time than other options
 - Automated error correction for problems identified
 - Reduces outage time required for catalog maintenance



For More Information

- *z/OS DFSMS Access Method Services for Catalogs – SC26-7394*
- *z/OS DFSMS: Managing Catalogs – SC26-7409*
- *IBM Tivoli Advanced Catalog Management for z/OS, V2.5: User's Guide – SC23-9816-03*
- *ICF Catalog Backup and Recovery: A Practical Guide – IBM Redbook SG24-5644*

Trademarks

The following terms are trademarks of Rocket Software, Incorporated in the United States and/or other countries:

Rocket®

The following terms are trademarks of the International Business Machines Corporation in the United States and/or other countries:

IBM®, Tivoli®, z/OS®, DFSMSdfp™

Other company, product, and service names may be trademarks or service marks of others.

Copyright ©2013 Rocket Software, Inc. All Rights Reserved.