

Network Problem Diagnosis with Packet Traces

David J Cheng

Applied Expert Systems, Inc.

davec@aesclever.com

March 12, 2014, 3:00PM

Session 14870

Agenda

- **z/OS: Using CTRACE**
 - Packet Trace
 - Data Trace
 - OSAENTA Trace
- **Linux, Unix/AIX: tcpdump (Windows: windump)**
- **TCP/IP revisited**
- **Sample Cases**
 - **OSA - Excessive / Dropped packets, addressing errors**
 - **DNS, DHCP**
 - **FTP – Flow analysis, brute force attack**
 - **AT-TLS – Flow analysis**

Using Traces

- Know your protocols - network stack & application flow
 - Check for “errors”
 - Mismatched capabilities
 - Lost packets (congestions?)
- Baseline – normal traffic flow
- Trace comparison
- Trace inventory with annotations
- Multiple trace points – multiple platforms
- Automate taking traces – one-click operation
- Scheduling traces


How to Take a Packet Trace?

z/OS CTRACE:

- SYSTCPDA
 - Packet Trace
 - *Scope: TCP/IP stack*
 - *Packets entering or leaving the TCP/IP stack*
 - Data Trace
 - *scope: TCP/IP stack*
 - *Socket data into and out of the Physical File System (PFS)*
 - *Application data (unencrypted)*

- SYSTCPOT
 - OSAENTA
 - *Scope: LPAR or CHPID*
 - *Frames entering or leaving an OSA adapter for a connected host*

TCP/IP Networking API Relationship*



* Comm Server IP Sockets API Guide & Ref

Copyright © 2014 Applied Expert Systems, Inc.

z/OS CTRACE: SYSTCPDA – Packet Trace

- Set up an External Writer Proc

E.g., SYS1.PROCLIB (AESWRT) :

```
//IEFPROC EXEC
```

```
PGM=ITTRCWR,REGION=0K,TIME=1440,DPRTY=15
```

```
//TRCOUT01 DD DISP=SHR,DSN=trace.dataset
```

- Set up tracing parameters

E.g., SYS1.PARMLIB (CTAESPRM) :

```
TRACEOPTS ON WTR(AESWRT)
```

```
... other trace options ...
```

z/OS CTRACE: SYSTCPDA – Packet Trace

- *To Start Tracing:*

```
TRACE CT,WTRSTART=AESWRT
```

```
V TCPIP,tcpip,PKT,CLEAR
```

```
V TCPIP,tcpip,PKT,LINKN=<link>,ON,FULL,PROT=TCP,IP=<ip addr>
```

```
TRACE CT,ON,COMP=SYSTCPDA,SUB=(TCPIP),PARM=CTAESPRM
```

- *To Stop Tracing:*

```
V TCPIP,tcpip,PKT,OFF
```

```
TRACE CT,OFF,COMP=SYSTCPDA,SUB=(TCPIP)
```

```
TRACE CT,WTRSTOP=AESWRT,FLUSH
```

- *To View Tracing Status:*

```
D TRACE,WTR=AESWRT
```

Verify that the external writer is active

```
D TCPIP,tcpip,NETSTAT,DE
```

Verify that **TrRecCnt** is non-zero and incrementing

z/OS CTRACE: SYSTCPDA Parameters

System Parameters		
TCP/IP Proc :	<input type="text" value="TCPIP"/>	(TCP/IP Proc Name)
Writer Proc :	<input type="text" value="AESWRT"/>	External Writer Proc Name
Parm Member :	<input type="text" value="CTAESPRM"/>	(Trace Options Parmlib Member)

Trace Parameters		
Trace Mode :	<input checked="" type="radio"/> Link <input type="radio"/> Interface	
Link / INTF :	<input type="text" value="*"/>	(Link / Interface Name, * for all)
Packet Length :	<input type="text" value="FULL"/>	(1 - 65535, FULL for entire packet)
Protocol :	<input type="text" value="*"/>	(TCP, UDP, ICMP, ICMPV6, 0-255, * for all)
IP Address :	<input type="text" value="*"/>	(Source/Destination IP Address, * for all)
Subnet/Mask/Prefix :	<input type="text" value="255.255.255.255"/>	(IPv4 subnet/mask or IPv6 prefix length)
Source Port :	<input type="text" value="*"/>	(Source Port, * for all)
Destination Port :	<input type="text" value="*"/>	(Destination Port, * for all)
Packet Port :	<input type="text" value="*"/>	(1-65535, * for any source/destination port)
Discard :	<input type="text" value="NONE"/>	(ALL, NONE, *, or Discard Code: 4096 - 20479)

Copyright © 2014 Applied Expert Systems, Inc.

z/OS CTRACE: SYSTCPDA

Starting a Trace

```
----- Packet Trace Command Display ----- Line 1 of 25
COMMAND ==> _                               Scroll ==> CSR

TRACE CT,WTRSTART=AESWRT
ITT038I ALL OF THE TRANSACTIONS REQUESTED VIA THE TRACE CT COMMAND WERE SUCCESS
FULLY EXECUTED.
IEE839I ST=(ON,0001M,00001M) AS=ON BR=OFF EX=ON MO=OFF MT=(ON,064K)
        ISSUE DISPLAY TRACE CMD FOR SYSTEM AND COMPONENT TRACE STATUS
        ISSUE DISPLAY TRACE,TT CMD FOR TRANSACTION TRACE STATUS
ITT110I INITIALIZATION OF CTRACE WRITER AESWRT COMPLETE.
-----
V TCPIP,TCPIP,PKT,CLEAR
EZZ0060I PROCESSING COMMAND: VARY TCPIP,TCPIP,PKT,CLEAR
EZZ0053I COMMAND VARY PKTTRACE COMPLETED SUCCESSFULLY
-----
V TCPIP,TCPIP,PKT,LINKN=*,ON,FULL,PROT=*,IP=*,SUBN=255.255.255.255,SRCP=*,DEST=
*
EZZ0060I PROCESSING COMMAND: VARY TCPIP,TCPIP,PKT,LINKN=*,ON,FULL,PROT=*,IP=*,S
UBN=255.255.255.255,SRCP=*,DEST=*
EZZ0053I COMMAND VARY PKTTRACE COMPLETED SUCCESSFULLY
-----
TRACE CT,ON,COMP=SYSTCPDA,SUB=(TCPIP),PARM=CTAESPRM
ITT038I ALL OF THE TRANSACTIONS REQUESTED VIA THE TRACE CT COMMAND WERE SUCCESS
FULLY EXECUTED.
IEE839I ST=(ON,0001M,00001M) AS=ON BR=OFF EX=ON MO=OFF MT=(ON,064K)
        ISSUE DISPLAY TRACE CMD FOR SYSTEM AND COMPONENT TRACE STATUS
        ISSUE DISPLAY TRACE,TT CMD FOR TRANSACTION TRACE STATUS
-----
```

z/OS CTRACE: SYSTCPDA

Checking Trace Status

```
----- Packet Trace Command Display ----- Line 1 of 170
COMMAND ==> -
D TRACE,WTR=AESWRT
IEEB43I 00.27.10 TRACE DISPLAY 789
          SYSTEM STATUS INFORMATION
ST=(ON,0001M,00001M) AS=ON BR=OFF EX=ON M0=OFF MT=(ON,064K)
WRITER STATUS HEAD COMPONENT SUBNAME
-----
AESWRT ACTIVE SYSTCPDA TCPIP
-----
D TCPIP,TCPIP,NETSTAT,DE
EZD0101I NETSTAT CS V1R11 TCPIP 791
DEVNAME: LOOPBACK DEVTYPE: LOOPBACK
DEVSTATUS: READY
LNKNAME: LOOPBACK LNKTYPE: LOOPBACK LNKSTATUS: READY
ACTMTU: 65535
ROUTING PARAMETERS:
MTU SIZE: N/A METRIC: 00
DESTADDR: 0.0.0.0 SUBNETMASK: 0.0.0.0
PACKET TRACE SETTING:
PROTOCOL: * TRRECCNT: 00000033 PCKLENGTH: FULL
DISCARD: NONE DESTPORT: * PORTNUM: *
SRCPORT: * SUBNET: *
IPADDR: *
MULTICAST SPECIFIC:
MULTICAST CAPABILITY: NO
LINK STATISTICS:
BYTESIN = 4620
INBOUND PACKETS = 79
INBOUND PACKETS IN ERROR = 0
INBOUND PACKETS DISCARDED = 0
INBOUND PACKETS WITH NO PROTOCOL = 0
BYTESOUT = 4620
OUTBOUND PACKETS = 79
OUTBOUND PACKETS IN ERROR = 0
OUTBOUND PACKETS DISCARDED = 0
INTFNAME: LOOPBACK6 INTFTYPE: LOOPBACK6 INTFSTATUS: READY
ACTMTU: 65535
PACKET TRACE SETTING:
PROTOCOL: * TRRECCNT: 00000000 PCKLENGTH: FULL
DISCARD: NONE
```

z/OS CTRACE: SYSTCPDA

Stopping a Trace

```
----- Packet Trace Command Display ----- Line 1 of 19
COMMAND ==> _                               Scroll ==> CSR
V TCPIP,TCPIP,PKT,OFF
EZZ0060I PROCESSING COMMAND: VARY TCPIP,TCPIP,PKT,OFF
EZZ0053I COMMAND VARY PKTTRACE COMPLETED SUCCESSFULLY
-----
TRACE CT,OFF,COMP=SYSTCPDA,SUB=(TCPIP)
ITT038I ALL OF THE TRANSACTIONS REQUESTED VIA THE TRACE CT COMMAND WERE SUCCESS
FULLY EXECUTED.
IEE839I ST=(ON,0001M,00001M) AS=ON BR=OFF EX=ON MO=OFF MT=(ON,064K)
        ISSUE DISPLAY TRACE CMD FOR SYSTEM AND COMPONENT TRACE STATUS
        ISSUE DISPLAY TRACE,TT CMD FOR TRANSACTION TRACE STATUS
-----
TRACE CT,WTRSTOP=AESWRT,FLUSH
ITT038I ALL OF THE TRANSACTIONS REQUESTED VIA THE TRACE CT COMMAND WERE SUCCESS
FULLY EXECUTED.
IEE839I ST=(ON,0001M,00001M) AS=ON BR=OFF EX=ON MO=OFF MT=(ON,064K)
        ISSUE DISPLAY TRACE CMD FOR SYSTEM AND COMPONENT TRACE STATUS
        ISSUE DISPLAY TRACE,TT CMD FOR TRANSACTION TRACE STATUS
ITT111I CTRACE WRITER AESWRT TERMINATED BECAUSE OF A WTRSTOP REQUEST.
-----
```

z/OS CTRACE: SYSTCPDA – Data Trace

- *To Start/Stop Data Trace:*

```
V TCPIP,tcpip,DAT,ON,<trace options>
```

```
V TCPIP,tcpip,DAT,OFF
```

- *To View Tracing Status:*

```
D TCPIP,tcpip,NETSTAT,CONFIG
```

```
DATA TRACE SETTING:
JOBNAME: *          TRRECCNT: 00000033  LENGTH: FULL
IPADDR:  *          SUBNET: *
PORTNUM: *
```

z/OS CTRACE: SYSTCPOT – OSAENTA Trace

- OSA-Express Network Traffic Analyzer (OSAENTA)
 - Trace data is collected (by the device drivers of OSA) as frames enter or leave an OSA adapter for a connected host
 - The host can be an LPAR with **z/OS**, **z/VM** or **Linux**
 - ARP packets, MAC headers (w/VLAN tags)
 - The trace function is controlled by z/OS Communication Server, while the data is collected in the OSA at the network port
- Pre-Reqs:
 - Require the microcode for the OSA (2094DEVICE PSP and the 2096DEVICE PSP).
 - Update the OSA using the Hardware Management Console (HMC) to:
 - Define more data devices to systems that will use the trace function.
 - Set the security for the OSA:
 - LOGICAL PARTITION** - Only packets from the LPAR
 - CHPID** - All packets using this CHPID
 - Verify the TRLE definitions for the OSA that it has one DATAPATH address available for tracing. Note that **two** DATAPATH addresses are required – one for data transfers and the other for trace data.

TRLE Definition and D NET,TRL,TRLE=

OSATRL2 VBUILD TYPE=TRL

OSATRL2E TRLE LNCTL=MPC, READ=(0404), WRITE=(0405), DATAPATH=(0406, 0407), X
 PORTNAME=DR281920, X
 MPCLEVEL=QDIO

```

D NET,TRL,TRLE=OSATRL2E
IST097I DISPLAY ACCEPTED
IST075I NAME = OSATRL2E, TYPE = TRLE 988
IST1954I TRL MAJOR NODE = OSATRL2
IST486I STATUS= ACTIV, DESIRED STATE= ACTIV
IST087I TYPE = LEASED, CONTROL = MPC, HPDT = YES
IST1715I MPCLEVEL = QDIO MPCUSAGE = SHARE
IST1716I PORTNAME = DR281920 LINKNUM = 0 OSA CODE LEVEL = 0310
IST2337I CHPID TYPE = OSD CHPID = 3B
IST1577I HEADER SIZE = 4096 DATA SIZE = 0 STORAGE = ***NA***
IST1221I WRITE DEV = 0405 STATUS = ACTIVE STATE = ONLINE
IST1577I HEADER SIZE = 4092 DATA SIZE = 0 STORAGE = ***NA***
IST1221I READ DEV = 0404 STATUS = ACTIVE STATE = ONLINE
IST924I -----
IST1221I DATA DEV = 0406 STATUS = ACTIVE STATE = N/A
IST1724I I/O TRACE = OFF TRACE LENGTH = *NA*
IST1717I ULPID = TCP/IP
IST2310I ACCELERATED ROUTING DISABLED
IST2331I QUEUE QUEUE READ
IST2332I ID TYPE STORAGE
IST2205I -----
IST2333I RD/1 PRIMARY 4.0M(64 SBALS)
IST2305I NUMBER OF DISCARDED INBOUND READ BUFFERS = 0
IST1757I PRIORITY1: UNCONGESTED PRIORITY2: UNCONGESTED
IST1757I PRIORITY3: UNCONGESTED PRIORITY4: UNCONGESTED
IST2190I DEVICEID PARAMETER FOR OSAENTA TRACE COMMAND = 00-01-00-02
IST1801I UNITS OF WORK FOR NCB AT ADDRESS X'158EA010'
IST1802I P1 CURRENT = 0 AVERAGE = 0 MAXIMUM = 0
IST1802I P2 CURRENT = 0 AVERAGE = 0 MAXIMUM = 0
IST1802I P3 CURRENT = 0 AVERAGE = 0 MAXIMUM = 0
IST1802I P4 CURRENT = 0 AVERAGE = 2 MAXIMUM = 2
IST924I -----
IST1221I TRACE DEV = 0407 STATUS = RESET STATE = N/A
IST1724I I/O TRACE = OFF TRACE LENGTH = *NA*
IST924I -----
  
```

Copyright © 2014 Applied Expert Systems, Inc.

z/OS CTRACE: OSAENTA Parameters

System Parameters		
TCP/IP Proc :	<input type="text" value="TCPIP"/>	(TCP/IP Proc Name)
Writer Proc :	<input type="text" value="AESWRT"/>	External Writer Proc Name
Parm Member :	<input type="text" value="CTAESPRM"/>	(Trace Options Parmlib Member)
OSA Port Name :	<input type="text" value="DR281920"/>	(Port name for tracing)

Trace Parameters		
Data Length :	<input type="text" value="FULL"/>	(64 - 65472, FULL for entire packet)
Trace Amount :	<input type="text" value="0"/>	(1 - 2147483647 MB, 0 = Max value)
No. of Frames :	<input type="text" value="0"/>	(100 - 2147483647 frames, 0 = Max value)
Trace Duration :	<input type="text" value="1"/>	(1 - 10080 minutes, 0 = Max value)
Discard :	<input type="text" value="NONE"/>	(ALL, NONE, EXCEPTION, or discard code: 1 - 4087)
Device ID :	<input type="text" value="*"/>	(8-hex digits OSA Device ID, * for all)
Protocol :	<input type="text" value="*"/>	(TCP, UDP, ICMP, ICMPV6, 0 - 255, * for all)
IP Address :	<input type="text" value="*"/>	(* for all)
Mask Bits/Prefix :	<input type="text" value="32"/>	(IPV4 mask bits or IPV6 prefix length)
Port number :	<input type="text" value="*"/>	(1 - 65535, * for all)
Ethernet Type :	<input type="text" value="*"/>	(IPV4, IPV6, ARP, SNA, 0600 - FFFF, * for all)
Mac Address :	<input type="text" value="*"/>	(12-hex digits MAC address, * for all)
VLAN ID :	<input type="text" value="*"/>	(0 - 4094, ALL for VLAN tag, * for all)

z/OS CTRACE: OSAENTA

- *To Start Tracing:*

```
TRACE CT,WTRSTART=AESWRT  
V TCPIP,tcpip,OSAENTA,PORTNAME=<port>,CLEAR  
V TCPIP,tcpip,OSAENTA,PORTNAME=<port>,ON,NOFILTER=ALL  
TRACE CT,ON,COMP=SYSTCPOT,SUB=(TCPIP),PARM=CTAESPRM
```

- *To Stop Tracing:*

```
V TCPIP,,OSAENTA,PORTNAME=<port>,OFF  
TRACE CT,OFF,COMP=SYSTCPOT,SUB=(TCPIP)  
TRACE CT,WTRSTOP=AESWRT,FLUSH
```

- *To View Tracing Status:*

- D TRACE,WTR=**AESWRT** to verify that the external writer is active
- D TCPIP,tcpip,NETSTAT,DE to check status

z/OS CTRACE: OSAENTA

- To View Tracing Status (continued):

D TCPIP, tcpip, NETSTAT, DE

OSA-EXPRESS NETWORK TRAFFIC ANALYZER INFORMATION:

OSA PORTNAME: DR281920	OSA DEVSTATUS: READY
OSA INTFNAME: EZANTADR281920	OSA INTFSTATUS: READY
OSA SPEED: 1000	OSA AUTHORIZATION: LOGICAL PARTITION

OSAENTA CUMULATIVE TRACE STATISTICS:

DATAMEGS: 1	FRAMES: 3625
DATABYTES: 1641283	FRAMESDISCARDED: 0
FRAMESLOST: 0	

OSAENTA ACTIVE TRACE STATISTICS:

DATAMEGS: 0	FRAMES: 23 
DATABYTES: 6148	FRAMESDISCARDED: 0
FRAMESLOST: 0	TIMEACTIVE: 2

OSAENTA TRACE SETTINGS:

DATAMEGSLIMIT: 2147483647	STATUS: ON
ABBREV: 480	FRAMESLIMIT: 2147483647
DISCARD: NONE	TIMELIMIT: 10080

OSAENTA TRACE FILTERS:

NOFILTER: ALL
DEVICEID: *
MAC: *
VLANID: *
ETHTYPE: *
IPADDR: *
PROTOCOL: *
PORTNUM: *

z/OS CTRACE: OSAENTA ABBREV Parm

- Specify FULL or ABBREV={length | 224 } for the amount of data to be traced.
- ABBREV allows a value up to 64K, why the maximum value is reset to **480**?
- “An OSA might limit the amount of data that is actually traced.”
 - To conserve the OSA trace buffer space
 - ABBREV value is rounded up to the next 32-byte multiple with a maximum of 480
- To circumvent this limitation, start Packet Trace at the same time.


Linux, Unix and AIX: tcpdump (Windows: windump)

- Requires root authority; use the “su” command first
- Output is formatted trace (default) or written to a pcap file
- **tcpdump -w xyz.pcap**
- **tcpdump -v** (sample output from SLES 11 on System z)

```
16:23:18.803265 IP (tos 0x10, ttl 64, id 63277, offset 0, flags [DF], proto TCP
(6), length 40) etpglsj.dal-ebit.ihost.com.ssh > 172.29.96.42.56570: ., cksum 0x
96e2 (correct), ack 2111375775 win 158
16:23:18.805880 IP (tos 0x10, ttl 64, id 63278, offset 0, flags [DF], proto TCP
(6), length 172) etpglsj.dal-ebit.ihost.com.ssh > 172.29.96.42.56570: P 0:132(13
2) ack 1 win 158
16:23:18.806155 IP (tos 0x0, ttl 64, id 51563, offset 0, flags [DF], proto UDP (
17), length 71) etpglsj.dal-ebit.ihost.com.33031 > ns.dfw.ibm.com.domain: 56736+
PTR? 42.96.29.172.in-addr.arpa. (43)
16:23:18.808816 IP (tos 0x0, ttl 26, id 23382, offset 0, flags [none], proto UDP
(17), length 148) ns.dfw.ibm.com.domain > etpglsj.dal-ebit.ihost.com.33031: 567
36 NXDomain 0/1/0 (120)
16:23:18.858199 IP (tos 0x0, ttl 127, id 1215, offset 0, flags [none], proto UDP
(17), length 78) 172.29.96.56.netbios-ns > 172.29.191.255.netbios-ns: NBT UDP P
ACKET(137): QUERY; REQUEST; BROADCAST
16:23:18.858309 IP (tos 0x0, ttl 126, id 1215, offset 0, flags [none], proto UDP
(17), length 78) 172.29.96.56.netbios-ns > 172.29.191.255.netbios-ns: NBT UDP P
ACKET(137): QUERY; REQUEST; BROADCAST
16:23:18.858548 IP (tos 0x0, ttl 64, id 51568, offset 0, flags [DF], proto UDP (
17), length 71) etpglsj.dal-ebit.ihost.com.55971 > ns.dfw.ibm.com.domain: 64720+
PTR? 56.96.29.172.in-addr.arpa. (43)
16:23:18.859303 IP (tos 0x0, ttl 125, id 1215, offset 0, flags [none], proto UDP
(17), length 78) 172.29.96.56.netbios-ns > 172.29.191.255.netbios-ns: NBT UDP P
```

Copyright © 2014 Applied Expert Systems, Inc.


Networking Stack Support for TCP/IP



Source: http://uw713doc.sco.com/en/NET_tcpip/tcpN.tcpip_stack.html

Copyright © 2014 Applied Expert Systems, Inc.


Encapsulation of Application Data within a Network Stack



Source: http://uw713doc.sco.com/en/NET_tcpip/tcpN.tcpip_stack.html

Copyright © 2014 Applied Expert Systems, Inc.

IP Header




<p>Version</p> <p>Version of IP Protocol. 4 and 6 are valid. This diagram represents version 4 structure only.</p>	<p>Protocol</p> <p>IP Protocol ID. Including (but not limited to):</p> <table border="0"> <tr> <td>1 ICMP</td> <td>17 UDP</td> <td>57 SKIP</td> </tr> <tr> <td>2 IGMP</td> <td>47 GRE</td> <td>88 EIGRP</td> </tr> <tr> <td>6 TCP</td> <td>50 ESP</td> <td>89 OSPF</td> </tr> <tr> <td>9 IGRP</td> <td>51 AH</td> <td>115 L2TP</td> </tr> </table>	1 ICMP	17 UDP	57 SKIP	2 IGMP	47 GRE	88 EIGRP	6 TCP	50 ESP	89 OSPF	9 IGRP	51 AH	115 L2TP	<p>Fragment Offset</p> <p>Fragment offset from start of IP datagram. Measured in 8 byte (2 words, 64 bits) increments. If IP datagram is fragmented, fragment size (Total Length) must be a multiple of 8 bytes.</p>	<p>IP Flags</p> <p>x D M</p> <p>x 0x80 reserved (evil bit) D 0x40 Do Not Fragment M 0x20 More Fragments follow</p>
1 ICMP	17 UDP	57 SKIP													
2 IGMP	47 GRE	88 EIGRP													
6 TCP	50 ESP	89 OSPF													
9 IGRP	51 AH	115 L2TP													
<p>Header Length</p> <p>Number of 32-bit words in TCP header, minimum value of 5. Multiply by 4 to get byte count.</p>	<p>Total Length</p> <p>Total length of IP datagram, or IP fragment if fragmented. Measured in Bytes.</p>	<p>Header Checksum</p> <p>Checksum of entire IP header</p>	<p>RFC 791</p> <p>Please refer to RFC 791 for the complete Internet Protocol (IP) Specification.</p>												

Source: <http://nmap.org/book/images/nmap/MIB-IP-Header-800x576.png>

ICMP Header

RFC 792 Outlines the ICMP Protocol



ICMP Type	
0	Echo Reply

ICMP Type	
4	Source Quench

ICMP Type	
10	Router Solicitation

ICMP Type	
13	Timestamp Request

ICMP Type	
3	Destination Unreachable
Type Code	
0	Network Unreachable
1	Host Unreachable
2	Protocol Unreachable
3	Port Unreachable
4	Fragment Necessary
5	Source Route Failed
6	Destination Network Unknown
7	Destination Host Unknown
8	Obsolete
9	Destination Network Prohibited
10	Destination Host Prohibited
11	Network Unreachable for TOS
12	Host Unreachable for TOS
13	Communication Prohibited

ICMP Type	
5	Redirect
Type Code	
0	Redirect for Network
1	Redirect for Host
2	Redirect for TOS and Network
3	Redirect for TOS and Host

ICMP Type	
8	Echo Request

ICMP Type	
9	Router Advertisement

ICMP Type	
11	Time to Live Exceeded
Type Code	
0	TTL Exceeded in Transit
1	TTL Exceeded in Reassembly

ICMP Type	
12	Parameter Problem
Type Code	
0	Pointer Problem
1	Required Option Missing

ICMP Type	
14	Timestamp Reply

ICMP Type	
17	Address Mask Request

ICMP Type	
18	Address Mask Reply

ICMP QUERY OR RESPONSE	
ICMP ERROR MESSAGE	

ICMP Protocol Header Format
Created by Troy Jessup - <http://www.troyjessup.com>

Source http://www.troyjessup.com/headers/ICMP_Header.png

Copyright © 2014 Applied Expert Systems, Inc.

Fragmentation – split up large packets and reassemble fragments by routers (dated method)

Different networks have different maximum packet sizes (MTU); e.g., Ethernet 1.5K, WiFi 2.3K

To split up:

- Break into large pieces

- Copy IP header to pieces

- Adjust length, set offsets

- Set MF (More Fragments) on all pieces except last

Receiver:


- Use ID field to pieces all

Fragmentation is undesirable: more work for routers/hosts, tends to magnify loss rate – if you lose a fragment you have to retransmit the entire packet

Path MTU Discovery - avoids fragmentation (a better method)

Finds the smallest MTU of any link in the path

Implemented with DF (Don't Fragment) bit in IP Header and ICMP:Type 3, Code 4: **Destination Unreachable; Fragment Necessary**, and link MTU (RFC 1191) to get feedback messages from routers



Source: Computer Networks lecture Professor David Wetherall, University of Washington

Copyright © 2014 Applied Expert Systems, Inc.

ICMP

Type 3: *Destination Unreachable*

Code 4: *Fragmentation needed*

packet size > MTU but Don't Fragment bit is set


Packet Summary

ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port
1	20:11:48:3265 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns
2	20:11:48:3273 CST	56	100.100.100.100	62.177.254.141	ICMP	Destination Unreachable : Fragmentation needed		
3	20:11:49:3271 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns
4	20:11:50:3272 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns
5	20:11:52:3277 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns
6	20:11:54:3296 CST	60	62.177.254.1	62.177.254.141	ARP	ARP Request: Who Has 62.177.254.141? Tell		
7	20:11:54:3296 CST	60	62.177.254.141	62.177.254.1	ARP	ARP Reply: 62.177.254.141 is at 08:00:46:F4:3A:09		
8	20:11:56:3284 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns
9	20:11:56:3291 CST	56	100.100.100.100	62.177.254.141	ICMP	Destination Unreachable : Fragmentation needed		
10	20:12:03:3294 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns
11	20:12:03:3301 CST	56	100.100.100.100	62.177.254.141	ICMP	Destination Unreachable : Fragmentation needed		
12	20:12:04:3299 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns
13	20:12:05:3301 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns
14	20:12:07:3304 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns
15	20:12:09:5934 CST	60	62.177.254.1	62.177.254.141	ARP	ARP Request: Who Has 62.177.254.141? Tell		
16	20:12:09:5934 CST	60	62.177.254.141	62.177.254.1	ARP	ARP Reply: 62.177.254.141 is at 08:00:46:F4:3A:09		
17	20:12:11:3312 CST	64	62.177.254.141	62.177.254.1	UDP	dns : client query (Standard) scsc.msg.yahoo.com.	1025	dns
18	20:12:11:3320 CST	56	100.100.100.100	62.177.254.141	ICMP	Destination Unreachable : Fragmentation needed		

UDP Header Format

UDP Header


RFC 768 Outlines the UDP Protocol



Source http://www.troyjessup.com/headers/UDP_Header.png

Copyright © 2014 Applied Expert Systems, Inc.

TCP Header Format



<p>TCP Flags</p> <p>C E U A P R S F</p> <p>Congestion Window</p> <p>C 0x80 Reduced (CWR)</p> <p>E 0x40 ECN Echo (ECE)</p> <p>U 0x20 Urgent</p> <p>A 0x10 Ack</p> <p>P 0x08 Push</p> <p>R 0x04 Reset</p> <p>S 0x02 Syn</p> <p>F 0x01 Fin</p>	<p>Congestion Notification</p> <p>ECN (Explicit Congestion Notification). See RFC 3168 for full details, valid states below.</p> <table border="1"> <thead> <tr> <th>Packet State</th> <th>DSB</th> <th>ECN bits</th> </tr> </thead> <tbody> <tr> <td>Syn</td> <td>00</td> <td>11</td> </tr> <tr> <td>Syn-Ack</td> <td>00</td> <td>01</td> </tr> <tr> <td>Ack</td> <td>01</td> <td>00</td> </tr> <tr> <td>No Congestion</td> <td>01</td> <td>00</td> </tr> <tr> <td>No Congestion</td> <td>10</td> <td>00</td> </tr> <tr> <td>Congestion</td> <td>11</td> <td>00</td> </tr> <tr> <td>Receiver Response</td> <td>11</td> <td>01</td> </tr> <tr> <td>Sender Response</td> <td>11</td> <td>11</td> </tr> </tbody> </table>	Packet State	DSB	ECN bits	Syn	00	11	Syn-Ack	00	01	Ack	01	00	No Congestion	01	00	No Congestion	10	00	Congestion	11	00	Receiver Response	11	01	Sender Response	11	11	<p>TCP Options</p> <p>0 End of Options List</p> <p>1 No Operation (NOP, Pad)</p> <p>2 Maximum segment size</p> <p>3 Window Scale</p> <p>4 Selective ACK ok</p> <p>8 Timestamp</p>	<p>Checksum</p> <p>Checksum of entire TCP segment and pseudo header (parts of IP header)</p>	<p>Offset</p> <p>Number of 32-bit words in TCP header, minimum value of 5. Multiply by 4 to get byte count.</p> <p>RFC 793</p> <p>Please refer to RFC 793 for the complete Transmission Control Protocol (TCP) Specification.</p>
Packet State	DSB	ECN bits																													
Syn	00	11																													
Syn-Ack	00	01																													
Ack	01	00																													
No Congestion	01	00																													
No Congestion	10	00																													
Congestion	11	00																													
Receiver Response	11	01																													
Sender Response	11	11																													


Source <http://nmap.org/book/images/hdr/MJB-TCP-Header-800x564.png>
 Copyright © 2014 Applied Expert Systems, Inc.

TCP Flags

- **URG** (Urgent) – Rarely used; indicates the Urgent Pointer field should be examined.
- **ACK** (Acknowledgement) - Segment contains an acknowledgment. Every segment should have ACK except for SYN or RST segments.
- **PSH** (Push) – Bypass buffering and send/receive the data immediately.
- **RST** (Reset) – Abnormal session termination, close the connection explicitly
- **SYN** (Synchronize) - Synchronize Sequence Numbers to establish a connection
- **FIN** (Finish) – Transaction finished, no more data from sender (but doesn't close connection explicitly)

TCP - Establishing a Connection

The 3 Way Handshake (3 segments)



Copyright © 2014 Applied Expert Systems, Inc.

TCP - Establishing a Connection



CleverView® for cTrace Analysis

File Help

Traffic Errors Session Errors Resp. Time Thresh. Application Errors INIT Packets TERM Packets INIT Errors TERM Errors

Traces Query Builder Packet Summary Session Summary IP Summary Packet Details

Packet Summary

ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size
1	21:04:29:5621 CST	52	10.0.52.164	204.152.184.134	TCP	SYN	2646	http	3087588094	0	65535
2	21:04:29:7421 CST	52	204.152.184.134	10.0.52.164	TCP	ACK SYN	http	2646	1218508629	3087588095	65535
3	21:04:29:7421 CST	40	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588095	1218508630	64240
4	21:04:29:7443 CST	483	10.0.52.164	204.152.184.134	TCP	ACK PSH : Request: GET	2646	http	3087588095	1218508630	64240
5	21:04:29:9242 CST	40	204.152.184.134	10.0.52.164	TCP	ACK	http	2646	1218508630	3087588538	65257
6	21:04:29:9281 CST	1500	204.152.184.134	10.0.52.164	TCP	ACK : Reply: HTTP/1.1 200 OK	http	2646	1218508630	3087588538	65535
7	21:04:29:9284 CST	40	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218510090	64240
8	21:04:29:9292 CST	1500	204.152.184.134	10.0.52.164	TCP	ACK	http	2646	1218510090	3087588538	65535
9	21:04:29:9292 CST	43	204.152.184.134	10.0.52.164	TCP	ACK PSH	http	2646	1218513010	3087588538	65535
10	21:04:29:9292 CST	52	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218511550	63875
11	21:04:29:9293 CST	52	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218511550	64240
12	21:04:29:9303 CST	1500	204.152.184.134	10.0.52.164	TCP	ACK	http	2646	1218511550	3087588538	65535
13	21:04:29:9304 CST	40	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218513013	63874
14	21:04:29:9305 CST	40	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218513013	64240
15	21:04:30:1102 CST	1500	204.152.184.134	10.0.52.164	TCP	ACK	http	2646	1218513013	3087588538	65535
16	21:04:30:1105 CST	40	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218514473	64240
17	21:04:30:1113 CST	1500	204.152.184.134	10.0.52.164	TCP	ACK	http	2646	1218514473	3087588538	65535
18	21:04:30:1114 CST	40	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218515933	64240
19	21:04:30:1123 CST	1500	204.152.184.134	10.0.52.164	TCP	ACK	http	2646	1218515933	3087588538	65535
20	21:04:30:1124 CST	40	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218517393	64240
21	21:04:30:1135 CST	1500	204.152.184.134	10.0.52.164	TCP	ACK	http	2646	1218517393	3087588538	65535
22	21:04:30:1136 CST	40	10.0.52.164	204.152.184.134	TCP	ACK	2646	http	3087588538	1218518853	64240
23	21:04:30:1145 CST	1500	204.152.184.134	10.0.52.164	TCP	ACK	http	2646	1218518853	3087588538	65535

Copyright © 2014 Applied Expert Systems, Inc.



TCP Options – MSS, Window Scale, SACK



```
Packet Details
Packet ID : 1
Time : 11/2/2005 21:04:29:5621 CST

Link Header :
Source Mac : 08:00:46:F4:3A:09 Remote Mac : 00:04:75:C9:51:B6
ETHERTYPE : IP (0x800)

IP Version 4
Header Length : 20
Source : 10.0.52.164 Remote : 204.152.184.134
Protocol : TCP
Datagram Length : 52
ID : 0x3316 (13078)
Flags : Don't Fragment Fragment Offset : 0
Time to live : 64
Header checksum : 0x43EB

TCP Header Info
Source Port : 2646 2646 Remote Port : 80 http
Seq. Number : 3087588094 Ack. Number : 0
Window : 65535 Flags : SYN
Maximum segment size: 1460 bytes
NOP
Window scale: 2 (multiply by 4)
NOP
NOP
SACK permitted
```

Window Scaling

Selective ACK

- **What could be the potential Window size?**
- **What's the actual Window size?**
- **What's the MTU?**

```
Packet Details
Packet ID : 2
Time : 11/2/2005 21:04:29:7421 CST

Link Header :
Source Mac : 00:04:75:C9:51:B6 Remote Mac : 08:00:46:F4:3A:09
ETHERTYPE : IP (0x800)

IP Version 4
Header Length : 20
Source : 204.152.184.134 Remote : 10.0.52.164
Protocol : TCP
Datagram Length : 52
ID : 0xF6EB (63211)
Flags : Don't Fragment Fragment Offset : 0
Time to live : 50
Header checksum : 0x8E15

TCP Header Info
Source Port : 80 http Remote Port : 2646 2646
Seq. Number : 1218508629 Ack. Number : 3087588095
Window : 65535 Flags : ACK SYN
Maximum segment size: 1460 bytes
NOP
Window scale: 0 (multiply by 1)
NOP
NOP
SACK permitted
```

Selective ACK – Receiver sends ACK ranges so sender can retransmit without guesswork.



TCP Option – Window Scaling (RFC 1323)

- To take advantage of a network with high bandwidth and high delay. E.g, 10 Mbps with RTT=200ms.
Max amount of data in one-way transit = $B \times D$
 $10 \text{ Mbps} \times 0.1 \text{ s} = 1 \text{ Mb} = 125,000 \text{ bytes}$ vs. 65535 (52% utilization)
- Use the *Window Scaling* option to increase the TCP **Receive Window** size above its max value of 65,535 bytes.
- Specifies a count value (0 to 255) by which the TCP header value should be bitwise left-shifted; i.e., multiply by **2^n** .

TCP Option – Selective ACK (RFC 2018)

- Cumulative ACK vs. Selective ACK (SACK)
- Cut down # of retransmissions
- Check both sides are supporting SACK

Inferring Packet Loss from ACKs

- Duplicate ACKs tells us:
 - Some new data did arrive but it was not next segment
 - The next segment might be lost
- Treat 3 Duplicate ACKs as a loss
 - Retransmit next expected segment - Fast Retransmit

TCP - Data Transfer (MSS = 1460) : Slow Start



RE
Sessions - Results

Seq. of Execution

Local IP: 172.29.122.182 Remote IP: 172.29.122.186 Protocol: TCP Sessions Count: 2

Seq.	Timestamp	Elapse Time (hh:mm:ss.tttt)	Datagram Size	Messages	Local Port	Direction	Rmt. Port	Seq. Number	Ack. Number	Window Size
89	17:49:43:0957 CST	00:00:00:0000	60	SYN	2711	---->	1034	1906430777	0	65535
90	17:49:43:0958 CST	00:00:00:0001	60	ACK SYN	2711	<----	1034	202751139	1906430778	65535
91	17:49:43:0959 CST	00:00:00:0001	52	ACK	2711	---->	1034	1906430778	202751140	8192
95	17:49:43:2455 CST	00:00:00:1496	1500	ACK	2711	---->	1034	1906430778	202751140	8192
96	17:49:43:2455 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906432226	202751140	8192
97	17:49:43:2455 CST	00:00:00:0000	1500	ACK PSH	2711	---->	1034	1906433674	202751140	8192
98	17:49:43:2457 CST	00:00:00:0002	52	ACK	2711	<----	1034	202751140	1906435122	8192
99	17:49:43:2457 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906435122	202751140	8192
100	17:49:43:2457 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906436570	202751140	8192
101	17:49:43:2457 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906438018	202751140	8192
102	17:49:43:2457 CST	00:00:00:0000	1500	ACK PSH	2711	---->	1034	1906439466	202751140	8192
103	17:49:43:2460 CST	00:00:00:0003	52	ACK	2711	<----	1034	202751140	1906440914	8192
104	17:49:43:2460 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906440914	202751140	8192
105	17:49:43:2460 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906442362	202751140	8192
106	17:49:43:2460 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906443810	202751140	8192
107	17:49:43:2460 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906445258	202751140	8192
108	17:49:43:2460 CST	00:00:00:0000	1500	ACK PSH	2711	---->	1034	1906446706	202751140	8192
109	17:49:43:2462 CST	00:00:00:0002	52	ACK	2711	<----	1034	202751140	1906448154	8192
110	17:49:43:2462 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906448154	202751140	8192
111	17:49:43:2462 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906449602	202751140	8192
112	17:49:43:2462 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906451050	202751140	8192
113	17:49:43:2462 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906452498	202751140	8192
114	17:49:43:2462 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906453946	202751140	8192
115	17:49:43:2462 CST	00:00:00:0000	1500	ACK PSH	2711	---->	1034	1906455394	202751140	8192
116	17:49:43:2464 CST	00:00:00:0002	52	ACK	2711	<----	1034	202751140	1906456842	8192
117	17:49:43:2464 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906456842	202751140	8192
118	17:49:43:2464 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906458290	202751140	8192
119	17:49:43:2464 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906459738	202751140	8192
120	17:49:43:2464 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906461186	202751140	8192
121	17:49:43:2464 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906462634	202751140	8192
122	17:49:43:2464 CST	00:00:00:0000	1500	ACK	2711	---->	1034	1906464082	202751140	8192
123	17:49:43:2464 CST	00:00:00:0000	1500	ACK PSH	2711	---->	1034	1906465530	202751140	8192


Copyright © 2014 Applied Expert Systems, Inc.



TCP - Connection Termination

4 segments to terminate.

TCP half-close: allows one end to terminate its output, while still receiving data from the other end)




TCP - Connection Termination



Traces	Query Builder	Packet Summary	Packet Details	Sequence of Execution	Response Time Summary	Exception Report
--------	---------------	----------------	----------------	-----------------------	-----------------------	------------------

Packet Summary

ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size
439	18:15:39:7282 GMT	1500	137.72.43.207	137.72.43.117	TCP	ACK	ftp data	4410	3598481056	1803247842	32768
440	18:15:39:7283 GMT	52	137.72.43.117	137.72.43.207	TCP	ACK	4410	ftp data	1803247842	3598482504	59743
441	18:15:39:7283 GMT	1500	137.72.43.207	137.72.43.117	TCP	ACK	ftp data	4410	3598482504	1803247842	32768
442	18:15:39:7283 GMT	1500	137.72.43.207	137.72.43.117	TCP	ACK	ftp data	4410	3598483952	1803247842	32768
443	18:15:39:7283 GMT	52	137.72.43.117	137.72.43.207	TCP	ACK	4410	ftp data	1803247842	3598485400	56847
444	18:15:39:7285 GMT	1500	137.72.43.207	137.72.43.117	TCP	ACK	ftp data	4410	3598485400	1803247842	32768
445	18:15:39:7286 GMT	52	137.72.43.117	137.72.43.207	TCP	ACK	4410	ftp data	1803247842	3598486848	59159
446	18:15:39:7287 GMT	1500	137.72.43.207	137.72.43.117	TCP	ACK	ftp data	4410	3598486848	1803247842	32768
447	18:15:39:7287 GMT	1500	137.72.43.207	137.72.43.117	TCP	ACK	ftp data	4410	3598488296	1803247842	32768
448	18:15:39:7287 GMT	52	137.72.43.117	137.72.43.207	TCP	ACK	4410	ftp data	1803247842	3598489744	56263
449	18:15:39:7288 GMT	1500	137.72.43.207	137.72.43.117	TCP	ACK	ftp data	4410	3598489744	1803247842	32768
450	18:15:39:7290 GMT	1500	137.72.43.207	137.72.43.117	TCP	ACK	ftp data	4410	3598491192	1803247842	32768
451	18:15:39:7290 GMT	52	137.72.43.117	137.72.43.207	TCP	ACK	4410	ftp data	1803247842	3598492640	53367
452	18:15:39:7291 GMT	1500	137.72.43.207	137.72.43.117	TCP	ACK	ftp data	4410	3598492640	1803247842	32768
453	18:15:39:7292 GMT	1396	137.72.43.207	137.72.43.117	TCP	ACK PSH	ftp data	4410	3598494088	1803247842	32768
454	18:15:39:7292 GMT	52	137.72.43.117	137.72.43.207	TCP	ACK	4410	ftp data	1803247842	3598495432	50575
455	18:15:39:7295 GMT	52	137.72.43.117	137.72.43.207	TCP	ACK	4410	ftp data	1803247842	3598495432	56951
456	18:15:39:7300 GMT	52	137.72.43.117	137.72.43.207	TCP	ACK	4410	ftp data	1803247842	3598495432	65535
457	18:15:39:7447 GMT	52	137.72.43.207	137.72.43.117	TCP	ACK PSH FIN	ftp data	4410	3598495432	1803247842	32768
458	18:15:39:7450 GMT	52	137.72.43.117	137.72.43.207	TCP	ACK	4410	ftp data	1803247842	3598495433	65535
459	18:15:39:7454 GMT	52	137.72.43.117	137.72.43.207	TCP	ACK FIN	4410	ftp data	1803247842	3598495433	65535
460	18:15:39:7491 GMT	52	137.72.43.207	137.72.43.117	TCP	ACK PSH	ftp data	4410	3598495433	1803247842	32768
461	18:15:39:7799 GMT	40	137.72.43.117	137.72.43.207	TCP	ACK	4408	ftp control	250971858	3598076766	65233
462	18:15:39:7816 GMT	78	137.72.43.207	137.72.43.117	TCP	ACK PSH : ftp reply code 250	ftp control	4408	3598076766	250971858	32754
464	18:15:39:9804 GMT	40	137.72.43.117	137.72.43.207	TCP	ACK	4408	ftp control	250971858	3598076804	65195
466	18:15:41:6117 GMT	46	137.72.43.117	137.72.43.207	TCP	ACK PSH : ftp command QUIT	4408	ftp control	250971858	3598076804	65195
467	18:15:41:6164 GMT	77	137.72.43.207	137.72.43.117	TCP	ACK PSH : ftp reply code 221	ftp control	4408	3598076804	250971864	32762
468	18:15:41:6172 GMT	40	137.72.43.117	137.72.43.207	TCP	ACK FIN	4408	ftp control	250971864	3598076841	65158
469	18:15:41:6191 GMT	40	137.72.43.207	137.72.43.117	TCP	ACK PSH	ftp control	4408	3598076842	250971865	32762
470	18:15:41:6195 GMT	40	137.72.43.207	137.72.43.117	TCP	ACK PSH FIN	ftp control	4408	3598076841	250971864	32762
471	18:15:41:6195 GMT	40	137.72.43.117	137.72.43.207	TCP	ACK	4408	ftp control	250971865	3598076842	65158



Comparing Traces – Baselining; Multiple Trace Points



Trace Diff

Trace 1
 C:\Program Files\AES\traces\ftp_cli_1_18.mdb

Trace 2
 C:\Program Files\AES\traces\ftp_srv_1_18.mdb

Search Run Query

Packet Summary Packet Detail

ID	Timestamp	Datagram Size	Local IP	Rmt.
13	17:58:40:9044 GMT	48	137.72.43.117	137.72.43.207
14	17:58:40:9065 GMT	44	137.72.43.207	137.72.43.117
15	17:58:40:9065 GMT	40	137.72.43.117	137.72.43.207
29	17:58:41:0354 GMT	114	137.72.43.207	137.72.43.117
30	17:58:41:1930 GMT	40	137.72.43.117	137.72.43.207
31	17:58:41:2007 GMT	74	137.72.43.207	137.72.43.117
32	17:58:41:3936 GMT	40	137.72.43.117	137.72.43.207
35	17:58:44:5920 GMT	54	137.72.43.117	137.72.43.207
36	17:58:44:6087 GMT	67	137.72.43.207	137.72.43.117
37	17:58:44:8045 GMT	40	137.72.43.117	137.72.43.207
38	17:58:47:5682 GMT	52	137.72.43.117	137.72.43.207
39	17:58:47:8573 GMT	40	137.72.43.207	137.72.43.117
40	17:58:47:9542 GMT	101	137.72.43.207	137.72.43.117
41	17:58:48:1151 GMT	40	137.72.43.117	137.72.43.207
43	17:58:49:9270 GMT	48	137.72.43.117	137.72.43.207
44	17:58:49:9317 GMT	74	137.72.43.207	137.72.43.117
45	17:58:50:1215 GMT	40	137.72.43.117	137.72.43.207
55	17:58:54:9830 GMT	66	137.72.43.117	137.72.43.207
56	17:58:54:9880 GMT	62	137.72.43.207	137.72.43.117
57	17:58:54:9890 GMT	54	137.72.43.117	137.72.43.207
58	17:58:55:0072 GMT	60	137.72.43.207	137.72.43.117
59	17:58:55:0077 GMT	60	137.72.43.117	137.72.43.207
60	17:58:55:0109 GMT	52	137.72.43.207	137.72.43.117
61	17:58:55:0629 GMT	90	137.72.43.207	137.72.43.117
62	17:58:55:0709 GMT	1500	137.72.43.207	137.72.43.117

ID	Timestamp	Datagram Size	Local IP	Rmt.
118	17:51:19:3035 GMT	48	137.72.43.117	137.72.43.207
119	17:51:19:3041 GMT	44	137.72.43.207	137.72.43.117
120	17:51:19:3053 GMT	40	137.72.43.117	137.72.43.207
134	17:51:19:4328 GMT	114	137.72.43.207	137.72.43.117
135	17:51:19:5979 GMT	40	137.72.43.117	137.72.43.207
136	17:51:19:5983 GMT	74	137.72.43.207	137.72.43.117
137	17:51:19:7930 GMT	40	137.72.43.117	137.72.43.207
138	17:51:22:9910 GMT	54	137.72.43.117	137.72.43.207
139	17:51:23:0061 GMT	67	137.72.43.207	137.72.43.117
140	17:51:23:2035 GMT	40	137.72.43.117	137.72.43.207
141	17:51:25:9671 GMT	52	137.72.43.117	137.72.43.207
142	17:51:26:2546 GMT	40	137.72.43.207	137.72.43.117
143	17:51:26:3515 GMT	101	137.72.43.207	137.72.43.117
144	17:51:26:5140 GMT	40	137.72.43.117	137.72.43.207
145	17:51:28:3258 GMT	48	137.72.43.117	137.72.43.207
146	17:51:28:3290 GMT	74	137.72.43.207	137.72.43.117
147	17:51:28:5203 GMT	40	137.72.43.117	137.72.43.207
156	17:51:33:3818 GMT	66	137.72.43.117	137.72.43.207
157	17:51:33:3852 GMT	62	137.72.43.207	137.72.43.117
158	17:51:33:3877 GMT	54	137.72.43.117	137.72.43.207
159	17:51:33:4042 GMT	60	137.72.43.207	137.72.43.117
160	17:51:33:4063 GMT	60	137.72.43.117	137.72.43.207
161	17:51:33:4081 GMT	52	137.72.43.207	137.72.43.117
162	17:51:33:4600 GMT	90	137.72.43.207	137.72.43.117
163	17:51:33:4673 GMT	1500	137.72.43.207	137.72.43.117

Copyright © 2014 Applied Expert Systems, Inc.



OSA – Found Excessive Inbound Packets in Real-Time Monitoring



CleverView® for TCP/IP

SysPoint | Connect Expert | StackView | LinkView | Critical Resources | PinPoint

LinkView

February 25, 2011 5:40:36 PM

AutoRefresh: 66

Channel Links and Devices

Total: 6 Links Unavailable: 3 Devices Unavailable: 1

Host Name	TCP/IP Stack	Flag	CHPID	IP Address	Link Name	Link Type	Link Status	Device Name	Device Type	Device Status	Queue Size	MTU	Thru-put In Bytes/Sec	Thru-put Out Bytes/Sec	Bytes In	Bytes In % of Total	Bytes Out	Bytes Out % of Total
z/OS 1.11	TCPIP			192.168.192.9	OSDL	IPAQENET	Ready	DEVOSA1	MPCIPA	Ready	0	8,992	80,457	6	48,274,032	100%	3,313	100%
z/OS 1.11	TCPIP			127.0.0.1	LOOPBACK	LOOPBACK	Ready	LOOPBACK	LOOPBACK	Ready	0	65,535	0	0	0	0%	0	0%
z/OS 1.11	TCPIP			192.168.192.8	OSDL2	IPAQENET	Not active	DR281920	MPCIPA	Not active	0	0	0	0	0	0%	0	0%
z/OS 1.11	TCPIP			172.29.122.182	VIPLAC1D7AB6	VIPA	Ready	VIPDAC1D7AB6	VIPA	Ready	0	0	0	0	0	0%	0	0%
z/OS 1.11	TCPIP			255.255.255.255			Not active			Starting	0	0	0	0	0	0%	0	0%
z/OS 1.11	TCPIP			193.9.200.1	TOVTAM	MPCPTP	Not active	IUTSAMEH	MPCPTP	Sent SETUP Request	0	0	0	0	0	0%	0	0%

Gateways | OSPF Routing | RIP Routing | VIPA | VTAM TRLE

Copyright © 2014 Applied Expert Systems, Inc.



Check OSA Links Statistics:

Netstat Devlinks



```
DevName: DEVOSA1          DevType: MPCIPA
DevStatus: Ready
LnkName: OSDL             LnkType: IPAQENET   LnkStatus: Ready
Speed: 0000001000
IpBroadcastCapability: No
CfgRouter: Non           ActRouter: Non
ArpOffload: Yes         ARPOffloadInfo: Yes
ActMtu: 8992
VLANid: None            VLANpriority: Disabled
ReadStorage: GLOBAL (4096K)  InbPerf: Balanced
SecClass: 255          MonSysplex: No

Routing Parameters:
MTU Size: n/a           Metric: 00
DestAddr: 0.0.0.0       SubnetMask: 255.255.255.0

Multicast Specific:
Multicast Capability: Yes
Group                   RefCnt             SrcFltMd
-----                -
224.0.0.1              0000000001        Exclude
SrcAddr: None

Link Statistics:
BytesIn                  = 25081576230
Inbound Packets          = 194853959
Inbound Packets In Error = 194353459
Inbound Packets Discarded = 194352011
Inbound Packets With No Protocol = 0
BytesOut                 = 103520236
Outbound Packets         = 387012
Outbound Packets In Error = 0
```

Copyright © 2014 Applied Expert Systems, Inc.



Check IP Statistics:

Netstat Stats Proto IP



MVS TCP/IP NETSTAT CS V1R11

TCPIP Name: TCPIP

02:22:49


IP Statistics (IPv4)

Packets Received	= 194959223	
Received Header Errors	= 194429115	<i>(discarded due to IP header errors)</i>
Received Address Errors	= 194431079	<i>(invalid destination IP address)</i>
Datagrams Forwarded	= 4680	
Unknown Protocols Received	= 0	
Received Packets Discarded	= 0	
Received Packets Delivered	= 523425	
Output Requests	= 409928	
Output Discards No Route	= 0	
Output Discards (other)	= 0	
Reassembly Timeouts	= 0	
Reassembly Required	= 0	
Reassembly Successful	= 0	
Reassembly Failures	= 0	
Datagrams Successfully Fragmented	= 0	
Datagrams Failing Fragmentation	= 0	
Fragments Created	= 0	
Inbound Packets handled by zIIP	= 0	
Outbound Packets handled by zIIP	= 0	

Copyright © 2014 Applied Expert Systems, Inc.



Check Historical IP Interface Data



The screenshot displays the AES CleverView for TCP/IP interface. The main window shows a table of IP Reassemblies data. The table has 19 columns: Host Name, TCP/IP Stack, Date, Time, Packets Received, Received Packets Discarded, Received Address Errors, Datagrams Forwarded, Unknown Protocol Received, Received Header Errors, Received Packets Delivered, Inbound Calls from Dev. Layer, Inbound Frame Unpack Errs, Inbound Discs Mem. Shortage, Packets Sent, Output Disc. Other, Output Disc. No Routes, Datagrams Frag. OK, and Datagram Frag. Failures. The 'Received Packets Discarded' and 'Received Address Errors' columns are circled in red. The table shows data for various hosts (z/OS 1.11) on 02/21/2011 at different times. A navigation bar at the top includes SysPoint, Connect Expert, StackView, LinkView, Critical Resources, and PinPoint. The date and time are March 1, 2011 10:45:48 AM. A sidebar on the left contains navigation options like Master, Commands, SessionLog, Event Manager, Alerts, Monitor, SNMP, Snapshot, History, and Utilities.

Host Name	TCP/IP Stack	Date	Time	Packets Received	Received Packets Discarded	Received Address Errors	Datagrams Forwarded	Unknown Protocol Received	Received Header Errors	Received Packets Delivered	Inbound Calls from Dev. Layer	Inbound Frame Unpack Errs	Inbound Discs Mem. Shortage	Packets Sent	Output Disc. Other	Output Disc. No Routes	Datagrams Frag. OK	Datagram Frag. Failures
z/OS 1.11	TCPIP	02/21/2011	00:00	1272065	1271793	1271793	0	0	0	258	1265328	0	0	54	0	0	0	0
z/OS 1.11	TCPIP	02/21/2011	00:30	1298978	1298580	1298580	26	0	0	357	1288402	0	0	132	0	0	0	0
z/OS 1.11	TCPIP	02/21/2011	01:00	1237456	1236980	1236979	24	0	0	438	1227558	0	0	190	0	0	0	0
z/OS 1.11	TCPIP	02/21/2011	01:30	1363238	1362840	1362840	16	0	0	368	1352653	0	0	143	0	0	0	0
z/OS 1.11	TCPIP	02/21/2011	02:00	1380440	1380124	1380124	8	0	0	293	1369457	0	0	80	0	0	0	0
z/OS 1.11	TCPIP	02/21/2011	02:30	1158666	1158276	1158275	18	0	0	358	1148154	0	0	134	0	0	0	0
z/OS 1.11	TCPIP	02/21/2011	03:00	1297091	1296633	1296633	17	0	0	427	1288771	0	0	175	0	0	0	0
z/OS 1.11	TCPIP	02/21/2011	03:30	1355674	1355291	1355291	14	0	0	354	1345011	0	0	129	0	0	0	0
z/OS 1.11	TCPIP	02/21/2011	04:00	1434464	1434202	1434202	0	0	0	248	1421754	0	0	54	0	0	0	0
z/OS 1.11	TCPIP	02/21/2011	04:30	1589514	1589241	1589241	0	0	0	258	1568406	0	0	54	0	0	0	0
z/OS 1.11	TCPIP	02/21/2011	05:00	1706816	1706547	1706547	0	0	0	255	1694223	1	0	54	0	0	0	0
z/OS 1.11	TCPIP	02/21/2011	05:30	1498456	1498193	1498193	0	0	0	249	1490032	0	0	54	0	0	0	0

Check the Offending Packets



VARY TCPIP *tcpipproc*,PKT,ON,DISCard=ALL

```
54550962 S0W1      PACKET      00000004  14:13:05.687445  Packet Trace
From Interface    : OSDL          Device: QDIO Ethernet      Full=78
Tod Clock         : 2011/01/25 14:13:05.687445  Intfx: 9
Discard           : 4114 (IP_MAC_BRDCST)
Segment #        : 0          Flags: In Dscrd
Source            : 172.29.96.9
Destination       : 172.29.191.255
Source Port       : 137        Dest Port: 137   Asid: 004F TCB: 00000000
IpHeader: Version : 4          Header Length: 20
Tos               : 00        QOS: Routine Normal Service
Packet Length     : 78        ID Number: 78B7
Fragment          :           Offset: 0
TTL               : 82        Protocol: UDP      CheckSum: 77A4 FF
Source            : 172.29.96.9
Destination       : 172.29.191.255
UDP
Source Port       : 137        (netbios-ns) Destination Port: 137   (netbios-ns)
Datagram Length   : 58        CheckSum: 0000 6B36
Ip Header         : 20        IP: 172.29.96.9, 172.29.191.255 Offset: 0
000000 4500004E 78B70000 521177A4 AC1D6009 AC1DBFFF
Protocol Header   : 8          Port: 137, 137      Offset: 14
000000 00890089 003A0000
Data              : 50        Data Length: 50     Offset: 1C
000000 84E20110 00010000 00000000 20464946 | dS..... FIF
000010 41464745 4A464345 48454A45 4F434143 | ...φ...φ... AFGEJFCEHEJEOCAC
000020 41434143 41434143 41434141 41000020 | ..... ACACACACACAAA..
000030 0001
```



Packet Summary

ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port
97	18:31:27:0921 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
98	18:31:27:0926 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
99	18:31:27:0933 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
100	18:31:27:0940 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
101	18:31:27:0946 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
102	18:31:27:0956 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
103	18:31:27:0965 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
104	18:31:27:0971 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
105	18:31:27:0979 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
106	18:31:27:0987 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
107	18:31:27:0995 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
108	18:31:27:1001 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
109	18:31:27:1010 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
110	18:31:27:1017 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
111	18:31:27:1024 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
112	18:31:27:1031 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
113	18:31:27:1040 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
114	18:31:27:1048 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
115	18:31:27:1056 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
116	18:31:27:1062 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
117	18:31:27:1072 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
118	18:31:27:1080 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
119	18:31:27:1086 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
120	18:31:27:1095 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
121	18:31:27:1103 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
122	18:31:27:1112 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
123	18:31:27:1117 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
124	18:31:27:1126 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
125	18:31:27:1135 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
126	18:31:27:1142 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
127	18:31:27:1149 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
128	18:31:27:1156 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS
129	18:31:27:1163 CST	78	172.29.96.22	172.29.191.255	UDP		NBNS	NBNS

Copyright © 2014 Applied Expert Systems, Inc.



The same packet is repeated 127 times – **How do we know they are the same?**
starting with TTL=127, then TTL=126, TTL=125, ...

```
Link Header :
Source Mac : 08:00:5A:1D:BF:FF      Remote Mac : 08:00:5A:1D:60:16
ETHERTYPE : IP (0x800)

IP Version 4
Header Length : 20
Source : 172.29.96.22      Remote : 172.29.191.255
Protocol : UDP
Datagram Length : 78
ID : 0x2D70 (11632)
Flags :      Fragment Offset : 0
Time to live : 127
Header checksum : 0x95DE

UDP Header Info
Source Port : 137 NetBIOS-NS      Remote Port : 137 NetBIOS-NS

NetBIOS Name Service
Transaction ID : 51541
Type : Query(Standard)
Flags : RD
Questions : 1
Answer RRs : 0
Authority RRs : 0
Additional RRs : 0

Queries
Name: VISTA
Type: NB (NetBIOS general name service resource record)
Class: IN (Internet class)
```

... and ending with TTL=1

```
Link Header :
Source Mac : 08:00:5A:1D:BF:FF      Remote Mac : 08:00:5A:1D:60:16
ETHERTYPE : IP (0x800)

IP Version 4
Header Length : 20
Source : 172.29.96.22      Remote : 172.29.191.255
Protocol : UDP
Datagram Length : 78
ID : 0x2D70 (11632)
Flags :      Fragment Offset : 0
Time to live : 1
Header checksum : 0x13DF

UDP Header Info
Source Port : 137 NetBIOS-NS      Remote Port : 137 NetBIOS-NS

NetBIOS Name Service
Transaction ID : 51541
Type : Query(Standard)
Flags : RD
Questions : 1
Answer RRs : 0
Authority RRs : 0
Additional RRs : 0

Queries
Name: VISTA
Type: NB (NetBIOS general name service resource record)
Class: IN (Internet class)
```

Why were these packets discarded?

- **Discard Reason Code**
 - Comm Server IP & SNA Codes:

Discard Reason Code	Category
1 – 4095	OSA
4096 – 8191	Interface and IP layer
8192 – 12287	TCP layer
12288 – 20479	Reserved

- 4114 (IP_MAC_BRDCST):
The MAC broadcast packet not accepted.
- Destination IP = 172.29.191.255 ?

Discarded Packets - continued

- The drop reason code 4114 usually indicates that the packet has a non-broadcast destination IP address and a broadcast media header (the broadcast indicator is on in the media header). This is likely to be caused by an invalid locally administered MAC address.
- Big switched LAN => broadcast flood; use VLAN to preserve bandwidth
- **netbios-ns**
 - NetBIOS Name Service (over UDP port 137)
 - Similar to DNS
 - Name Query request

DNS

- UDP/TCP Port 53
 - Message ID – Transaction ID that associates DNS queries with responses
 - Some of the flags in DNS header
 - Request/Response
 - Recursion Desired (RD)
 - Truncation Occurred (> 512 bytes)
 - Response Code
 - 0 – *No Error*
 - 1 – *Format Error*
 - 2 – *Server Failure*
 - 3 – *Name Error*
 - 4 – *Not Implemented*
 - 5 – *Refused*

DNS Queries

Packet Summary								
ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port
1	07:24:50:3078 CST	72	192.168.1.100	192.168.0.254	UDP	dns : client query (Standard)	2541	dns
2	07:24:50:3867 CST	179	192.168.0.254	192.168.1.100	UDP	dns : server response (Name Error)	dns	2541
3	07:24:51:5927 CST	71	192.168.1.106	192.168.0.254	UDP	dns : client query (Standard)	1920	dns
4	07:24:51:7502 CST	71	192.168.0.254	192.168.1.106	UDP	dns : server response (Server Failure)	dns	1920
5	07:24:52:3261 CST	68	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1178	dns
6	07:24:52:3265 CST	487	192.168.200.51	192.168.200.12	UDP	dns : server response (No Error)	dns	1178
7	07:24:52:3460 CST	68	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1179	dns
8	07:24:52:3464 CST	487	192.168.200.51	192.168.200.12	UDP	dns : server response (No Error)	dns	1179
9	07:24:54:6302 CST	57	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1183	dns
10	07:24:55:3164 CST	71	192.168.1.100	192.168.0.254	UDP	dns : client query (Standard)	2542	dns
11	07:24:55:3958 CST	178	192.168.0.254	192.168.1.100	UDP	dns : server response (Name Error)	dns	2542
12	07:24:55:6304 CST	57	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1183	dns
13	07:24:56:8673 CST	72	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1187	dns
14	07:24:57:6333 CST	57	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1183	dns
15	07:24:57:8638 CST	72	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1187	dns
16	07:24:58:5960 CST	71	192.168.1.105	192.168.0.254	UDP	dns : client query (Standard)	4555	dns
17	07:24:58:6765 CST	71	192.168.0.254	192.168.1.105	UDP	dns : server response (Server Failure)	dns	4555
18	07:24:59:6361 CST	57	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1183	dns
19	07:24:59:6627 CST	71	192.168.1.100	192.168.0.254	UDP	dns : client query (Standard)	2543	dns
20	07:24:59:7416 CST	178	192.168.0.254	192.168.1.100	UDP	dns : server response (Name Error)	dns	2543
21	07:24:59:8666 CST	72	192.168.200.12	192.168.200.51	UDP	dns : client query (Standard)	1187	dns
22	07:25:00:1717 CST	72	192.168.1.108	192.168.0.254	UDP	dns : client query (Standard)	1274	dns
23	07:25:00:2506 CST	72	192.168.0.254	192.168.1.108	UDP	dns : server response (Server Failure)	dns	1274
24	07:25:01:8321 CST	70	192.168.200.51	192.168.200.12	UDP	dns : server response (Server Failure)	dns	1173

DNS Response: Name Error

Packet Details

```
Packet ID : 2
Time : 4/1/2003 07:24:50:3867 CST

Link Header :
Source Mac : 00:20:78:D9:0D:DB      Remote Mac : 00:D0:59:AA:AF:80
ETHERTYPE : IP (0x800)

IP Version 4
Header Length : 20
Source   : 192.168.0.254      Remote   : 192.168.1.100
Protocol : UDP
Datagram Length : 179
ID : 0xB998 (47512)
Flags :      Fragment Offset : 0
Time to live : 64
Header checksum : 0x3CEF

UDP Header Info
Source Port : 53 dns      Remote Port : 2541 2541

DNS Header
DNS Message ID : 31 ←
Type : Response(Name Error)
Flags : AA RD RA ←

Request address of following names
 109.1.168.192.in-addr.arpa
```

Flags:

- AA Authoritative Answer – response came from an authoritative server for the domain name
- RD Recursion Desired (Root servers > Top Level Domains > Second Level Domains.....)
- RA Recursion Available on this server

DNS Queries – routing problem



Packet Summary

ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port
1	14:01:29:0704 CST	65	207.33.247.70	204.156.128.1	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
2	14:01:30:8870 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
3	14:01:34:5804 CST	65	207.33.247.70	204.156.128.10	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
4	14:01:36:3936 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
5	14:01:40:1193 CST	65	207.33.247.70	204.156.128.20	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
6	14:01:41:9358 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
7	14:01:45:6194 CST	65	207.33.247.70	204.156.128.1	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
8	14:01:47:4349 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
9	14:01:49:1244 CST	65	207.33.247.70	204.156.128.10	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
10	14:01:50:9411 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
11	14:01:52:6244 CST	65	207.33.247.70	204.156.128.20	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
12	14:01:54:4411 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
13	14:01:56:1293 CST	65	207.33.247.70	204.156.128.1	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
14	14:01:57:9524 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
15	14:02:01:6343 CST	65	207.33.247.70	204.156.128.10	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
16	14:02:03:4471 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
17	14:02:07:1421 CST	65	207.33.247.70	204.156.128.20	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
18	14:02:08:9591 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
19	14:02:12:6644 CST	65	207.33.247.70	204.156.128.1	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
20	14:02:14:4813 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
21	14:02:19:1694 CST	65	207.33.247.70	204.156.128.10	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
22	14:02:20:9833 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
23	14:02:25:6693 CST	65	207.33.247.70	204.156.128.20	UDP	dns : client query (Standard) www.netanalysis.org.	1030	dns
24	14:02:27:6696 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
25	14:02:32:2063 CST	75	207.33.247.70	204.156.128.1	UDP	dns : client query (Standard)	1031	dns
26	14:02:34:5654 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		
27	14:02:37:7143 CST	75	207.33.247.70	204.156.128.10	UDP	dns : client query (Standard)	1031	dns
28	14:02:40:0695 CST	56	207.33.247.65	207.33.247.70	ICMP	Transit TTL exceeded		

Copyright © 2014 Applied Expert Systems, Inc.



DHCP

- UDP Port 67 – Server daemon
- UDP Port 68 – Client process
- Transaction ID – keeping track of responses and requests
- DHCP Message Types:
 1. DHCP Discover
 2. DHCP Offer
 3. DHCP Request
 4. DHCP Decline
 5. DHCP Acknowledgement
 6. DHCP Negative Acknowledgement
 7. DHCP Release
 8. DHCP Informational

DHCP Decline sequence



Packet Summary

ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port
1	17:25:03:7104 CST	328	0.0.0.0	255.255.255.255	UDP	dhcp : client request: discover find DHCP servers	bootpc	bootps
2	17:25:03:7241 CST	328	192.168.0.1	255.255.255.255	UDP	dhcp : server reply: offering ip address 192.168.0.104	bootps	bootpc
3	17:25:03:7299 CST	342	0.0.0.0	255.255.255.255	UDP	dhcp : client request: request new ip address	bootpc	bootps
4	17:25:03:7368 CST	342	192.168.0.1	255.255.255.255	UDP	dhcp : server reply: ACK use of 192.168.0.104 (ok to use)	bootps	bootpc
5	17:25:04:6489 CST	328	0.0.0.0	255.255.255.255	UDP	dhcp : client request: decline use of 192.168.0.104 (already in use)	bootpc	bootps

DHCP Discover (Msg Type 1) -> Offer (2) -> Request (3) -> Ack (5) -> Decline (4)

UDP Header Info

Source Port : 68 bootpc Remote Port : 67 bootps

DHCP : CLIENT REQUEST

Hardware Type - Ethernet
Hardware Address Length - 6
Hops - 0
Transaction ID - 0xED63F236
Elapse Seconds - 3328
Flags - broadcast
Client IP - 192.168.0.104
Your (client) IP - 0.0.0.0
Next server IP - 0.0.0.0
Relay Agent IP - 0.0.0.0
Client MAC Address - 00:1B:9E:70:10:42
Server host name - not provided
Boot file name - not provided



All 5 packets have the same Transaction ID

DHCP Options:

DHCP Message - dhcp decline
DHCP client-identifier
 Hardware type: Ethernet (10Mb)
 Client address: 00:1B:9E:70:10:42
DHCP requested IP address = 192.168.0.104
server identifier = 192.168.0.1
End Option
Padding



FTP – lost SYN packet

Traces | Query Builder | Packet Summary | Packet Details | Sequence of Execution | Response Time Summary | Exception Report

Packet Summary

ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size
1	02:35:10:5649 GMT	78	137.72.43.45	137.72.43.255	UDP		137	137			
2	02:35:11:2518 GMT	1500	137.72.43.207	137.72.43.142	TCP	ACK : telnet : tn3270e data header	telnet	1215	424249748	4206849998	32760
3	02:35:11:2688 GMT	136	137.72.43.207	137.72.43.142	TCP	ACK PSH : telnet : 96 bytes of telnet data..	telnet	1215	424251208	4206849998	32760
4	02:35:11:2712 GMT	40	137.72.43.142	137.72.43.207	TCP	ACK	1215	telnet	4206849998	424251304	63748
5	02:35:11:2713 GMT	40	137.72.43.142	137.72.43.207	TCP	ACK	1215	telnet	4206849998	424251304	64240
6	02:35:11:2775 GMT	78	137.72.43.45	137.72.43.255	UDP		137	137			
7	02:35:11:6239 GMT	71	137.72.43.207	137.72.43.207	UDP	SNMP : Community - public(v1) : pdu -	14280	snmp ctrl			
8	02:35:11:6245 GMT	56	137.72.43.207	137.72.43.207	ICMP	Destination Unreachable : Port unreachable	0	0			
9	02:35:12:0784 GMT	48	137.72.43.142	137.72.43.207	TCP	ACK PSH : telnet : tn3270e data header	1215	telnet	4206849998	424251304	64240
10	02:35:12:0791 GMT	40	137.72.43.207	137.72.43.142	TCP	ACK PSH	telnet	1215	424251304	4206850006	32760
11	02:35:12:7799 GMT	1453	137.72.43.143	137.72.43.255	UDP		6646	6646			
12	02:35:12:7813 GMT	1453	137.72.43.142	137.72.43.255	UDP		6646	6646			
13	02:35:13:7644 GMT	52	137.72.43.137	137.72.43.207	TCP	SYN	10432	ftp control	1257181311	0	65535
14	02:35:13:7650 GMT	48	137.72.43.207	137.72.43.137	TCP	ACK SYN	ftp control	10432	452077195	1257181312	32768
15	02:35:13:7659 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	10432	ftp control	1257181312	452077196	64240
16	02:35:13:8898 GMT	114	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 220	ftp control	10432	452077196	1257181312	32768
17	02:35:13:9114 GMT	1453	137.72.43.108	137.72.43.255	UDP		6646	6646			
18	02:35:14:0430 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	10432	ftp control	1257181312	452077270	64221
19	02:35:14:0435 GMT	74	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 220	ftp control	10432	452077270	1257181312	32768
20	02:35:14:2617 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	10432	ftp control	1257181312	452077304	64213
21	02:35:14:3524 GMT	71	137.72.43.207	137.72.43.207	UDP	SNMP : Community - public(v1) : pdu - GetRequest	14278	snmp ctrl			
22	02:35:14:3531 GMT	56	137.72.43.207	137.72.43.207	ICMP	Destination Unreachable : Port unreachable	0	0			
23	02:35:16:7560 GMT	71	137.72.43.207	137.72.43.207	UDP	SNMP : Community - public(v1) : pdu -	14282	snmp ctrl			
24	02:35:16:7567 GMT	56	137.72.43.207	137.72.43.207	ICMP	Destination Unreachable : Port unreachable	0	0			
25	02:35:18:1661 GMT	54	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command USER	10432	ftp control	1257181312	452077304	64213

FTP Analysis – zoom in on FTP ports: Control connection vs. Data connection



Traces | Query Builder | Packet Summary | Packet Details | Sequence of Execution | Response Time Summary | Exception Report

Packet Summary

ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size
13	02:35:13:7644 GMT	52	137.72.43.137	137.72.43.207	TCP	SYN	10432	ftp control	1257181311	0	65535
14	02:35:13:7650 GMT	48	137.72.43.207	137.72.43.137	TCP	ACK SYN	ftp control	10432	452077195	1257181312	32768
15	02:35:13:7659 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	10432	ftp control	1257181312	452077196	64240
16	02:35:13:8898 GMT	114	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 220	ftp control	10432	452077196	1257181312	32768
18	02:35:14:0430 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	10432	ftp control	1257181312	452077270	64221
19	02:35:14:0435 GMT	74	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 220	ftp control	10432	452077270	1257181312	32768
20	02:35:14:2617 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	10432	ftp control	1257181312	452077304	64213
25	02:35:18:1661 GMT	54	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command USER	10432	ftp control	1257181312	452077304	64213
26	02:35:18:1790 GMT	67	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 331	ftp control	10432	452077304	1257181326	32754
27	02:35:18:3075 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	10432	ftp control	1257181326	452077331	64206
33	02:35:20:6157 GMT	55	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command PASS	10432	ftp control	1257181326	452077331	64206
34	02:35:20:8732 GMT	40	137.72.43.207	137.72.43.137	TCP	ACK PSH	ftp control	10432	452077331	1257181341	32753
36	02:35:21:3641 GMT	101	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 230	ftp control	10432	452077331	1257181341	32753
37	02:35:21:4799 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	10432	ftp control	1257181341	452077392	64191
41	02:35:23:5899 GMT	48	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command TYPE	10432	ftp control	1257181341	452077392	64191
42	02:35:23:5935 GMT	83	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077392	1257181349	32760
43	02:35:23:7760 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	10432	ftp control	1257181349	452077435	64180
61	02:35:29:5343 GMT	67	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command PORT	10432	ftp control	1257181349	452077435	64180
62	02:35:29:5379 GMT	62	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741
65	02:35:30:3898 GMT	62	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741
68	02:35:32:1407 GMT	62	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741
74	02:35:35:5118 GMT	62	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741
75	02:35:42:2300 GMT	62	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741
99	02:35:55:6398 GMT	62	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741
166	02:36:22:7005 GMT	62	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741
257	02:37:16:9704 GMT	62	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741



FTP Analysis - PORT command

Traces | Query Builder | Packet Summary | Packet Details | Sequence of Execution | Response Time Summary | Exception Report

Packet Details

[Packet Details](#) [Hex Decode](#)

Packet Details

```
Packet ID : 61
Time : 2/28/2009 02:35:29:5343 GMT
CTE Format IP : IPv4/6 Packet Trace (PTHIdPkt) (4)
PTHDR_T Header
Device Type : Ethernet
Link Name : ETH1
Flags : Record Size adjust by +1
        IP packet was received
IP Packet Length : 67 bytes
IP Source: 137.72.43.137      IP Remote: 137.72.43.207
Source Port : 10432      Remote Port : 21
TCB Address : 0x0
ASID : 0x35
Trace Count : 191128

IP Version 4
Source : 137.72.43.137      Remote : 137.72.43.207
Protocol : TCP
Datagram Length : 67
Flags : Don't Fragment      Fragment Offset : 0

TCP Header Info
Source Port : 10432      Remote Port : 21 ftp control
Seq. Number : 1257181349      Ack. Number : 452077435
Window : 64180      Flags : ACK PSH

FTP Data
Command : PORT
Parameters : 137,72,43,137,40,196
```


FTP Analysis – PORT command continued



Active FTP

- **Server** initiates the data connection
- PORT command contains the data connection listening port

PORT 137,72,43,137,40,196

- Specifies that the FTP Server will initiate the data connection
- Client's IP Address: 137.72.43.137
- Client's Port: $40 * 256 + 196 = 10436$
- Expect to see a SYN packet:
 - from server (137.72.43.207, port 20)
 - to client (137.72.43.137, port 10436)

FTP Analysis – check the corresponding Sniffer trace

Packet Summary

ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size
10	02:42:00:5115 GMT	52	137.72.43.137	137.72.43.207	TCP	SYN	10432	ftp control	1257181311	0	65535
11	02:42:00:5130 GMT	48	137.72.43.207	137.72.43.137	TCP	ACK SYN	ftp control	10432	452077195	1257181312	32768
12	02:42:00:5130 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	10432	ftp control	1257181312	452077196	64240
13	02:42:00:6380 GMT	114	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 220	ftp control	10432	452077196	1257181312	32768
14	02:42:00:7886 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	10432	ftp control	1257181312	452077270	64221
15	02:42:00:7916 GMT	74	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 220	ftp control	10432	452077270	1257181312	32768
16	02:42:01:0073 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	10432	ftp control	1257181312	452077304	64213
17	02:42:04:9129 GMT	54	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command USER	10432	ftp control	1257181312	452077304	64213
18	02:42:04:9278 GMT	67	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 331	ftp control	10432	452077304	1257181326	32754
19	02:42:05:0542 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	10432	ftp control	1257181326	452077331	64206
20	02:42:07:3607 GMT	55	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command PASS	10432	ftp control	1257181326	452077331	64206
21	02:42:07:6216 GMT	40	137.72.43.207	137.72.43.137	TCP	ACK PSH	ftp control	10432	452077331	1257181341	32753
22	02:42:08:1125 GMT	101	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 230	ftp control	10432	452077331	1257181341	32753
23	02:42:08:2261 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	10432	ftp control	1257181341	452077392	64191
24	02:42:10:3368 GMT	48	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command TYPE	10432	ftp control	1257181341	452077392	64191
25	02:42:10:3419 GMT	83	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077392	1257181349	32760
26	02:42:10:5229 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	10432	ftp control	1257181349	452077435	64180
30	02:42:16:2812 GMT	67	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command PORT	10432	ftp control	1257181349	452077435	64180
31	02:42:16:2865 GMT	62	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	10432	452077435	1257181376	32741

FTP Analysis

Sniffer trace shows the PORT command was sent to the server but there was no SYN packet coming in – **SYN packet was “lost”**

Might be related to firewall issues - check firewall setting, FTP.DATA and TCP PROFILE settings.

Passive FTP:

- **Client** initiates the data connection.
- Check the reply to the PASV command to determine the IP address and Port number of the server for the data connection.

FTP Analysis – a Good PASV

Traces | Query Builder | Packet Summary | Packet Details | Sequence of Execution | Response Time Summary | Exception Report

Packet Summary

ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size
730	02:42:16:2097 GMT	48	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command TYPE	21157	ftp control	3883430947	617330248	64154
731	02:42:16:2136 GMT	83	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 200	ftp control	21157	617330248	3883430955	32760
732	02:42:16:2142 GMT	46	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command PASV	21157	ftp control	3883430955	617330291	64143
733	02:42:16:2207 GMT	89	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 227	ftp control	21157	617330291	3883430961	32762
734	02:42:16:2223 GMT	46	137.72.43.137	137.72.43.207	TCP	ACK PSH : ftp command LIST	21157	ftp control	3883430961	617330340	64131
735	02:42:16:2234 GMT	52	137.72.43.137	137.72.43.207	TCP	SYN	21158	3679	3534575276	0	65535
736	02:42:16:2331 GMT	48	137.72.43.207	137.72.43.137	TCP	ACK SYN	3679	21158	617396255	3534575277	32768
737	02:42:16:2331 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	21158	3679	3534575277	617396256	64240
738	02:42:16:2799 GMT	61	137.72.43.207	137.72.43.137	TCP	ACK PSH : ftp reply code 125	ftp control	21157	617330340	3883430967	32762
739	02:42:16:4079 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	21157	ftp control	3883430967	617330361	64126
740	02:42:16:4465 GMT	1500	137.72.43.207	137.72.43.137	TCP	ACK	3679	21158	617396256	3534575277	32768
741	02:42:16:4467 GMT	1457	137.72.43.207	137.72.43.137	TCP	ACK PSH	3679	21158	617397716	3534575277	32768
742	02:42:16:4468 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	21158	3679	3534575277	617399133	63520
743	02:42:16:4468 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	21158	3679	3534575277	617399133	64240
744	02:42:16:4491 GMT	40	137.72.43.207	137.72.43.137	TCP	ACK PSH FIN	3679	21158	617399133	3534575277	32768
745	02:42:16:4493 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK	21158	3679	3534575277	617399134	64240
746	02:42:16:4495 GMT	40	137.72.43.137	137.72.43.207	TCP	ACK FIN	21158	3679	3534575277	617399134	64240
747	02:42:16:4524 GMT	40	137.72.43.207	137.72.43.137	TCP	ACK PSH	3679	21158	617399134	3534575278	32768

FTP Analysis – PASV Reply

Traces | Query Builder | Packet Summary | Packet Details | Sequence of Execution | Response Time Summary | Exception Report

Packet Details

[Packet Details](#) [Hex Decode](#)

Packet Details

```
Packet ID : 733
Time : 3/3/2009 02:42:16:2207 GMT

Header :
Source Mac : 00:10:C6:DF:BA:CF      Remote Mac : 00:13:20:D5:77:94
ETHERTYPE : IP (0x800)

IP Version 4
Source : 137.72.43.207      Remote : 137.72.43.137
Protocol : TCP
Datagram Length : 89
Flags :      Fragment Offset : 0

TCP Header Info
Source Port : 21 ftp control      Remote Port : 21157
Seq. Number : 617330291      Ack. Number : 3883430961
Window : 32762      Flags : ACK PSH

FTP Data
Reply Code : 227(Entering Passive Mode)
Message : Entering Passive Mode (137,72,43,207,14,95)
```


Client will connect to the Server Port 3679 for data connection:
Server IP = 137.72.43.207
Server Port = $14 * 256 + 95 = 3679$

FTP Analysis – a Failed PASV

ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port
12	13:52:08:3181 CST	40	192.233.80.108	207.33.247.67	TCP	ACK	ftp control	1538
13	13:52:08:3421 CST	115	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 230	ftp control	1538
14	13:52:08:4624 CST	1465	192.233.80.108	207.33.247.67	TCP	ACK : ftp reply code 230	ftp control	1538
15	13:52:08:4626 CST	40	207.33.247.67	192.233.80.108	TCP	ACK	1538	ftp control
16	13:52:08:4683 CST	115	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 230	ftp control	1538
17	13:52:08:5512 CST	1465	192.233.80.108	207.33.247.67	TCP	ACK : ftp reply code 230	ftp control	1538
18	13:52:08:5514 CST	40	207.33.247.67	192.233.80.108	TCP	ACK	1538	ftp control
19	13:52:08:5570 CST	115	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 230	ftp control	1538
20	13:52:08:7234 CST	40	207.33.247.67	192.233.80.108	TCP	ACK	1538	ftp control
21	13:52:08:8335 CST	964	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 230	ftp control	1538
22	13:52:08:8353 CST	48	207.33.247.67	192.233.80.108	TCP	ACK PSH : ftp command REST	1538	ftp control
23	13:52:08:8960 CST	107	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 350	ftp control	1538
24	13:52:08:8971 CST	46	207.33.247.67	192.233.80.108	TCP	ACK PSH : ftp command SYST	1538	ftp control
25	13:52:08:9561 CST	59	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 215	ftp control	1538
26	13:52:08:9596 CST	45	207.33.247.67	192.233.80.108	TCP	ACK PSH : ftp command PWD	1538	ftp control
27	13:52:09:0190 CST	71	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 257	1538	1538
28	13:52:09:0200 CST	46	207.33.247.67	192.233.80.108	TCP	ACK PSH : ftp command PASV		
29	13:52:09:1183 CST	40	192.233.80.108	207.33.247.67	TCP	ACK		
30	13:52:09:1395 CST	90	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 227		
31	13:52:09:1460 CST	48	207.33.247.67	192.233.80.108	TCP	SYN	1539	22807
32	13:52:09:3234 CST	40	207.33.247.67	192.233.80.108	TCP	ACK	1538	ftp control
33	13:52:12:1284 CST	48	207.33.247.67	192.233.80.108	TCP	SYN	1539	22807
34	13:52:18:1635 CST	48	207.33.247.67	192.233.80.108	TCP	SYN	1539	22807
35	13:52:30:2134 CST	48	207.33.247.67	192.233.80.108	TCP	SYN	1539	22807
36	13:52:54:2620 CST	48	207.33.247.67	192.233.80.108	TCP	SYN	1539	22807
37	13:52:54:2933 CST	40	207.33.247.67	192.233.80.108	TCP	ACK FIN	1538	ftp control
38	13:52:54:3481 CST	40	192.233.80.108	207.33.247.67	TCP	ACK	ftp control	1538
39	13:52:54:3528 CST	77	192.233.80.108	207.33.247.67	TCP	ACK PSH : ftp reply code 221	ftp control	1538
40	13:52:54:3530 CST	40	207.33.247.67	192.233.80.108	TCP	RST	1538	ftp control
41	13:52:54:3556 CST	40	192.233.80.108	207.33.247.67	TCP	ACK FIN	ftp control	1538
42	13:52:54:3557 CST	40	207.33.247.67	192.233.80.108	TCP	RST	1538	ftp control
43	13:52:57:2535 CST	48	207.33.247.67	192.233.80.108	TCP	SYN	1539	22807
44	13:53:03:2785 CST	48	207.33.247.67	192.233.80.108	TCP	SYN	1539	22807

**Message : Entering Passive Mode
(192,233,80,108,89,23).
89x256 + 23 = 22807**

Proactively Monitoring for FTP Server Logon Failures



Host Name: *Current Host*

Host Address: *172.29.122.182*

User ID: *AESDJC1*

Logoff

Change Host

Select Stack

Help



CleverView® for TCP/IP

SysPoint

Connect Expert

StackView

LinkView

Critical Resources

PinPoint

>>



Ftp Server Logon Failure

August 2, 2012 4:56:45 PM



Refresh

17 items found, displaying all items.1

Host Name	TCP/IP Stack	FTP Server	Date	Time	Remote IP	Remote port	Local IP	Local port	UserID	Reason
S0W1	TCPIP	FTPSERVE	09/19/2011	17:27:07	172.29.96.6	63702	172.29.122.182	21	AESDJC1	Password is not valid
S0W1	TCPIP	FTPSERVE	09/26/2011	21:23:22	172.29.96.39	49768	172.29.122.182	21	AESDJC1	Password is not valid
S0W1	TCPIP	FTPSERVE	09/26/2011	21:47:19	172.29.96.39	49996	172.29.122.182	21	AESDJC1	Password is not valid
S0W1	TCPIP	FTPSERVE	09/26/2011	21:48:01	172.29.96.39	49999	172.29.122.182	21	AESDJC1	Password is not valid
S0W1	TCPIP	FTPSERVE	10/26/2011	21:38:57	172.29.96.73	49188	172.29.122.182	21	AESDJC3	Password is not valid
S0W1	TCPIP	FTPSERVE	10/26/2011	21:39:13	172.29.96.73	49191	172.29.122.182	21	XX	User ID is unknown
S0W1	TCPIP	FTPSERVE	10/28/2011	20:13:09	172.29.96.22	60604	172.29.122.182	21	X	User ID is unknown
S0W1	TCPIP	FTPSERVE	10/28/2011	20:13:15	172.29.96.22	60605	172.29.122.182	21	AESDJC3	Session terminated before password is entered
S0W1	TCPIP	FTPSERVE	11/02/2011	15:03:44	172.29.96.53	50348	172.29.122.182	21	XXX	User ID is unknown
S0W1	TCPIP	FTPSERVE	11/02/2011	15:03:48	172.29.96.53	50349	172.29.122.182	21	AESDJC1	Password is not valid
S0W1	TCPIP	FTPSERVE	11/02/2011	15:03:53	172.29.96.53	50350	172.29.122.182	21	AESDJC1	Session terminated before password is entered
S0W1	TCPIP	FTPSERVE	12/30/2011	16:37:13	172.29.96.13	55285	172.29.122.182	21	ANONYMOU	User ID is unknown
S0W1	TCPIP	FTPSERVE	12/30/2011	16:37:16	172.29.96.13	55286	172.29.122.182	21	ANONYMOU	User ID is unknown
S0W1	TCPIP	FTPSERVE	12/30/2011	17:12:03	172.29.96.13	55754	172.29.122.182	21		User ID is unknown
S0W1	TCPIP	FTPSERVE	03/30/2012	14:44:03	172.29.96.4	51504	172.29.122.182	21	AESDJC1	Password is not valid
S0W1	TCPIP	FTPSERVE	04/06/2012	17:21:33	172.29.96.48	33988	172.29.122.182	21	AESDJC1	User ID is unknown
S0W1	TCPIP	FTPSERVE	07/13/2012	16:45:09	172.29.96.14	23926	172.29.122.182	21		User ID is unknown

Export options: [CSV](#) | [Excel](#) | [XML](#) | [PDF](#)

Copyright © 2014 Applied Expert Systems, Inc.



FTP Brute Force Attack – over 460 attempts within 21 seconds



SHARE
olutions • Results

CleverView® for cTrace Analysis

File Help

Traffic Errors Session Errors Resp. Time Thresh. Application Errors INIT Packets TERM Packets INIT Errors TERM Errors

Traces Query Builder Packet Summary Session Summary Packet Details


Packet Summary

ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size
1	16:21:31:9531 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1285	ftp control	3093229813	0	16384
2	16:21:31:9532 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1285	3090751062	3093229814	65535
3	16:21:31:9656 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1288	ftp control	606814161	0	16384
4	16:21:31:9657 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1288	2147941734	606814162	65535
5	16:21:31:9706 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1291	ftp control	4028165621	0	16384
6	16:21:31:9706 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1291	573343984	4028165622	65535
7	16:21:31:9751 CST	40	69.181.135.56	67.161.39.46	TCP	ACK	1285	ftp control	3093229814	3090751063	17520
8	16:21:31:9757 CST	87	67.161.39.46	69.181.135.56	TCP	ACK PSH : ftp reply code 220	ftp control	1285	3090751063	3093229814	65535
9	16:21:31:9799 CST	40	69.181.135.56	67.161.39.46	TCP	ACK RST	1285	ftp control	3093229814	3090751063	0
10	16:21:31:9844 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1294	ftp control	1544714838	0	16384
11	16:21:31:9845 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1294	3586017418	1544714839	65535
12	16:21:31:9895 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1297	ftp control	1806621893	0	16384
13	16:21:31:9895 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1297	2638101644	1806621894	65535
14	16:21:31:9987 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1300	ftp control	472763074	0	16384
15	16:21:31:9987 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1300	1450173204	472763075	65535
16	16:21:32:0035 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1303	ftp control	2566042477	0	16384
17	16:21:32:0035 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1303	3242763093	2566042478	65535
18	16:21:32:0131 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1306	ftp control	2573926232	0	16384
19	16:21:32:0131 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1306	639928657	2573926233	65535
20	16:21:32:0179 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1309	ftp control	3804249418	0	16384
21	16:21:32:0179 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1309	669909982	3804249419	65535
22	16:21:32:0278 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1312	ftp control	964812875	0	16384
23	16:21:32:0278 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1312	201635732	964812876	65535
24	16:21:32:0324 CST	48	69.181.135.56	67.161.39.46	TCP	SYN	1315	ftp control	506003278	0	16384
25	16:21:32:0324 CST	48	67.161.39.46	69.181.135.56	TCP	ACK SYN	ftp control	1315	2057902338	506003279	65535
26	16:21:32:0474 CST	40	69.181.135.56	67.161.39.46	TCP	ACK	1288	ftp control	606814162	2147941735	17520
27	16:21:32:0478 CST	87	67.161.39.46	69.181.135.56	TCP	ACK PSH : ftp reply code 220	ftp control	1288	2147941735	606814162	65535
28	16:21:32:0614 CST	40	69.181.135.56	67.161.39.46	NON IP						
29	16:21:32:0617 CST	87	67.161.39.46	69.181.135.56	TCP	ACK PSH : ftp reply code 220	ftp control	1291	573343985	4028165622	65535
30	16:21:32:0850 CST	40	69.181.135.56	67.161.39.46	EMCON						
31	16:21:32:0854 CST	87	67.161.39.46	69.181.135.56	ERROR						
32	16:21:32:0903 CST	40	69.181.135.56	67.161.39.46	UDP		20496	17520			
33	16:21:32:0907 CST	87	67.161.39.46	69.181.135.56	TCP	ACK PSH : ftp reply code 220	ftp control	1297	2638101645	1806621894	65535

Copyright © 2014 Applied Expert Systems, Inc.



FTP Brute Force Attack – Zoom in on FTP Control Sessions



ARE
Connections - Results

CleverView® for cTrace Analysis

File Help

Traffic Errors Session Errors Resp. Time Thresh. Application Errors INIT Packets TERM Packets INIT Errors TERM Errors

Traces Query Builder Packet Summary Session Summary Packet Details Sequence of Execution

Session Summary

SID	Start Time	End Time	Elapsed Time (hh:mm:ss.tttt)	Server Time (hh:mm:ss.tttt)	Network Time (hh:mm:ss.tttt)	Local IP	Local Port	Rmt. IP	Rmt. Port	Datagrams In (Bytes)	Datagrams Out (Bytes)	Avg. Datagram
1	16:21:36:3820 CST	16:21:52:6847 CST	00:00:16:3027	00:00:16:3027	00:00:00:0000	69.181.135.56	20500	67.161.39.46	0	0	4	40
2	16:21:31:9531 CST	16:21:31:9799 CST	00:00:00:0268	00:00:00:0261	00:00:00:0007	69.181.135.56	1285	67.161.39.46	ftp control	2	3	52.6
3	16:21:31:9656 CST	16:21:32:2567 CST	00:00:00:2911	00:00:00:2801	00:00:00:0110	69.181.135.56	1288	67.161.39.46	ftp control	4	4	58.5
4	16:21:31:9706 CST	16:21:32:2723 CST	00:00:00:3017	00:00:00:2949	00:00:00:0068	69.181.135.56	1291	67.161.39.46	ftp control	4	3	61.14
5	16:21:31:9844 CST	16:21:32:2892 CST	00:00:00:3048	00:00:00:3046	00:00:00:0002	69.181.135.56	1294	67.161.39.46	ftp control	3	3	56.83
6	16:21:31:9895 CST	16:21:32:4115 CST	00:00:00:4220	00:00:00:4110	00:00:00:0110	69.181.135.56	1297	67.161.39.46	ftp control	4	4	58.5
7	16:21:31:9987 CST	16:21:32:3050 CST	00:00:00:3063	00:00:00:2992	00:00:00:0071	69.181.135.56	1300	67.161.39.46	ftp control	4	4	58.5
8	16:21:32:0035 CST	16:21:32:4359 CST	00:00:00:4324	00:00:00:4302	00:00:00:0022	69.181.135.56	1303	67.161.39.46	ftp control	4	5	56.44
9	16:21:32:0131 CST	16:21:32:4451 CST	00:00:00:4320	00:00:00:4309	00:00:00:0011	69.181.135.56	1306	67.161.39.46	ftp control	4	5	56.44
10	16:21:32:0179 CST	16:21:32:4595 CST	00:00:00:4416	00:00:00:4414	00:00:00:0002	69.181.135.56	1309	67.161.39.46	ftp control	4	4	58.5
11	16:21:32:0278 CST	16:21:32:3300 CST	00:00:00:3022	00:00:00:3016	00:00:00:0006	69.181.135.56	1312	67.161.39.46	ftp control	4	4	58.5
12	16:21:32:0324 CST	16:21:32:3420 CST	00:00:00:3096	00:00:00:3073	00:00:00:0023	69.181.135.56	1315	67.161.39.46	ftp control	4	4	58.5
13	16:21:32:3588 CST	16:21:32:7287 CST	00:00:00:3699	00:00:00:2995	00:00:00:0704	69.181.135.56	1318	67.161.39.46	ftp control	4	4	58.5
14	16:21:32:3827 CST	16:21:32:7340 CST	00:00:00:3513	00:00:00:2985	00:00:00:0528	69.181.135.56	1321	67.161.39.46	ftp control	3	4	56
15	16:21:32:4068 CST	16:21:35:1573 CST	00:00:02:7505	00:00:02:7368	00:00:00:0137	69.181.135.56	1324	67.161.39.46	ftp control	5	3	63
16	16:21:32:4163 CST	16:21:32:7428 CST	00:00:00:3265	00:00:00:2993	00:00:00:0272	69.181.135.56	1327	67.161.39.46	ftp control	4	4	58.5
17	16:21:32:4307 CST	16:21:32:8484 CST	00:00:00:4177	00:00:00:4175	00:00:00:0002	69.181.135.56	1330	67.161.39.46	ftp control	4	4	58.5
18	16:21:32:4403 CST	16:21:32:7526 CST	00:00:00:3123	00:00:00:3121	00:00:00:0002	69.181.135.56	1333	67.161.39.46	ftp control	4	3	61.14
19	16:21:32:4499 CST	16:21:32:7616 CST	00:00:00:3117	00:00:00:2948	00:00:00:0169	69.181.135.56	1336	67.161.39.46	ftp control	4	4	58.5
20	16:21:32:4643 CST	16:21:32:7634 CST	00:00:00:2991	00:00:00:2895	00:00:00:0096	69.181.135.56	1339	67.161.39.46	ftp control	4	4	58.5
21	16:21:32:4739 CST	16:21:32:8869 CST	00:00:00:4130	00:00:00:4081	00:00:00:0049	69.181.135.56	1342	67.161.39.46	ftp control	4	5	56.44
22	16:21:32:4839 CST	16:21:32:7733 CST	00:00:00:2894	00:00:00:2892	00:00:00:0002	69.181.135.56	1345	67.161.39.46	ftp control	4	3	61.14
23	16:21:32:8245 CST	16:21:33:1533 CST	00:00:00:3288	00:00:00:2679	00:00:00:0609	69.181.135.56	1348	67.161.39.46	ftp control	4	4	58.5
24	16:21:32:8339 CST	16:21:33:1585 CST	00:00:00:3246	00:00:00:3245	00:00:00:0001	69.181.135.56	1351	67.161.39.46	ftp control	4	3	61.14
25	16:21:32:8441 CST	16:21:33:2589 CST	00:00:00:4148	00:00:00:3630	00:00:00:0518	69.181.135.56	1354	67.161.39.46	ftp control	4	4	57.12
26	16:21:32:8531 CST	16:21:33:1693 CST	00:00:00:3162	00:00:00:2694	00:00:00:0468	69.181.135.56	1357	67.161.39.46	ftp control	4	4	58.5
27	16:21:32:8627 CST	16:21:33:1726 CST	00:00:00:3099	00:00:00:3099	00:00:00:0000	69.181.135.56	1360	67.161.39.46	ftp control	4	3	61.14
28	16:21:32:8723 CST	16:21:33:2874 CST	00:00:00:4151	00:00:00:3764	00:00:00:0387	69.181.135.56	1363	67.161.39.46	ftp control	4	5	56.44
29	16:21:32:8819 CST	16:21:33:1819 CST	00:00:00:3000	00:00:00:3000	00:00:00:0000	69.181.135.56	1366	67.161.39.46	ftp control	4	3	61.14
30	16:21:32:8931 CST	16:21:33:1869 CST	00:00:00:2938	00:00:00:2638	00:00:00:0300	69.181.135.56	1369	67.161.39.46	ftp control	4	4	58.5
31	16:21:32:9011 CST	16:21:33:1915 CST	00:00:00:2904	00:00:00:2904	00:00:00:0000	69.181.135.56	1372	67.161.39.46	ftp control	4	3	61.14
32	16:21:33:2454 CST	16:21:33:5756 CST	00:00:00:3302	00:00:00:3299	00:00:00:0003	69.181.135.56	1375	67.161.39.46	ftp control	4	3	61.14
33	16:21:33:2541 CST	16:21:33:5808 CST	00:00:00:3267	00:00:00:3266	00:00:00:0001	69.181.135.56	1378	67.161.39.46	ftp control	4	3	61.14

Copyright © 2014 Applied Expert Systems, Inc.



FTP Brute Force Attack – Check FTP Commands and Replies

CleverView® for cTrace Analysis

File Help

Traffic Errors Session Errors Resp. Time Thresh. Application Errors INIT Packets TERM Packets INIT Errors TERM Errors


Traces Query Builder Packet Summary Session Summary Packet Details Sequence of Execution

Seq. of Execution

Local IP: 69.181.135.56 Remote IP: 67.161.39.46 Protocol: TCP Sessions Count: 1

ID	Timestamp	Elapsed Time (hh:mm:ss.tttt)	Datagram Size	Messages	Local Port	Direction	Rmt. Port	Seq. Number	Ack. Number	Window Size
87	16:21:32:3588 CST	00:00:00:0000	48	SYN	1318	---->	ftp control	1399143626	0	16384
88	16:21:32:3589 CST	00:00:00:0001	48	ACK SYN	1318	<----	ftp control	2602916262	1399143627	65535
116	16:21:32:4992 CST	00:00:00:1403	40	ACK	1318	---->	ftp control	1399143627	2602916263	17520
125	16:21:32:5691 CST	00:00:00:0699	87	ACK PSH : ftp reply code 220	1318	<----	ftp control	2602916263	1399143627	65535
136	16:21:32:6275 CST	00:00:00:0584	51	ACK PSH : ftp command USER	1318	---->	ftp control	1399143627	2602916310	17473
137	16:21:32:6277 CST	00:00:00:0002	76	ACK PSH : ftp reply code 331	1318	<----	ftp control	2602916310	1399143638	65524
156	16:21:32:7285 CST	00:00:00:1008	50	ACK PSH : ftp command PASS	1318	---->	ftp control	1399143638	2602916346	17437
157	16:21:32:7287 CST	00:00:00:0002	68	ACK PSH : ftp reply code 530	1318	<----	ftp control	2602916346	1399143648	65514

FTP Brute Force Attack – Check PASS Command Packet Details



RE
Results

The screenshot shows the 'Packet Details' window in CleverView for cTrace Analysis. The window title is 'CleverView® for cTrace Analysis'. The menu bar includes 'File' and 'Help'. The toolbar contains various icons for file operations and navigation. Below the toolbar, there are several tabs: 'Traffic Errors', 'Session Errors', 'Resp. Time Thresh.', 'Application Errors', 'INIT Packets', 'TERM Packets', 'INIT Errors', and 'TERM Errors'. The 'Packet Details' tab is selected, and it contains sub-tabs: 'Packet Details', 'Hex Decode', and 'Sequence of Execution'. The main content area displays the following information:

```
Packet ID : 156
Time : 5/26/2006 16:21:32:7285 CST

Link Header :
Source Mac : 00:01:5C:22:A5:82      Remote Mac : 08:00:46:F4:3A:09
ETHERTYPE : IP (0x800)

IP Version 4
Header Length : 20
Source : 69.181.135.56      Remote : 67.161.39.46
Protocol : TCP
Datagram Length : 50
ID : 0x078B (1931)
Flags : Don't Fragment      Fragment Offset : 0
Time to live : 127
Header checksum : 0xBC5E

TCP Header Info
Source Port : 1318 1318      Remote Port : 21 ftp control
Seq. Number : 1399143638      Ack. Number : 2602916346
Window : 17437      Flags : ACK PSH

FTP Data
Command : PASS
Parameters : een
```

Copyright © 2014 Applied Expert Systems, Inc.




TLS/SSL

https (Port 443), AT-TLS (appl. port)

- Transport Layer Security provides security for communications over networks by encrypting the segments at the transport layer end to end.
- TLS V1.0 (RFC 2246) is based on SSL V3.0.
- It does not require the client and the server to arrange for a secret key to be exchanged *before* the transaction.
 - Asymmetric keys (public/private) for handshaking and secret key exchange.
 - Secret key (symmetric) mechanism for subsequent communication.

TLS/SSL, AT-TLS – Secret Key (Symmetric)




Source: http://middleware.its.state.nc.us/middleware/Documentation/en_US/htm/csqzas00/csq01skc.gif

Copyright © 2014 Applied Expert Systems, Inc.

TLS/SSL, AT-TLS – Public/Private Keys

ASYMMETRIC ENCRYPTION



Source: <http://www.teracomtraining.com/tutorials/teracom-tutorial-asymmetric-encryption.gif>

Copyright © 2014 Applied Expert Systems, Inc.

TLS/SSL Basic Flow


- Negotiate cipher suites and compression algorithms.
- Authenticate the server (and optionally the client) through certificates and public/private keys.
- **Server -> Client:** The server uses its private key to encrypt and the client uses the public key to decrypt.
- **Client -> Server:** the client uses the public key to encrypt and the server uses its private key to decrypt.
- Exchange random numbers and a pre-master secret, which is used with other data to create a shared secret key – the **Master Secret** is used to encrypt/decrypt the data.

TLS/SSL Handshake – Server Authentication



Client

Server



Hello

Highest SSL/TLS version supported
Ciphers and Compression Method
Session ID
Random data for key generation

Certificate:

Server Certificate – contains server's public key.

Client Key Exchange

Client generates the pre-master secret and encrypt it with server's public key. Both the client and the server generate the Master Secret key (symmetric) on their own using the pre-master secret and the random data that is generated from the SERVER_HELLO and CLIENT_HELLO commands.

Change Cipher Spec

Indicates that all subsequent data will be encrypted.

AT-TLS Flow

Client

Server



HTTPS (Port 443)



CleverView® for cTrace Analysis

File Help

Traffic Errors Session Errors Resp. Time Thresh. Application Errors INIT Packets TERM Packets INIT Errors TERM Errors

Traces Query Builder Packet Summary

Packet Summary

ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size
52	18:36:09:5954 EST	52	137.72.43.113	161.113.0.6	TCP	SYN	53755	https	373845382	0	8192
53	18:36:09:6604 EST	52	161.113.0.6	137.72.43.113	TCP	ACK SYN	https	53755	3140938962	373845383	4380
54	18:36:09:6606 EST	40	137.72.43.113	161.113.0.6	TCP	ACK	53755	https	373845383	3140938963	16588
55	18:36:09:6685 EST	238	137.72.43.113	161.113.0.6	TCP	TLS: Client Hello	53755	https	373845383	3140938963	16588
56	18:36:09:7484 EST	1316	161.113.0.6	137.72.43.113	TCP	TLS: Server Hello, Certificate	https	53755	3140938963	373845581	4380
57	18:36:09:7552 EST	1316	161.113.0.6	137.72.43.113	TCP	ACK	https	53755	3140940239	373845581	4380
58	18:36:09:7552 EST	40	137.72.43.113	161.113.0.6	TCP	ACK	53755	https	373845581	3140941515	16588
59	18:36:09:7622 EST	1316	161.113.0.6	137.72.43.113	TCP	ACK	https	53755	3140941515	373845581	4380
60	18:36:09:7657 EST	733	161.113.0.6	137.72.43.113	TCP	TLS: Server Hello Done	https	53755	3140942791	373845581	4380
61	18:36:09:7658 EST	40	137.72.43.113	161.113.0.6	TCP	ACK	53755	https	373845581	3140943484	16588
62	18:36:09:7718 EST	222	137.72.43.113	161.113.0.6	TCP	TLS: Client Key Exchange, Change Cipher Spec,	53755	https	373845581	3140943484	16588
63	18:36:09:8372 EST	40	161.113.0.6	137.72.43.113	TCP	ACK	https	53755	3140943484	373845763	4760
64	18:36:09:8424 EST	83	161.113.0.6	137.72.43.113	TCP	TLS: Change Cipher Spec, Encrypted Data	https	53755	3140943484	373845763	4760
65	18:36:09:8437 EST	879	137.72.43.113	161.113.0.6	TCP	TLS: Application	53755	https	373845763	3140943527	16577
66	18:36:09:9180 EST	40	161.113.0.6	137.72.43.113	TCP	ACK	https	53755	3140943527	373846602	5599
67	18:36:09:9508 EST	1316	161.113.0.6	137.72.43.113	TCP	TLS: Application	https	53755	3140943527	373846602	5599
68	18:36:09:9576 EST	1316	161.113.0.6	137.72.43.113	TCP	TLS: Application	https	53755	3140944803	373846602	5599
69	18:36:09:9577 EST	40	137.72.43.113	161.113.0.6	TCP	ACK	53755	https	373846602	3140946079	16588
70	18:36:09:9648 EST	1316	161.113.0.6	137.72.43.113	TCP	TLS: Application	https	53755	3140946079	373846602	5599
71	18:36:09:9716 EST	1316	161.113.0.6	137.72.43.113	TCP	TLS: Application	https	53755	3140947355	373846602	5599
72	18:36:09:9717 EST	40	137.72.43.113	161.113.0.6	TCP	ACK	53755	https	373846602	3140948631	16588
73	18:36:09:9787 EST	1316	161.113.0.6	137.72.43.113	TCP	TLS: Application	https	53755	3140948631	373846602	5599
74	18:36:09:9855 EST	1316	161.113.0.6	137.72.43.113	TCP	TLS: Application	https	53755	3140949907	373846602	5599
75	18:36:09:9856 EST	40	137.72.43.113	161.113.0.6	TCP	ACK	53755	https	373846602	3140951183	16588
76	18:36:09:9925 EST	1316	161.113.0.6	137.72.43.113	TCP	TLS: Application	https	53755	3140951183	373846602	5599

Copyright © 2014 Applied Expert Systems, Inc.



FTPS – FTP w/SSL Control Connection




Client

FTP Server



AT-TLS - FTP w/SSL



SHARE

CleverView® for cTrace Analysis

File Help

Traffic Errors Session Errors Resp. Time Thresh. Application Errors INIT Packets TERM Packets INIT Errors TERM Errors

Traces Query Builder Packet Summary Find connection INIT Errors

Packet Summary

ID	Timestamp	Datagram Size	Local IP	Rmt. IP	Protocol	Messages	Local Port	Rmt. Port	Seq. Number	Ack. Number	Window Size
105	23:13:41:9787	52	10.192.	10.192	TCP	SYN	4042	ftp control	3440233762	0	65535
106	23:13:41:9788	48	10.192.	10.192	TCP	ACK SYN	ftp control	4042	2371254549	3440233763	65535
107	23:13:41:9797	40	10.192.	10.192	TCP	ACK	4042	ftp control	3440233763	2371254550	32768
108	23:13:43:5468	117	10.192.	10.192	TCP	ACK PSH : ftp reply code 220	ftp control	4042	2371254550	3440233763	32768
109	23:13:43:7276	40	10.192.	10.192	TCP	ACK	4042	ftp control	3440233763	2371254627	32748
110	23:13:43:7278	196	10.192.	10.192	TCP	ACK PSH : ftp reply code 220	ftp control	4042	2371254627	3440233763	32768
111	23:13:43:7342	52	10.192.	10.192	TCP	ACK PSH : ftp command AUTH	4042	ftp control	3440233763	2371254783	32709
112	23:13:43:7343	40	10.192.	10.192	TCP	ACK PSH	ftp control	4042	2371254783	3440233775	32767
113	23:13:45:7779	102	10.192.	10.192	TCP	ACK PSH : ftp reply code 234	ftp control	4042	2371254783	3440233775	32767
114	23:13:45:8833	152	10.192.	10.192	TCP	TLS: Client Hello	4042	ftp control	3440233775	2371254845	32694
115	23:13:45:8834	40	10.192.	10.192	TCP	ACK PSH	ftp control	4042	2371254845	3440233887	32761
116	23:13:45:8850	1492	10.192.	10.192	TCP	TLS: Server Hello	ftp control	4042	2371254845	3440233887	32761
117	23:13:45:8850	1492	10.192.	10.192	TCP	ACK	ftp control	4042	2371256297	3440233887	32761
118	23:13:45:8850	375	10.192.	10.192	TCP	ACK PSH	ftp control	4042	2371257749	3440233887	32761
119	23:13:45:9375	40	10.192.	10.192	TCP	ACK	4042	ftp control	3440233887	2371257749	32768
120	23:13:45:9920	179	10.192.	10.192	TCP	TLS: Client Key Exchange	4042	ftp control	3440233887	2371258084	32684
121	23:13:45:9921	40	10.192.	10.192	TCP	ACK PSH	ftp control	4042	2371258084	3440234026	32759
122	23:13:45:9922	46	10.192.	10.192	TCP	TLS: Change Cipher Spec	4042	ftp control	3440234026	2371258084	32684
123	23:13:45:9922	85	10.192.	10.192	TCP	TLS: Encrypted Data	4042	ftp control	3440234032	2371258084	32684
124	23:13:45:9922	40	10.192.	10.192	TCP	ACK PSH	ftp control	4042	2371258084	3440234077	32756
125	23:13:46:0030	46	10.192.	10.192	TCP	TLS: Change Cipher Spec	ftp control	4042	2371258084	3440234077	32756
126	23:13:46:0032	85	10.192.	10.192	TCP	TLS: Encrypted Data	ftp control	4042	2371258090	3440234077	32756
127	23:13:46:0035	40	10.192.	10.192	TCP	ACK	4042	ftp control	3440234077	2371258135	32671
128	23:13:46:0984	77	10.192.	10.192	TCP	TLS: Application	4042	ftp control	3440234077	2371258135	32671
129	23:13:46:0986	40	10.192.	10.192	TCP	ACK PSH	ftp control	4042	2371258135	3440234114	32765
130	23:13:46:0991	109	10.192.	10.192	TCP	TLS: Application	ftp control	4042	2371258135	3440234114	32765

Copyright © 2014 Applied Expert Systems, Inc.



TLS Header

Offset	Length	Description	Decimal Value	Meaning
0	1	Content Type	20 (0x14)	Change Cipher Spec
			21 (0x15)	Alert
			22 (0x16)	Handshake
			23 (0x17)	Application
1	2	Version		
1	1	Major Version	3	
2	1	Minor Version	0	SSLv3
			1	TLS 1.0
			2	TLS 1.1
			3	TLS 1.2
3	2	Length	N	The length of the Protocol Message
5	N	Protocol Message		

TLS Alert Protocol (Content Type = 21)



Offset	Length	Description	Decimal Value	Meaning
5	1	Level of alert	1	Warning – connection or security may be unstable
			2	Fatal – connection or security may be compromised, or an unrecoverable error has occurred.
			Others	Encrypted alert
6	1	Alert Description Type	0	Close notify
			10	Unexpected message
			20	Bad record MAC
			21	Decryption failed
			22	Record overflow
			30	Decompression failure
			40	Handshake fail
			41	No certificate
			42	Bad certificate
			43	Unsupported certificate
			44	Certificate revoked
			45	Certificate expired
			46	Certificate unknown
			47	Illegal parameter
			48	Unknown CA (Certificate Authority)
			49	Access denied
50	Decode error			
51	Decrypt error			
60	Export restriction			
70	Protocol version not supported			
71	Insufficient security			
80	Internal error			
90	User cancelled			
100	No renegotiation			
110	Unsupported extension			

Copyright © 2014 Applied Expert Systems, Inc.



Sample TLS/SSL Decoding

Hex Data:

16 03 01 00 C1 01 00 00 BD 03 01 4B 71 F1 69 DA 10

Secure Socket Layer

TLSv1 Record Layer: Handshake Protocol: Client Hello

Content Type: **Handshake (22)**

Version: **TLS 1.0 (0x0301)**

Length: **193**

Handshake Protocol: Client Hello

Handshake Type: **Client Hello (1)**

Length: **189**

Version: **TLS 1.0 (0x0301)**

Random

GMT Unix Time: **Feb 9, 2010 15:36:09.0000000000**

Random Bytes: **DA10**

Session ID Length: 32

Session ID: 2D585DAEF198D9BB951DD9F58D7766465B88A493B98ACC3C...

Cipher Suites Length: 70

Cipher Suites (35 suites)

Cipher Suite: **TLS_ECDHE_ECDSA_WITH_AES_256_CBC_SHA**

Cipher Suite: **TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA**

Cipher Suite:

28 Random Bytes - to be used with the premaster secret to generate the symmetric key.

Ciphers are listed in order of preference – from the strongest to the weakest

Sample Digital Certificate

Certificate Viewer: "www.wellsfargo.com"

General Details

This certificate has been verified for the following uses:

SSL Server Certificate

Issued To

Common Name (CN)	www.wellsfargo.com
Organization (O)	Wells Fargo and Company
Organizational Unit (OU)	PSG
Serial Number	5E:EE:17:0B:A2:4B:3A:62:01:D6:88:2E:5F:E9:CC:26

Issued By

Common Name (CN)	<Not Part Of Certificate>
Organization (O)	VeriSign Trust Network
Organizational Unit (OU)	VeriSign, Inc.

Validity

Issued On	3/20/2013
Expires On	12/31/2013

Fingerprints

SHA1 Fingerprint	0B:89:4C:FB:CC:AB:BE:1F:E1:F6:66:5A:FE:E4:CE:34:DE
MD5 Fingerprint	0A:7B:5B:F7:0B:2F:1B:C5:AD:89:07:4E:5A:81:88:02

Export...

Certificate Viewer: "www.wellsfargo.com"

General Details

Certificate Hierarchy

- ▲ Builtin Object Token: Verisign Class 3 Public Primary Certification Authority
 - ▲ VeriSign, Inc.
 - www.wellsfargo.com

Certificate Fields

- Subject
- ▲ Subject Public Key Info
 - Subject Public Key Algorithm
 - Subject's Public Key
- ▲ Extensions
 - Certificate Basic Constraints
 - Certificate Key Usage
 - CRL Distribution Points
 - Certificate Policies
 - Extended Key Usage

Field Value

Modulus (1024 bits):

```
c6 92 24 18 1c d0 6f a9 3f 08 24 7e 1b e5 a0 36
b0 9f 56 05 52 f8 1c 0d 64 2f f9 0a 49 db f4 26
33 e9 ff a6 13 cf 30 5b c2 f8 e7 77 6c 23 ed e0
b3 0a 50 2a 51 6c 83 1c a6 87 73 2e 62 9b 33 c5
c7 e4 a3 05 50 5a 86 ad 35 64 ff 66 5e 1d f6 7f
54 77 82 01 80 1d 50 dd 1d 93 ff 81 ed d0 a5 42
7a b5 c6 1b a4 1b ce 02 7c 78 a1 bd 97 7f 5f f6
fe 5b 10 dc 94 22 b1 8c ec 97 4a 2d 92 7f 16 b3
```

Export...

AT-TLS Data Decryption

- AT-TLS data is always encrypted in the packet trace. By default, Data Trace does not show unencrypted AT-TLS data either for security reason.
- However, user can configure AT-TLS policy to turn on the **CtraceClearText** parameter to trace the unencrypted application data.