


System z Batch Network Analyzer (zBNA) Tool – Because Batch is Back!

John Burg
IBM

March 12, 2014
Session Number 15207



Trademarks

The following are trademarks of the International Business Machines Corporation in the United States and/or other countries.

AlphaBlox*	GDPS*	RACF*	Tivoli*
APPN*	HiperSockets	Redbooks*	Tivoli Storage Manager
CICS*	HyperSwap	Resource Link	TotalStorage*
CICS/VSE*	IBM*	RETAIN*	VSE/ESA
Cool Blue	IBM eServer	REXX	VTAM*
DB2*	IBM logo*	RMF	WebSphere*
DFSMS	IMS	S/390*	zEnterprise
DFSMSHsm	Language Environment*	Scalable Architecture for Financial Reporting	xSeries*
DFSMSrmm	Lotus*	Sysplex Timer*	z9*
DirMaint	Large System Performance Reference™ (LSPR™)	Systems Director Active Energy Manager	z10
DRDA*	Multiprise*	System/370	z10 BC
DS6000	MVS	System p*	z10 EC
DS8000	OMEGAMON*	System Storage	z/Architecture*
ECKD	Parallel Sysplex*	System x*	z/OS*
ESCON*	Performance Toolkit for VM	System z	z/VM*
FICON*	PowerPC*	System z9*	z/VSE
FlashCopy*	PR/SM	System z10	zSeries*
	Processor Resource/Systems Manager		

* Registered trademarks of IBM Corporation

The following are trademarks or registered trademarks of other companies.

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

Cell Broadband Engine is a trademark of Sony Computer Entertainment, Inc. in the United States, other countries, or both and is used under license therefrom.

Java and all Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

ITIL is a registered trademark, and a registered community trademark of the Office of Government Commerce, and is registered in the U.S. Patent and Trademark Office.

IT Infrastructure Library is a registered trademark of the Central Computer and Telecommunications Agency, which is now part of the Office of Government Commerce.

* All other products may be trademarks or registered trademarks of their respective companies.

Notes:

Performance is in Internal Throughput Rate (ITR) ratio based on measurements and projections using standard IBM benchmarks in a controlled environment. The actual throughput that any user will experience will vary depending upon considerations such as the amount of multiprogramming in the user's job stream, the I/O configuration, the storage configuration, and the workload processed. Therefore, no assurance can be given that an individual user will achieve throughput improvements equivalent to the performance ratios stated here.

IBM hardware products are manufactured from new parts, or new and serviceable used parts. Regardless, our warranty terms apply.

All customer examples cited or described in this presentation are presented as illustrations of the manner in which some customers have used IBM products and the results they may have achieved. Actual environmental costs and performance characteristics will vary depending on individual customer configurations and conditions.

This publication was produced in the United States. IBM may not offer the products, services or features discussed in this document in other countries, and the information may be subject to change without notice. Consult your local IBM business contact for information on the product or services available in your area.

All statements regarding IBM's future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only.

Information about non-IBM products is obtained from the manufacturers of those products or their published announcements. IBM has not tested those products and cannot confirm the performance, compatibility, or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

Prices subject to change without notice. Contact your IBM representative or Business Partner for the most current pricing in your geography.

Notice Regarding Specialty Engines (e.g., zIIPs, zAAPs and IFLs):

Any information contained in this document regarding Specialty Engines ("SEs") and SE eligible workloads provides only general descriptions of the types and portions of workloads that are eligible for execution on Specialty Engines (e.g., zIIPs, zAAPs, and IFLs). IBM authorizes customers to use IBM SEs only to execute the processing of Eligible Workloads of specific Programs expressly authorized by IBM as specified in the "Authorized Use Table for IBM Machines" provided at:


www.ibm.com/systems/support/machine_warranties/machine_code/aut.html ("AUT").

No other workload processing is authorized for execution on an SE.

IBM offers SEs at a lower price than General Processors/Central Processors because customers are authorized to use SEs only to process certain types and/or amounts of workloads as specified by IBM in the AUT.

zBNA Topics

- **Capacity Planning Information**
- **Introduction**
 - What and Why
 - New SMF 30 field for Max Task CPU%
 - Sample flow and reports
- **What's New**
 - SMF 42.6s – *new September 2013*
 - Compression and zEDC – *new December 2013*
 - BSAM and QSAM Candidates
 - zBNA Sample Reports
- **Technical Support and Additional Education**



• **System z Capacity Planning Opportunities:**

- Per thread (engine) speed improvements for CMOS CPs is slowing dramatically
 - Every CMOS platform is facing this issue
 - Future capacity gains will be by adding more CPs rather than much faster CPs
 - Enhances need for parallel operation and more reliance on parallel sysplex

- Availability of subcapacity models continues to grow
 - Provide capacity as more, slower processors increasing parallelism
 - Especially useful in environment with large number of LPARs
 - Additional capacity can be acquired in smaller increments
 - Receive benefit since Specialty CPs run at full n-way speed

**Impact of these trends will most likely be seen first in the
Batch Window**

Fewer, Faster CPs vs More, Slower CPs

- **Fewer, Faster CPs**


- High priority workloads see great benefits
- Have the ability to monopolize a CP
- On a migration a previously limited workload can now use more capacity
 - Rejoice
 - Control with WLM resource groups
- Availability Issues

- **More, Slower CPs**

- More work units are active
- Can limit a tasks throughput
- Increased parallelism
- Limits the impact of a workload which monopolizes a CP
- Can trade-off slower CP speeds with a reduction in CPU queue delay

Workload Considerations

Online Transaction





Processor	CPU Time	Other Time	Total
z196-708	.028	.012	.040
zEC12-707	.023	.012	.035
zEC12-611	.036	.012	.048

The real issue is in the **batch window** where CPU time can be significant, and CP speed issues can impact elapsed time and job network time

IBM System z Batch Network Analyzer (zBNA)



- IBM System z Batch Network Analyzer
 - A free, “as is” tool to analyze batch windows
 - Available to Customers, Business Partners and IBMers
 - PC based, and provides graphical and text reports
 - Including Gantt charts and support for Alternate Processors
- Available Now on Techdocs
- <https://www-03.ibm.com/support/techdocs/atmastr.nsf/WebIndex/PRS5132>



Enhanced SMF 30 Reporting

- APAR OA39629 – New Function
- New SMF 30 function to provide enhanced reporting in the CPU Accounting section
 - z/OS 1.12 and above
 - Support in subtypes; interval (2, 3), step (4), job(5)
- Highest percent of CPU time used by a single task in the address space in the interval, step, or job
 - SMF30_Highest_Task_CPU_Percent
- Program name associated with the task with the highest percentage of CPU time in the address space
 - SMF30_Highest_Task_CPU_Program

zBNA Scope of Analysis

- Data Inputs
 - Provide Extractor job run on client systems to capture the data
 - SMF 70, 72,
 - SMF 30 records (subtype 4 for Step info and subtype 5 for Job info)
 - SMF 42 records (subtype 6 for DASD Data Set information)
 - SMF 14, 15 records (for data set compression information)
- Scope of Analysis
 - Scope is primarily single batch window of user defined length
 - What if analysis is how that specific batch window would run in a different environment on an alternate processor
 - Single system view
- Tool Filters
 - Discovered from the data
 - Service classes, job classes, account codes
 - Settable by user
 - Time Window, CPU Seconds, CPU Intensity, Task Intensity, Exclude Jobs, Key Jobs
- Output
 - Save the study (filters, and file names)
 - Generate a suite of output reports

Why use zBNA?

- Identify Batch Resource Usage
 - Filter jobs by attributes like CPU time / intensity, job class, service class, etc.
 - Review the resource consumption of batch jobs
 - Drill down to the individual Steps to see resource usage and DASD Data Sets used
 - Identify job time sequences based on a graphical view

- Help Reduce the “Batch Window” by Identifying Technology Options: CPU, I/O
 - Identify candidate jobs for running on different processors
 - Identify jobs with speed of engine concerns (top tasks %)
 - Perform "what if" analysis and estimate the CPU upgrade effect on batch window
 - Identify DASD Data Sets used by jobs, and Top10 DASD Data Sets overall
 - Identify Compression candidates and estimate number of zEDC Express cards

Typical zBNA Flow

- Load the Data
- Filter the Jobs
 - Graph / Report
 - Additional Information
 - Load the Step Detail for the Filtered Jobs
 - Load the DASD Data Set Detail for the Filtered Jobs
 - Load the DASD Data Set Detail for the Top 10 DASD Data Sets
 - Create Alternate CPU analysis
 - Graph / Report
 - Request zEDC study
- Save the zBNA File

zBNA Filtering Capability

IBM System z Batch Network Analyzer - TEST FILE

File Edit Filters Action Graph Reports Help

Applied Filters: SERVICE CLASS: BATCHHI, BATPRDDF, BATTSTDF
JOB NAMES: M3*, M4*

Mainframe Information: Model: 2817-711, Partition Name: ONLM, SYSID: SYS1, Partition Logical Utilization: 93.7%, CPC Utilization: 93.7%

Key Batch	Job Name	Steps	am	Top Pgm %	Condition Code									
<input checked="" type="checkbox"/>	M373BJ5	11		9.0%	0000									
<input checked="" type="checkbox"/>	M3E0IKSN	4		8.0%	0000									
<input checked="" type="checkbox"/>	M402GX3L	17		4.0%	0000									
<input checked="" type="checkbox"/>	M4E07B1H	132		0.0%	0000									
<input type="checkbox"/>	M36BX4S	3		10.0%	0000									
<input type="checkbox"/>	M373BFD	7		48.0%	0000									
<input type="checkbox"/>	M3EHL8S	2		15.0%	0000									
<input type="checkbox"/>	M373IZS	3		22.0%	0000									
<input type="checkbox"/>	M4E5HEVS	7		18.0%	0000									
<input type="checkbox"/>	M3YHK7SF	26		63.0%	0000									
<input type="checkbox"/>	M34DUG3	15		29.0%	0000									
<input type="checkbox"/>	M373XQ3	5		87.0%	0000									
<input type="checkbox"/>	M3YHK7SE	26		64.0%	0000									
<input type="checkbox"/>	M3YHK7S3	26		62.0%	0000									
<input type="checkbox"/>	M3YHK7SG	26		62.0%	0000									
<input type="checkbox"/>	M3HS23VA	3		49.0%	0000									
<input type="checkbox"/>	M373IAS	3		26.0%	0000									
<input type="checkbox"/>	M373ON4A	4		63.0%	0000									
<input type="checkbox"/>	M3E066SU	2		12.0%	0004									
<input type="checkbox"/>	M3E066SA	2		22.0%	0004									
<input type="checkbox"/>	M3E066SN	2		13.0%	0004									
<input type="checkbox"/>	M34DES3	6		92.0%	0000									
<input type="checkbox"/>	M337F83	5		26.0%	0000									
<input type="checkbox"/>	M373IYS	3		34.0%	0000									
<input type="checkbox"/>	M34D7JS	3		21.0%	0000									
<input type="checkbox"/>	M3E0COS	3		26.0%	0000									
<input type="checkbox"/>	M373CCS	15		13.0%	0000									
<input type="checkbox"/>	M3E066SO	2		15.0%	0004									
<input type="checkbox"/>	M3HS451A	9		23.0%	0000									
<input type="checkbox"/>	M373CNS	5		19.0%	0000									
<input type="checkbox"/>	M3YFUEE	3		21.0%	0000									
<input type="checkbox"/>	M373FPV	9		17.0%	0000									
<input type="checkbox"/>	M373ECS	3		25.0%	0000									
<input type="checkbox"/>	M373BDS	21	J	37397332	BATPRDDF	2.0h	34.1m	0.0s	0.0s	22.1%	18,169,677	DSNECP10	46.0%	0000
<input type="checkbox"/>	M373IUS	14	J	37397332	BATCHHI	55.3m	21.6m	0.0s	0.2s	39.1%	3,407,043	DSNECP10	24.0%	0000

zBNA Filters dialog box:

Job Thresholds: Top Program Pct (0-100) %

GCP Time (secs)

Elapsed Time (secs)

Job Name Include Mask: M3*, M4*

Exclude by Job Name: M373DVF(JOB27670)

Filter by time: From: 4/25/13 00:00:00 To: 4/25/13 07:59:54

36 Jobs

Only JOB end records (type 30 subtype 5) have been loaded.

zBNA – Job Details for Filtered Jobs – Elapsed Time Descending

IBM System z Batch Network Analyzer - TEST FILE

File Edit Filters Action Graph Reports Help


Applied Filters: SERVICE CLASS: BATCHHI, BATPRDDF, BATTSTDF
JOB NAMES: M3*, M4*

Mainframe Information: Model: 2817-711
Partition Name: ONLM
SYSID: SYS1
Partition Logical Utilization: 93.7%
CPC Utilization: 93.7%

Key Batch	Job Name	Steps	Job Class	Acct Code	Service Class	Elapsed Time	CPU Time	zAAP Time	zIIP Time	CPU Intensity	EXCPs	Top Program	Top Pgm %	Condition Code
<input type="checkbox"/>	M373BDS	21	J	37397332	BATPRDDF	6.3h	2.0h	0.0s	0.8s	32.0%	18,169,677	DSNECP10	46.0%	0000
<input type="checkbox"/>	M4E5F3SS			4E595732	BATPRDDF	5.6h	20.7m	0.0s	0.2s	6.2%	19,960,843	DSNECP10	17.0%	0000
<input type="checkbox"/>	M373IYS			37397332	BATCHHI	3.7h	1.3h	0.0s	0.0s	34.8%	144,846	DSNECP10	34.0%	0000
<input type="checkbox"/>	M34DES3			34D94432	BATPRDDF	3.3h	2.0h	0.0s	0.0s	61.6%	31,510	DSNECP10	92.0%	0000
<input type="checkbox"/>	M3YFUEE			3YF3YF32	BATPRDDF	3.0h	48.2m	0.0s	0.0s	27.2%	441	DSNECP10	21.0%	0000
<input type="checkbox"/>	M373ON4A			37397332	BATPRDDF	2.8h	1.2h	0.0s	0.0s	40.8%	56,388	DSNECP10	63.0%	0000
<input type="checkbox"/>	M373ECS	3	J	37597532	BATPRDDF	2.6h	34.1m	0.0s	0.0s	22.1%	316	DSNECP10	25.0%	0000
<input type="checkbox"/>	M373IAS	3	J	37397332	BATCHHI	2.6h	34.2m	0.0s	0.0s	22.2%	67,910	DSNECP10	26.0%	0000
<input type="checkbox"/>	M3E0COS	3	J	3E09E032	BATPRDDF	2.2h	29.6m	0.0s	0.0s	21.9%	4,404	DSNECP10	26.0%	0000
<input type="checkbox"/>	M3E066SO	2	J	3E09E032	BATPRDDF	2.2h	19.6m	0.0s	0.0s	14.9%	344	DSNECP10	15.0%	0004
<input type="checkbox"/>	M373FPV	9	J	37397332	BATCHHI	2.2h	20.0m	0.0s	0.0s	15.2%	1,776,060	DSNECP10	17.0%	0000
<input type="checkbox"/>	M3HS23VA	3	J	3HS3HS32	BATPRDDF	2.0h	46.0m	0.0s	0.0s	37.8%	21,905	DSNECP10	49.0%	0000
<input checked="" type="checkbox"/>	M373BJ5	11	J	37397332	BATPRDDF	2.0h	39.0m	0.0s	0.4s	32.2%	14,821,030	SYNCSORT	9.0%	0000
<input type="checkbox"/>	M3YHK7SG	26	J	3YH3YH32	BATPRDDF	1.6h	38.8m	0.0s	0.0s	39.4%	596,359	DSNECP10	62.0%	0000
<input type="checkbox"/>	M3YHK7S3	26	J	3YH3YH32	BATPRDDF	1.5h	33.9m	0.0s	0.0s	36.6%	512,864	DSNECP10	62.0%	0000
<input type="checkbox"/>	M3YHK7SE	26	J	3YH3YH32	BATPRDDF	1.5h	36.6m	0.0s	0.0s	40.3%	874,506	DSNECP10	64.0%	0000
<input type="checkbox"/>	M373XQ3	5	J	37397332	BATPRDDF	1.5h	56.6m	0.0s	0.0s	62.5%	6,101	DSNECP10	87.0%	0000
<input type="checkbox"/>	M34D7JS	3	J	34D94432	BATPRDDF	1.5h	38.2m	0.0s	0.0s	43.5%	3,735,605	DSNECP10	21.0%	0000
<input type="checkbox"/>	M3YHK7SF	26	J	3YH3YH32	BATPRDDF	1.4h	33.1m	0.0s	0.0s	40.1%	731,964	DSNECP10	63.0%	0000
<input type="checkbox"/>	M34DUG3	15	J	34D94432	BATPRDDF	1.3h	23.9m	0.0s	0.0s	29.5%	21,548	DSNECP10	29.0%	0000
<input type="checkbox"/>	M373CNS	5	J	37397332	BATPRDDF	1.3h	19.9m	0.0s	0.0s	25.3%	392,740	DSNECP10	19.0%	0000
<input checked="" type="checkbox"/>	M3E0IKSN	4	J	3E09E032	BATPRDDF	1.3h	20.3m	0.0s	0.0s	26.5%	1,976,574	DSNECP10	8.0%	0000
<input type="checkbox"/>	M373IZS	3	J	37397332	BATCHHI	1.2h	22.8m	0.0s	0.0s	31.0%	43,231	DSNECP10	22.0%	0000
<input type="checkbox"/>	M337F83	5	J	33793732	BATPRDDF	1.2h	26.6m	0.0s	0.0s	36.3%	2,434,989	DSNECP10	26.0%	0000
<input type="checkbox"/>	M3E066SN	2	J	3E09E032	BATPRDDF	1.2h	17.2m	0.0s	0.0s	23.7%	320	DSNECP10	13.0%	0004
<input type="checkbox"/>	M3E066SA	2	J	3E09E032	BATPRDDF	1.1h	18.2m	0.0s	0.0s	27.1%	340	DSNECP10	22.0%	0004
<input type="checkbox"/>	M4E5HEVS	7	J	4E595732	BATPRDDF	1.1h	15.0m	0.0s	0.0s	23.7%	6,954	DSNECP10	18.0%	0000
<input type="checkbox"/>	M3E066SU	2	J	3E09E032	BATPRDDF	1.0h	498.0s	0.0s	0.0s	13.4%	342	DSNECP10	12.0%	0004
<input type="checkbox"/>	M3HS451A	9	J	3HS3HS32	BATPRDDF	59.4m	21.8m	0.0s	0.0s	36.6%	121,786	DSNECP10	23.0%	0000
<input type="checkbox"/>	M373BFD	7	J	37397332	BATPRDDF	58.5m	19.4m	0.0s	0.0s	33.1%	865,814	DSNECP10	48.0%	0000
<input type="checkbox"/>	M373IUS	14	J	37397332	BATCHHI	55.3m	21.6m	0.0s	0.2s	39.1%	3,407,043	DSNECP10	24.0%	0000
<input checked="" type="checkbox"/>	M402GX3L	17	J	40242032	BATPRDDF	54.2m	27.9m	0.0s	0.0s	51.5%	2,949,226	ENGEXE	4.0%	0000
<input type="checkbox"/>	M373CCS	15	J	37397332	BATPRDDF	45.5m	571.8s	0.0s	0.0s	21.0%	510,039	DSNECP10	13.0%	0000
<input type="checkbox"/>	M3EHL8S	2	J	3EH94932	BATPRDDF	44.5m	12.2m	0.0s	0.0s	27.3%	36,613	DSNECP10	15.0%	0000
<input type="checkbox"/>	M36BX4S	3	J	36B96B32	BATPRDDF	38.1m	13.9m	0.0s	0.0s	36.5%	172,542	DSNECP10	10.0%	0000

36 Jobs

zBNA – Display Graph for Filtered Jobs



zBNA – Step Details for Job M373BDS

Job Information

Job Name: M373BDS Job Number: JOB27655 Number of Steps: 21 Key Batch: No

Start Date: Apr 25, 2013 Start Time: 12:00 AM End Date: Apr 25, 2013 End Time: 6:17 AM

Job Class: J Service Class: BATPRDDF Account Code: 37397332 Condition Code: 0000

Top Task Percent: 46% Top Task: DSNECP10 Duration: 22673.0 Seconds CPU Intensity: 32.0%

Steps


Key Batch	Start Date	Start Time	End Date	End Time	Job Name	Step Name	Program N...	Step Number	Sub Type	Job Class	Acct Co
<input type="checkbox"/>	4/25/13	0:00:00	4/25/13	6:17:53	M373BDS			21		5 J	37397332
<input type="checkbox"/>	4/25/13	0:00:00	4/25/13	2:31:54	M373BDS	S373BD3	LNMH1W23	3		4 J	
<input type="checkbox"/>	4/25/13	2:31:53	4/25/13	2:39:30	M373BDS	EDFNXS3	LHEJHQHU	4		4 J	
<input type="checkbox"/>	4/25/13	2:39:29	4/25/13	2:47:19	M373BDS	EDFNXS4	LHEJHQHU	5		4 J	
<input type="checkbox"/>	4/25/13	2:47:18	4/25/13	2:50:29	M373BDS	EDFNXS5	LHEJHQHU	6		4 J	
<input type="checkbox"/>	4/25/13	2:50:28	4/25/13	2:51:12	M373BDS	EDFNXS6	LHEJHQHU	7		4 J	
<input type="checkbox"/>	4/25/13	2:51:11	4/25/13	2:52:46	M373BDS	EDFNXS7	LHEJHQHU	8		4 J	
<input type="checkbox"/>	4/25/13	2:52:45	4/25/13	2:55:26	M373BDS	VRUWBD3	VBQFVRUW	9		4 J	
<input type="checkbox"/>	4/25/13	2:55:25	4/25/13	3:02:36	M373BDS	S373BD4	LNMH1W23	10		4 J	

→ Scroll to see the remaining Steps.

Acct Code	Service Cla...	Report Class	Duration	CPU Time	zAAP Time	zIIP Time	EXCP	CPU Intensity	Top Task	Top Task %
37397332	BATPRDDF		22673	7,246.09	0.00	0.76	18169677	0.3195909...	DSNECP10	46.0
	BATPRDDF		9114	2,228.11	0.00	0.00	2857559	0.2444707...	DSNECP10	29.0
	BATPRDDF		457	13.77	0.00	0.00	1263029	0.0301312...	IEFIIC	0.0
	BATPRDDF		470	8.16	0.00	0.00	2695024	0.0173617...	IEFIIC	0.0
	BATPRDDF		191	3.67	0.00	0.00	1069746	0.0192146...	IEFIIC	0.0
	BATPRDDF		44	0.78	0.00	0.00	228224	0.0177272...	IEFIIC	0.0
	BATPRDDF		95	1.72	0.00	0.00	455276	0.0181052...	IEFIIC	0.0
	BATPRDDF		161	4.11	0.00	0.34	3967	0.0255279...	IEFIIC	0.0
	BATPRDDF		431	12.05	0.00	0.00	1375561	0.0279582...	IEFIIC	0.0

→ Scroll to see the remaining columns.

zBNA Alternate Processor Analysis – z196-711 to zEC12-607



zBNA What's New and Next?

- What's New – [September 2013](#)
 - Update with DASD Data Set Information
 - Process SMF 42 records
 - Information on response times, blocking, I/O rates, read:write ratios, more
 - What DASD data sets are used in a job
 - What are the set of jobs that use a DASD data set - LOADS
- What's New – [December 2013](#)
 - zEDC BSAM/QSAM Compression Candidates
- What's Next - ?
 - Provide Alternate Support for Compression

Note: These statements represent the current intention of IBM. IBM reserves the right to change or alter the IBM System z Batch Network Analyzer plans in the future or to exclude certain releases beyond those stated. IBM development plans are subject to change or withdrawal without further notice. Any reliance on this statement of direction is at the relying party's sole risk and does not create any liability or obligation for IBM.

SMF 42.6 DASD Data Set Information

New with zBNA 1.2 in September 2013

Filter” BATCHHI Service Class, Jobs M4E07*, >10 sec CPU and >100 sec Elapsed - Select Job M4E07B1H then (right click) Job Data Set Report

IBM System z Batch Network Analyzer - TEST FILE

File Edit Filters Action Graph Reports Help

Applied Filters

JOB NAMES: M4E07*

Mainframe Information

Model: 2817-711
 Partition Name: ONLM
 SYSID: SYS1
 Partition Logical Utilization: 93.7%
 CPC Utilization: 93.7%

Key Batch	Job Name	Steps	Job Class	Acct Code	Service Cla...	Elapsed TI...	CPU Time	zAAP Time	zIIP Time	CPU Intens...	EXCPs	Top Program	Top Pgm %	Condition ...
<input type="checkbox"/>	M4E07EMH	99	B	4E595732	BATCHHI	129.0s	10.8s	0.0s	0.0s	8.4%	90,392	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E07WWH	126	B	4E595732	BATCHHI	120.0s	11.6s	0.0s	0.0s	9.7%	124,052	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E07HZH	128	B	4E595732	BATCHHI	27.8m	114.5s	0.0s	0.2s	6.9%	3,499,688	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E07HZF	51	B	4E595732	BATCHHI	107.0s	22.7s	0.0s	0.0s	21.1%	23,613	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E07N7H	212	B	4E595732	BATCHHI	179.0s	19.7s	0.0s	0.0s	11.0%	186,397	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E07HBH	212	B	4E595732	BATCHHI	143.0s	13.8s	0.0s	0.0s	9.6%	79,513	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E072HH	171	B	4E595732	BATCHHI	129.0s	13.5s	0.0s	0.0s	10.5%	106,668	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E07LHH	124	B	4E595732	BATCHHI	248.0s	20.1s	0.0s	0.0s	8.1%	438,290	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E070TH	212	B	4E595732	BATCHHI	271.0s	16.2s	0.0s	0.0s	6.0%	76,878	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E07AIH	90	B	4E595732	BATCHHI	134.0s	10.3s	0.0s	0.0s	7.6%	130,425	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E072GH	212	B	4E595732	BATCHHI	18.1m	90.5s	0.0s	0.1s	8.3%	1,182,800	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E07APH	131	B	4E595732	BATCHHI	26.3m	121.9s	0.0s	0.0s	7.7%	4,479,181	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E07HRH	126	B	4E595732	BATCHHI	107.0s	11.4s	0.0s	0.0s	10.6%	123,460	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E07HCH	126	B	4E595732	BATCHHI	119.0s	12.2s	0.0s	0.0s	10.2%	164,071	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E0768H	90	B	4E595732	BATCHHI	114.0s	10.3s	0.0s	0.0s	8.9%	120,118	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E0799H	130	B	4E595732	BATCHHI	129.0s	13.5s	0.0s	0.0s	10.4%	180,207	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E07B0H	132	B	4E595732	BATCHHI	484.0s	36.3s	0.0s	0.1s	7.5%	972,318	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E07B1H	132	B	4E595732	BATCHHI	16.5m	71.9s	0.0s	0.1s	7.2%	3,028,474	IEFIIC	0.0%	0000
<input type="checkbox"/>	M4E0715H	90	B	4E595732	BATCHHI	112.0s	10.0s	0.0s	0.0s	8.9%	72,482	IEFIIC	0.0%	0000

19 Jobs

Only JOB end records (type 30 subtype 5) have been loaded.

Job M4E07B1H Job Data Set Report – Sorted in Total I/O Time Descending

Job Dataset Report

File Edit Action

Job Details:

Job Name: M4E07B1H Key Batch: No Elapsed Time: 991.79 Seconds CPU Intensity: 7.2%

Start Date: Apr 25, 2013 Start Time: 7:24 AM End Date: Apr 25, 2013 End Time: 7:41 AM

Step	Step Number	DSN	Total IOTime	IO Count	Response Time	Queue Time	Pending Time	Connect Time	Disconn Time
S4E5N227	92	I4E5SEY.M4E57B1S.SOQDVSG.LQGHA	188.0s	1879622	0.1	0.0	0.0	0.0	
S4E5H22E	76	I4E5SE.M4E57B1S.PHD.HAWUDFW.J2439Y22	42.1s	619	68.0	0.0	0.1	34.6	
S4E0T8A4	66	Y325.L576.WPV	25.0s	249682	0.1	0.0	0.0	0.0	
S4E03FQG	44	I4E0SEY.M4E07B1S.HAW2KLS.GDWD	22.5s	7746	2.9	0.0	0.0	2.8	
S4E5N27G	91	I4E5SE.VRUWILOH.M4E57B1S.J2421Y22	19.8s	738	26.8	0.0	0.0	20.7	
S4E5H22E	76	I4E5SE.SE5H2233.M4E57B1S	19.5s	698	28.0	0.0	0.0	21.5	
S4E03FQ7	36	VBV35337.W294677.UD222.M4E07B1H.U2910380	15.7s	83	189.0	0.0	1.4	159.3	
S4E5N26F	82	I4E5SE.SE5N226F.M4E57B1S	15.6s	10401	1.5	0.0	0.0	1.4	
S4E5N24E	75	I4E5SE.SE5N2233.M4E57B1S	13.2s	145	90.7	0.0	0.0	84.2	
S4E5N27E	89	I4E5SE.HAWUDFW.M4E57B1S.ILOH	12.8s	3276	3.9	0.0	0.0	2.5	
S4E5N227	92	I4E5SE.VRUWILOH.M4E57B1S.J2421Y22	8.4s	5249	1.6	0.0	0.0	1.5	
S4E03FQJ	47	I4E0SEY.M4E07B1S.HAW2KLS.LQGHA	8.4s	83547	0.1	0.0	0.0	0.0	
S4E5N225	78	I4E5SE.SE5N2253.M4E57B1S	8.1s	145	56.0	0.0	0.1	45.0	
S4E5N227	92	I4E5SEY.M4E57B1S.SOQDVSG.GDWD	8.1s	81184	0.1	0.0	0.0	0.0	

OK

Job M4E07B1H “Life of a Data Set” I4E5SEY.M4E57B1S.SOQDVSG.LQGHA Report

zBNA: Life of a Dataset X

File Edit Action

Data Set Details:
 Data Set: I4E5SEY.M4E57B1S.SOQDVSG.LQGHA Number of Job Steps: 2

Job	Step	Step Number	Job Number	Step End	Total I/O Time	I/O Count	Response Time	Queue Time	Pending Time	Connect Time	Disconnect Time
M4E07B1H	S4E5N27D	88	JOB21576	04/25/2013 07:31:53	0.1s	130	1.1	0.0	0.0	1.0	0.0
M4E07B1H	S4E5N227	92	JOB21576	04/25/2013 07:41:01	188.0s	1,879,622	0.1	0.0	0.0	0.0	0.0

Investigate SMF 64s and consider increasing LSR / NSR buffers to hold Index Set and potentially eliminate ~3 Minutes of I/O time

OK

“Top 10” Data Sets Report

zBNA: Top 10 Data Sets

File Edit

DSN	Total IOTime
VBV3.VFHHUXQ	51.0m
Y401SR.F7WQSOQW.SODQ.GDWD	36.7m
I329SR.F7WQSURG.SODQ.GDWD	33.8m
I355.QT.DD33.B	33.2m
I355.QT.DF33.B	32.5m
I355.QT.DE33.B	30.5m
I355.QT.DG33.B	28.8m
Y401SR.F7WQSURG.SODQ.GDWD	28.9m
I373.S73BJ324.SUYWLU.IWS	28.7m
I373.S73BJ525.SUYWLU.IWS	27.9m

“Life of a Data Set” (LOADS) Report – I355.QT.DD33.B - Sorted in Step End Ascending

zBNA: Life of a Dataset

File Edit Action

Data Set Details:
Data Set: I355.QT.DD33.B Number of Job Steps: 395

Job	Step	Step Number	Job Number	Step End	Total IOTime	IO Count	Response Time	Queue Time	Pending Time	Connect Time	Disconnect Time
M4E5H7S	S4EH7S5	5	JOB29802	04/25/2013 00:16:01	1.3s	199	6.7	0.0	0.1	0.1	6.5
M4E5UHS3	VWHS7	11	JOB29797	04/25/2013 00:16:17	0.1s	11	5.1	0.0	0.1	0.3	4.4
M4E077VH	S4E5N27D	46	JOB29932	04/25/2013 00:16:37	0.0s	4	2.4	0.0	0.1	0.1	2.6
M4E0N7GH	S4E5N27D	55	JOB29876	04/25/2013 00:16:40	0.0s	2	3.7	0.0	0.0	0.2	3.9
M4E0N7GF	VWHS2302	25	JOB30315	04/25/2013 00:21:17	0.0s	1	0.3	0.0	0.1	0.1	0.5
M4E0YEDF	VWHS2302	25	JOB30739	04/25/2013 00:31:42	4.6s	860	5.4	0.0	0.1	0.2	4.9
M35703S	S357024	3	JOB31246	04/25/2013 00:34:25	0.0s	126	0.3	0.0	0.0	0.1	0.4
M35702S	S357024	3	JOB31261	04/25/2013 00:34:59	0.7s	2,440	0.3	0.0	0.1	0.1	0.9
M4E0XCOH	S4E5N27D	80	JOB31288	04/25/2013 00:35:30	0.0s	2	7.4	0.0	0.1	0.1	7.6
M35703S	S357020	12	JOB31246	04/25/2013 00:36:19	0.0s	124	0.3	0.0	0.1	0.1	0.4
M35703S	S357028	13	JOB31246	04/25/2013 00:36:24	0.0s	126	0.3	0.0	0.1	0.1	0.4
M4E0XCOF	VWHS2302	25	JOB31578	04/25/2013 00:37:30	0.0s	1	0.3	0.0	0.1	0.1	0.5
M35700S	S357093	5	JOB31515	04/25/2013 00:41:00	0.3s	76	4.4	0.0	0.1	0.2	3.9
M35702S	S357020	12	JOB31261	04/25/2013 00:53:33	12.3s	2,414	5.1	0.0	0.1	0.2	4.4
M35702S	S357028	13	JOB31261	04/25/2013 00:55:14	1.7s	2,467	0.7	0.0	0.1	0.2	0.9
M35709G	S357093	13	JOB32268	04/25/2013 01:01:50	1.4s	219	6.2	0.0	0.1	0.8	5.5
M35709H	S357093	13	JOB32263	04/25/2013 01:02:00	1.2s	263	4.7	0.0	0.1	0.9	3.9
M35709E	S357093	13	JOB32266	04/25/2013 01:02:07	1.8s	322	5.4	0.0	0.1	0.8	4.4
M35709F	S357093	13	JOB32267	04/25/2013 01:02:56	2.1s	343	6.2	0.0	0.1	1.5	4.3
M35709D	S357093	13	JOB32265	04/25/2013 01:04:24	2.1s	329	6.5	0.0	0.1	1.4	4.3

OK

“Life of a Data Set” (LOADS) Report – I355.QT.DD33.B – Sorted in Total I/O Time Descending

zBNA: Life of a Dataset

File Edit Action

Data Set Details:
Data Set: I355.QT.DD33.B Number of Job Steps: 395

Job	Step	Step Number	Job Number	Step End	Total IOTime	IO Count	Response Time	Queue Time	Pending Time	Connect Time	Disconnect Time
M354KQR	VWHS23	2	JOB02903	04/25/2013 03:43:08	24.8m	281,099	5.3	0.0	0.0	0.3	4.5
M354GJS	S354GO3	3	JOB03191	04/25/2013 03:22:10	460.0s	82,127	5.6	0.0	0.0	0.5	4.7
M35702S	S357020	12	JOB31261	04/25/2013 00:53:33	12.3s	2,414	5.1	0.0	0.1	0.2	4.4
M4E0YHBH	S4E5N27D	86	JOB10179	04/25/2013 04:20:52	5.6s	1,194	4.7	0.0	0.1	0.6	3.9
M4E0YWGH	S4E5N27D	148	JOB01395	04/25/2013 01:34:20	4.7s	745	6.2	0.0	0.1	2.1	3.8
M4E0YEDF	VWHS2302	25	JOB30739	04/25/2013 00:31:42	4.6s	860	5.4	0.0	0.1	0.2	4.9
M4E5DGAS	VWHS223	3	JOB02930	04/25/2013 02:20:23	3.2s	1,327	2.4	0.0	0.1	0.5	1.5
M4E0XBQH	S4E5N27D	82	JOB20027	04/25/2013 07:10:23	2.8s	467	6.0	0.0	0.1	1.5	4.2
M4E563S	S4E5634	3	JOB16213	04/25/2013 06:09:27	2.7s	558	4.9	0.0	0.1	0.2	4.4
M35709D	S357093	13	JOB32265	04/25/2013 01:04:24	2.1s	329	6.5	0.0	0.1	1.4	4.8
M35709F	S357093	13	JOB32267	04/25/2013 01:02:56	2.1s	343	6.2	0.0	0.1	1.6	4.2
M35709E	S357093	13	JOB32266	04/25/2013 01:02:07	1.8s	322	5.4	0.0	0.1	0.8	4.4
M35702S	S357028	13	JOB31261	04/25/2013 00:55:14	1.7s	2,467	0.7	0.0	0.1	0.2	0.2
M35709G	S357093	13	JOB32268	04/25/2013 01:01:50	1.4s	219	6.2	0.0	0.1	0.8	5.1
M4E5H7S	S4EH7S5	5	JOB29802	04/25/2013 00:16:01	1.3s	199	6.7	0.0	0.1	0.1	6.1
M35709H	S357093	13	JOB32263	04/25/2013 01:02:00	1.2s	263	4.7	0.0	0.1	0.9	3.6
M4E0XWJH	S4E5N27D	82	JOB21988	04/25/2013 07:32:03	1.2s	314	3.8	0.0	0.1	0.1	3.4
M4E0YTRH	S4E5N27D	46	JOB23296	04/25/2013 07:47:50	1.1s	251	4.3	0.0	0.1	0.2	3.9
M35702S	S357024	3	JOB31261	04/25/2013 00:34:59	0.7s	2,440	0.3	0.0	0.1	0.1	0.0
M4E07HCH	S4E5N27D	82	JOB18469	04/25/2013 06:42:49	0.7s	153	4.8	0.0	0.1	0.6	3.9
M4E0Y7ZH	S4E5N27D	125	JOB01165	04/25/2013 01:23:44	0.7s	157	4.3	0.0	0.1	0.1	3.9

OK

Investigate I/O technology to reduce I/O Response Times

What's New?

IBM zEnterprise Data Compression (zEDC)

DFSMS - *BSAM/QSAM Exploitation* – PTF for APAR OA42195

- z/OS DFSMS (BSAM/QSAM) introduces a new type of compression (zEDC) for non-VSAM extended format data sets. This will be provided in 2014 via PTF on z/OS V2R1
- Customers who don't currently compress their BSAM/QSAM data may take advantage of the disk space savings available through zEDC compression with minimal CPU overhead. This allows more information to be kept online at a lower cost.
- DASD space requirements for BSAM/QSAM data may be reduced
 - These savings apply to production storage, to copies of production data at remote sites, to data on test systems, and to data archived on disk.
- The CPU cost of compressing BSAM/QSAM data may be reduced
- When using zEDC compression compared to existing BSAM/QSAM compression options, disk space savings may vary depending on the compression options

Initial zEDC Compression Reports

- **zEDC Compression Eligible Criteria for DFSMS BSAM/QSAM Data Sets**
 - Non-VSAM
 - Extended Format or Not Extended Format
 - EXCP = NO
 - Cannot be Open for Update
 - Cannot be Open with EDI processing
 - Data Set Size (Initial Allocation) >5 MB (or >8 MB if no secondary allocation)
 - Not Compressed (although could convert from Generic/Tailored to zEDC compression)
- **Reports**
 - Top zEDC Compression Candidate DASD Data Sets
 - Eligible and Extended Format
 - Eligible and not Extended Format (needs to be converted to Extended Format)
 - Eligible already Compressed (already Extended Format – required by Generic/Tailored compression)
 - Estimate of Number of zEDC Cards Required by Hour

zEDC Analysis

IBM System z Batch Network Analyzer - TEST FILE

File Edit Filters Action Graph Reports Help

Applied Filters: SERVICE CLASS: B, JOB NAMES: M3*, STDF

Mainframe Information: Model: 2817-711, Partition Name: ONLM, SYSID: SYS1, Partition Logical Utilization: 93.7%, CPC Utilization: 93.7%

Set Alternate CPUs
Flag Transition Jobs
Job Dataset Report
Top 10 Dataset Report
zEDC: Compression

Key Batch	Job Name	Steps	Job Class	Acct Code	Service Class	Elapsed Time	CPU Time	zAAP Time	zIIP Time	CPU Intensity	EXCPs	Top Program	Top Pgm %	Condition Code
<input type="checkbox"/>	M36BX4S	3	J	36B96B32	BATPRDDF	38.1m	13.9m	0.0s	0.0s	36.5%	172,542	DSNECP10	10.0%	0000
<input type="checkbox"/>	M373BFD	7	J	37397332	BATPRDDF	58.5m	19.4m	0.0s	0.0s	33.1%	865,814	DSNECP10	48.0%	0000
<input type="checkbox"/>	M3EHL8S	2	J	3EH94932	BATPRDDF	44.5m	12.2m	0.0s	0.0s	27.3%	36,613	DSNECP10	15.0%	0000
<input type="checkbox"/>	M373I2S	3	J	37397332	BATCHHI	1.2h	22.8m	0.0s	0.0s	31.0%	43,231	DSNECP10	22.0%	0000
<input type="checkbox"/>	M4E5HEVS	7	J	4E595732	BATPRDDF	1.1h	15.0m	0.0s	0.0s	23.7%	6,954	DSNECP10	18.0%	0000
<input type="checkbox"/>	M3YHK7SF	26	J	3YH3YH32	BATPRDDF	1.4h	33.1m	0.0s	0.0s	40.1%	731,964	DSNECP10	63.0%	0000
<input type="checkbox"/>	M34DUG3	15	J	34D94432	BATPRDDF	1.3h	23.9m	0.0s	0.0s	29.5%	21,548	DSNECP10	29.0%	0000
<input type="checkbox"/>	M373XQ3	5	J	37397332	BATPRDDF	1.5h	56.6m	0.0s	0.0s	62.5%	6,101	DSNECP10	87.0%	0000
<input type="checkbox"/>	M3YHK7SE	26	J	3YH3YH32	BATPRDDF	1.5h	36.6m	0.0s	0.0s	40.3%	874,506	DSNECP10	64.0%	0000
<input type="checkbox"/>	M3YHK7S3	26	J	3YH3YH32	BATPRDDF	1.5h	33.9m	0.0s	0.0s	36.6%	512,864	DSNECP10	62.0%	0000
<input type="checkbox"/>	M3YHK7SG	26	J	3YH3YH32	BATPRDDF					39.4%	596,359	DSNECP10	62.0%	0000
<input type="checkbox"/>	M3HS23VA	3	J	3HS3HS32	BATPRDDF					37.8%	21,905	DSNECP10	49.0%	0000
<input type="checkbox"/>	M373IAS	3	J	37397332	BATCHHI					22.2%	67,910	DSNECP10	26.0%	0000
<input type="checkbox"/>	M373ON4A	4	J	37397332	BATPRDDF					40.8%	56,388	DSNECP10	63.0%	0000
<input type="checkbox"/>	M3E066SU	2	J	3E09E032	BATPRDDF					13.4%	342	DSNECP10	12.0%	0004
<input type="checkbox"/>	M3E066SA	2	J	3E09E032	BATPRDDF					27.1%	340	DSNECP10	22.0%	0004
<input type="checkbox"/>	M3E066SN	2	J	3E09E032	BATPRDDF					23.7%	320	DSNECP10	13.0%	0004
<input type="checkbox"/>	M34DES3	6	J	34D94432	BATPRDDF					61.6%	31,510	DSNECP10	92.0%	0000
<input type="checkbox"/>	M337F83	5	J	33793732	BATPRDDF					36.3%	2,434,989	DSNECP10	26.0%	0000
<input type="checkbox"/>	M373IYS	3	J	37397332	BATCHHI					34.8%	144,846	DSNECP10	34.0%	0000
<input type="checkbox"/>	M34D7JS	3	J	34D94432	BATPRDDF					43.5%	3,735,605	DSNECP10	21.0%	0000
<input type="checkbox"/>	M3E0COS	3	J	3E09E032	BATPRDDF	2.2h	29.6m	0.0s	0.0s	21.9%	4,404	DSNECP10	26.0%	0000
<input checked="" type="checkbox"/>	M373BJ5	11	J	37397332	BATPRDDF	2.0h	39.0m	0.0s	0.4s	32.2%	14,821,030	SYNCSORT	9.0%	0000
<input type="checkbox"/>	M373CCS	15	J	37397332	BATPRDDF	45.5m	571.8s	0.0s	0.0s	21.0%	510,039	DSNECP10	13.0%	0000
<input type="checkbox"/>	M3E066SO	2	J	3E09E032	BATPRDDF	2.2h	19.6m	0.0s	0.0s	14.9%	344	DSNECP10	15.0%	0004
<input type="checkbox"/>	M3HS451A	9	J	3HS3HS32	BATPRDDF	59.4m	21.8m	0.0s	0.0s	36.6%	121,786	DSNECP10	23.0%	0000
<input type="checkbox"/>	M373CNS	5	J	37397332	BATPRDDF	1.3h	19.9m	0.0s	0.0s	25.3%	392,740	DSNECP10	19.0%	0000
<input checked="" type="checkbox"/>	M3E0IKSN	4	J	3E09E032	BATPRDDF	1.3h	20.3m	0.0s	0.0s	26.5%	1,976,574	DSNECP10	8.0%	0000
<input type="checkbox"/>	M3YFUEE	3	J	3YF3YF32	BATPRDDF	3.0h	48.2m	0.0s	0.0s	27.2%	441	DSNECP10	21.0%	0000
<input type="checkbox"/>	M373FPV	9	J	37397332	BATCHHI	2.2h	20.0m	0.0s	0.0s	15.2%	1,776,060	DSNECP10	17.0%	0000
<input type="checkbox"/>	M373ECS	3	J	37597532	BATPRDDF	2.6h	34.1m	0.0s	0.0s	22.1%	316	DSNECP10	25.0%	0000
<input checked="" type="checkbox"/>	M402GX3L	17	J	40242032	BATPRDDF	54.2m	27.9m	0.0s	0.0s	51.5%	2,949,226	ENGEXE	4.0%	0000
<input type="checkbox"/>	M373BDS	21	J	37397332	BATPRDDF	6.3h	2.0h	0.0s	0.8s	32.0%	18,169,677	DSNECP10	46.0%	0000
<input type="checkbox"/>	M373IUS	14	J	37397332	BATCHHI	55.3m	21.6m	0.0s	0.2s	39.1%	3,407,043	DSNECP10	24.0%	0000
<input type="checkbox"/>	M4E5F3SS	66	J	4E595732	BATPRDDF	5.6h	20.7m	0.0s	0.2s	6.2%	19,960,843	DSNECP10	17.0%	0000


36 Jobs

Progress...

Reading .dat file for 14 & 15 data.

Cancel

Estimated zEDC Cards Report



zEDC Top Data Sets

zBNA: zEDC Top Data Sets

File Edit

Show Compressed Files

Show EF Files (not compressed)

Show PS Files (not EF and not EXCP)

Show by Rate or MB?

by Rate (MB/sec)

by MB (total)

DSN	File Type	MB
I373.S73BJ324.SJYWLU.IWS	COMP	281256
I373.S73BJ525.SJYWLU.IWS	COMP	234674
I38K.I68S.UA592.VXE.HHLG3.J3385Y22	COMP	93490
I38K.UA592.VXE.HHLG3.J3994Y22	COMP	93431
I38K.I68S.UA592.VXE.HHLG5.J3385Y22	COMP	89014
I38K.VXEGWO.VRUW04.II ILG5	COMP	09556
I38K.I68S.UA592.VXE.HHLG7.J3385Y22	COMP	89369
I38K.I68S.UA592.VXE.HHLG4.J3385Y22	COMP	89357
I38K.UA592.VXE.HHLG7.J3992Y22	COMP	89311
I38K.VXEGWO.VRUW04.HHLG7	COMP	89310
I38K.UA592.VXF.HHLG4.J3993Y22	COMP	89299
I38K.I68S.UA592.VXE.HHLG6.J3385Y22	COMP	89275
I38K.VXEGWO.VRUW04.HHLG6	COMP	89215
I373.S73BF42.SJYWLU3.RXWSXW.ILQD0.J2282Y22	COMP	57968
I3NOSE.UFH.FODLPHAW.LAHG	COMP	56448
I373.J73BJ523.GHOWD.SUYDHA.FXUUHQW.J2258Y22	COMP	47649
I38K.I69S.UA592.GHS.HHLG3.J3885Y22	COMP	47461
I38K.I69S.UA592.GHS.HHLG5.J3885Y22	COMP	47141

Send Table Data to Report File

OK

Cancel

What's New – Future?


- **Looking at adding Job Scheduler information to zBNA**
 - Would this be of value to you?
 - What Job Schedulers are you running?

- **What other function would be of value to you?**

Summary

- CMOS per thread speed concerns will continue to grow and the batch window will need to be reviewed to ensure seamless growth
 - Focus and tune I/O portions
 - Parallelize operations
- zBNA provides an easy to use, graphical interface to identify workloads, if any, which need additional examination
- zBNA can help identify technology options to reduce the Batch Window
- Use the tool and let us know how you like it
 - Available from
 - www.ibm.com/support/techdocs/atmastr.nsf/WebIndex/PRS5132
 - Education Tab has:
 - User's Guide
 - Recorded Demo from June 2013
 - Lab exercise
 - Sample files

Updated for zBNA 1.4.2



**Thank You for
Attending!**

Techdocs provides the latest ATS technical collateral

www.ibm.com/support/techdocs

United States [change]

IBM

Home Solutions ▾ Services ▾ Products ▾ Support & downloads ▾ My IBM ▾

Welcome Kathy Walsh [Not you?] [IBM Sign in]

Techdocs - the Technical Sales Library

Techdocs Library

- Flashes
- Presentations & tools
- Technotes & tips
- FAQs
- White papers
- Solution scenario profiles
- Customer support plans
- Sizings
- Auxiliary Material
- Search Techdocs
- Techdocs feedback

Related links

- Redbook publications
- IBM Software Support Handbook

New to Techdocs? Is this your first visit to **Techdocs** (the Technical Sales Library)?
→ [Learn more](#)

Returning to Techdocs? Looking for what's new in the **Techdocs Library**?
→ [Latest updates](#)

Need Technical Support? Looking for support resources or other documents and tools?
→ [Support & downloads](#)

This site provides access to the Technical Sales Support organization's technical information databases. It gives you access to the most current installation, planning and technical support information available from IBM pre-sales support, and is constantly updated. You can browse or search these databases by date, document number, product, platform, keywords, etc.

New to Techdocs? Take a look at our [detailed introduction](#), which describes the document categories available (those listed on the navigation area on the left side of this page).

Rather than browse these categories, as a convenience you may enter a search of the full **Techdocs** database, or of any category you wish, here:

Search: Allow word variants
 "Fuzzy" search
 for:
 Hits: Order by:
 Include docs updated: [Help for Search](#)

Also available: our [Advanced search](#), where you can select documents based on various assigned document attributes.

Connect with IBM System z on social media!

Subscribe to the new [IBM Mainframe Weekly](#) digital newsletter to get the latest updates on the IBM Mainframe!

LinkedIn

[System z Advocates](#) **
[IBM Mainframe- Unofficial Group](#)
[IBM System z Events](#)
[Mainframe Experts Network](#)
 SHARE



facebook

[IBM System z](#) **
[IBM Master the Mainframe Contest](#)
[IBM Destination z](#)
 SHARE Inc.

twitter

[IBM System z](#) **
[IBM System z Events](#)
[Destination z](#)
 SHARE

System z SMEs and Executives:
 Deon Newman - [@deonnewm](#)
 Steven Dickens - [@StevenDickens3](#)
 Michael Desens - [@MikeDesens](#)
 Patrick Toole - [@Pat Toole II](#)
 Kelly Ryan - [@KellykmRyan](#)
 Richard Gamblin - [@RichGx](#)

Blogs

[IBM Mainframe Insights](#) **
[Millennial Mainframer](#)
[#MainframeDebate](#) blog
[SHARE](#) blog
[IBM Destination z](#)



You Tube

[IBM System z](#) **
[Destination z](#)

tumblr.

[IBM Mainframe50](#)

Include the hashtag [#mainframe](#) in your social media activity and [#mainframe50](#) in 50th anniversary activity