

Modern Environment for z/OS Development


Rosalind Radcliffe

rradclif@us.ibm.com

Venkat Balabhadrapatruni venkatu@us.ibm.com

August 4th, 2014

Session: 16054







Purpose and Presentation flow


- Purpose ... to present application development tools as a user might use them through the software development life cycle
- Flow
 - Overview
 - Software development
 - Tools
 - Walk through the life cycle and tooling that supports each step



SHARE, Educate · Network · Influence

IBM DevOps accelerates enterprise software delivery

Enterprise capability for continuous software delivery that enables you to seize market opportunities and reduce time to customer feedback



Accelerate software delivery – for faster time to value

Balance speed, cost, quality and risk – for increased capacity to innovate Reduce time to customer feedback – for improved customer experience



Overview of Supported Production Scenario




Project Manager or Support Team has submitted Project Change Request ...

1: Review Change Request

- Analyze application to be changed
- Size/scope effort and risk of change
- Submit to Project Manager for review, approval and scheduling

4: Promote and deploy enhancement

- Promote changes from development to test
- Create update package with set of changes from development
- Deploy update package to the test environment



2: Review and Approve Change Request

- Review analysis for change request and approve for scheduling
- Create development work item(s) for implementation
- Add work to project plan

3: Implement required changes, build and deliver

- Analyze source to identify modifications
 - Implement and test modifications
- Perform personal build and deliver new features



Development Life Cycle



Planning	Source Dev	Governance/Unit test		Build	
Define the tasks Create a plan Create a work ite Assign the work item to a develop	Load the project/source artifacts from SCI Navigate, Analyze Edit, Syntax chec source code	Compile Quality assurance	•	Check-in/Deliver t source code Build	the
CLM	RDz	RDz		RTC	

RD&T

RTC




RDz

RTC

Collaborative application lifecycle management

Deploy new, common team infrastructure for source control, change management and build that empowers your team with integrated collaboration, process automation and reporting



"Building an agile development team requires a multiplatform approach, and Sodifrance uses Rational Developer for System z and Rational Team Concert for System z to help application teams synchronize their efforts and improve collaboration.

Rational on System z offers a powerful and valuable combination for any company that wants to boost its development team's productivity."

— Hugh Smith, Project Manager, Sodifrance




Rational Team Concert – A single tool, many capabilities




Work Items



Planning



Source Control




Builds – Continuous



Dashboards & Reporting



 Method Enforcement and Automation



Rational Developer for System z:

An Integrated Development Environment for System z



Integration with Team Concert for Lifecycle and Source Management






Access to typical System z sub-system functionality in z/OS, CICS, IMS, DB2, WAS

Integration with Asset Analyzer for Application Understanding and Impact Analysis



Rational Developer for System z



Out of the Box debugger and code coverage capabilities



Integration with Fault Analyzer for Dump Analysis



A modern IDE for productive development of cross-platform applications written in COBOL, PL/I, ASM, Java, EGL or C/C++ in System z CICS, IMS, DB2, Batch applications



Integration with RD&T for flexible access to System z environment


Integration with File Manager for file and test data handling



The Benefits of RDz




Instead of maneuvering to access panels and working **sequentially**, in RDz the functionality you need is always in-focus – you work **concurrently**



Traditional development and Enterprise web services





Supports traditional development/maintenance

Cobol, PL/I, Assembler, JCL

Supports modern architecture development

Enterprise Service Tools


Single service projects

Top down, bottom up, and meet in the middle web service enablement for CICS, IMS, and **Batch/TSO environments**



Service flow projects **Graphical composition of CICS applications** chained together to form a new business

service.



Enable Enterprise Applications for Mobile and Web






000047

000048 i2| 000050 000051 000052

Rational Development and Test Environment for System z



The ultimate in modern application development for System z





- Increase availability of z/OS testing environment and resources
 - Liberate developers to rapidly prototype new applications
 - Develop and test System z applications anywhere, anytime!
 - Eliminate costly delays by reducing dependencies on operations staff
- Improve quality and lower risk via automation, measurement, and collaboration
- Focus on what is required for the change at hand, then scale



Development Life Cycle



	Planning	Source Dev		Governance/Unit test		Build
•	Define the tasks Create a plan Create a work item Assign the work item to a developer	 Load the project/source artifacts from SCM Navigate, Analyze, Edit, Syntax check source code 	•	Compile Quality assurance	0	Check-in/Deliver the source code Build
	CLM	RDz RTC		RDz RD&T		RTC RDz



Any process: Executable and repeatable

Use ONE tool to support both agile and non-agile











Variant



Variant







Work Items 🕶 Plans ∨ Source Control ∨ Build

Welcome to Work Items

Queries

Create Query


y My Queries

New Query Create Work Item

👺 Shared Queries


Multiple plan views facilitate continuous planning





Progress Tracking - Everyone can see live project status







In-context Collaboration - Team View



Team Central

- Shows what is happening on project:
 - News & events
 - What's being worked on
 - Changes
- Configurable (RSS feeds) New kinds of information easily added
- Personalized, Persistent Each team member can tailor to their needs





Development Life Cycle




Planning	Source Dev	Governance/Unit test	Build
Define the tasks Create a plan Create a work item Assign the work item to a developer	 Load the project/source artifacts from SCM Navigate, Analyze, Edit, Syntax check source code 	 Compile Quality assurance Debug Code Coverage Code review Unit Testing 	 Check-in/Deliver the source code Build
CLM	RDz RTC	RDz RD&T	RTC RDz





RDz Source Code Integration


- Rational's Strategic Source Code tooling is RTC and RDz provides tight integration
- RDz offers integration into a variety of other Source Code Management (SCM) tools as well as a framework for creating SCM integration on your own (CARMA)
- Variety of vendors supply plug-ins to RDz to provide easy access to processes and source code controlled by their products





Source Control Management









Load the source artifacts





RDz and RTC together

- Once the project is loaded, it will appear in the RDz z/OS projects view
- RDz augments the development productivity & experience
 - Appropriate editors (COBOL, maps, etc.) and functions (content assist, real time syntax check, etc.)
 - High value functions (Enterprise web services, SFM, Code review, Unit testing, program analysis/control flow etc.)






Create a Property Group



- Generate property groups for your project based on RTC build definition
- Allows RDz to resolve the dependencies and thus offer all the tooling




SHARE.

Navigate datasets and jobs live on zOS

- Connect to multiple hosts concurrently
- Respects existing security configurations and user IDs
- Search, filter, browse, edit, compare, migrate, and allocate new MVS datasets and USS files
- Copy source code, members, or datasets between systems with a few mouse clicks.
- Access JES queues submit jobs, view job state, and open output spools
- Submit TSO or USS commands
- Add datasets and members into projects to group applications and work items together logically
- Open an emulator in the IDE to configured hosts










- RDz at a high level has different types of editors
 - LPEX Editor
 - Supports editing of COBOL, PLI, HLASM, JCL, C/C++, Rexx etc.
 - Provides ISPF like edit experience including prefix commands, command line and even look and feel
 - Supports advanced edit functions for COBOL, PLI and HLASM like real time syntax checking, content assist



Line		Column 1			
	■ +-*3	-1-B+	2	-+3	
000027	*				
000028		****	* * * * * *	* * * * * * *	* * * * .
000029		********** DENTIFICA	TION D	IVISION	-
000030	1 I	ROGRAM-ID	. GAMO	VDB.	
000031	-				
000032	: I	ATA DIVIS	ION.		
000033	1				
000034	t T	ORKING-ST	ORAGE	SECTION	-
000035	•				
000036	•	OPY GAMOB	MD.		
000037		OPY GAMOB			
000038		OPY GAMOB			
000039	•	OPY GAMOB	CD.		
000040		OPY GAMOB			
000041		1 DATABAS		CTION.	
000042		49 SCHE			PI
000043		49 PIC	X VALU	E ' - ' -	
000044					
000045		1 ITABLEP		_	
000046				-LEN	
000047		49 ITAB	LE-VAR	-TXT	PIC 2
000048					
12		1 INVENTO		-	
000050				VALUE '	
000051				PIC X(
000052		O2 TABL	ENAME	PIC X(1	1).

- COBOL, PLI, and JCL advanced editors
 - Based on the Eclipse editor infrastructure, provide more advanced edit capabilities like quick fixes, hyperlinking, hover, easy navigation between various edit sessions or within the same edit session.
 - Supports real time syntax checking, content assist, key word highlighting etc





COBOL, PL/I and JCL Editor – the new default



- New workspaces created in RDz Next
 - New editors are the default
 - Single click switch to LPEX is available
- Old workspaces remain "as is"

Applicable to source and include/copybooks








COBOL, PL/I and JCL Editor improvements



Quick Outline

Press Ctrl+O to activate



```
evì GAM0PMM.pli ⊠
                  2 ERRMSSG
                                       CHARACTER(60).
   60
                  2 CALCLBUILD
                                       CHARACTER(1):
   61
   62
          EXEC SQL INCLUDE SQLCA;
  63
  64
          EXEC SOL DECLARE MAKECRSR CURSOR FOR
  65
                   SELECT DISTINCT MAKE
   66
                       FROM MAKE_MODEL;
   67
  68
          EXEC SQL DECLARE MODLCRSR CURSOR FOR
  69
                   SELECT MODEL FROM
   70
                        WHERE MAKE =
  71
                                        GAMOPMM: Procedure (COMMAREAPTR) optio
  72
          IF EIBCALEN ^= SIZE(WCOMMAR
                                             RecLength
  73
             EXEC CICS RETURN;
                                             SendLength
   74
   75
             WCOMMAREA = LCOMMAREA;
                                             COMMAREAPTR
  76
                                             %INCLUDE GAM0IMT;
   77
          IF CALCLBUILD = "Y" THEN
                                           78
             EXEC SQL CONNECT TO SAMP
                                           79
                                             EXEC SQL INCLUDE SQLCA:
   80
          IF MAKESELECTED = "Y" THEN

■ GETMAKES: PROCEDURE:

  81
   82
             EXEC SQL OPEN MODLCRSR;
                                               TEMPINDEX
  83
             CALL GETMODELS;
                                               ■ TEMPMAKE
  84
             EXEC SOL CLOSE MODLCRSR;
                                               EXITLOOP
  85
             END;


■ GETMODELS: PROCEDURE:

   86
          ELSE
  87
                                               ■ TEMPINDEX
             DO:
  88
             EXEC SQL OPEN MAKECRSR;
                                               TEMPMODEL
  89
             CALL GETMAKES;
                                               ₩ EXITLOOP
   90
             EXEC SQL CLOSE MAKECRSR
  91
             END:
  92
  93
          LCOMMAREA = WCOMMAREA;
   94
  95
          EXEC CICS RETURN;
  96
  97 ⊝
          GETMAKES: PROCEDURE:
   98
             Dcl TEMPINDEX
                                  DEC
                                  CHA
  99
                 TEMPMAKE
 100
             TEMPINDEX = 1;
 101
 102
             CALL PLIFILL(ADDR(TEMPMAKE), '00'X, SIZE(TEMPMAKE));
 103
 104
             Do Forever;
 105
                EXEC SOL FETCH MAKECRSR INTO :TEMPMAKE:
                if TEMPTHINEY > 20 | CODE A= 0 +box
```

Editor Productivity Features – real time syntax checking



Real-time syntax check without requiring code compile or save



JCL Editor Content Assist



Keyword syntax proposals

Press Ctrl+SPACE to activate

```
√ા *XSAM.jcl 🖂
     ----+----1----+----2----+----3----+----4----+---5----+---6----+---7--|-+----8
  1⊕ //USER93L JOB REGION=4M, CLASS=A,
  2 // TIME=(1),MSGCLASS=H,NOTIFY=&SYSUID,MSGLEVEL=(1,1)
  6⊕ //RUNSAM1 EXEC PGM=SAM1, REGION=4M,
  7 // PARM=('/TEST(,,,TCPIP&9.80.11.47%8001:*)',
  8 // 'ENVAR("EQA STARTUP KEY=CC"), RPTOPTS(ON)')
  9 //STEPLIB DD DSN=USER93.DEMO.LOAD, DISP=SHR
                DD DSN=EQAW.SEQAMOD, DISP=SHR
    //EQADEBUG DD DSN=USER93.DEMO.SYSDEBUG, DISP=SHR
     //CUSTFILE DD DSN=USER93.DEMO.SAMFILE,DISP=
    //SYSPRINT DD SYSOUT=*
                                                 <u>}</u>(
     //SYSOUT
                DD SYSOUT=*
                                                  λì,
     //CUSTRPT DD SYSOUT=*
     //CUSTOUT DD SYSOUT=*
                                                  ₩ MOD
 17⊖ //TRANFILE DD *
                                                  REW NEW
     *TRAN KEY
                                                  ₩ OLD
                                                  ₩ SHR
                        ADD
     UPDATE 07025A
                                   BALANCE
    UPDATE 11112A ADD
                                   BALANCE
 22 UPDATE 11204A
                        ADD
                                   ORDERS
                                              00
                                              00
 23 UPDATE 11204A
                          REPLACE ORDERS
 24 UPDATE 11204A
                          REPLACE BALANCE
                                              00
 25 UPDATE 11204A
                          REPLACE NAME
 26 DELETE 26620A
 27 /*
 28
                                                               Press 'CTRL+SPACE' to view Template Proposals
           TEST(,,,TCPIP&9.74.121.99%8001:)
```



JCL Editor improvements



JCL Outline shows all DDs

No longer only instream

Open actions allow Open, View, Browse

```
50 //STP0000 EXEC PROC=ELAXFCOC,

6  // CICS=,

7  // DB2=,


8  // COMP=,


9  // PARM.COBOL=('CICS Browse JCL Procedure

11  //COBOL.SYSPRINT DD DSN=USER93.TRAD.DEBUG.LISTING(ACCTOR)
```

Improvements for INCLUDE members

- Hover to see contents
- Open actions support
- Syntax check with Quick fixes







JCL Editor Symbolic resolution



Open Declaration (F3) on data set with Symbolic variables




Data set is Retrieved using specified value



Enhanced Application Quality & Structure Analysis -



- Application Analysis
 - Control flow diagrams for COBOL and PLI programs,
 - Graphical representation of the program flow with links to the source
 - Helps identify and highlight potential unreachable code





Enhanced Structure Analysis – Data Element Table

- S H A R E
- A table representation of the user-defined data items and symbols in a program
 - Hyperlinks in the table are integrated with the editor allowing easy access to the declaration of the data items.
- Generated by showing the "symbol table" generated when RDz real-time syntax check parses the program

Showing data elements from W	ARDRPT.cbl			Search				
Data Item Name:	Data Type:	Level:	Top-Level Item:	Declaration:	Initial Value:	Line	Reference count:	Full Declaration:
PATLISTEST-S-ID	Data	10	PATIENT-MASTER-REC	PIC X(08)		378	0	10 PATLISTEST-S-ID PIC X
PATMSTR	File Descriptor	0	PATMSTR			116	4	FD PATMSTR RECORD CO.
PATMSTR-FOUND	Data	88	FILE-STATUS-CODES			134	1	88 PATMSTR-FOUND VALUE "0
PATMSTR-KEY	Data	5	PATMSTR	PIC X(06)		120	2	05 PATMSTR-KEY PIC X(06).
PATMSTR-REC	Data	1	PATMSTR			119	1	01 PATMSTR-REC.
PATMSTR-STATUS	Data	5	FILE-STATUS-CODES	PIC X(2)		133	3	05 PATMSTR-STATUS PIC
PATPERSN	File Descriptor	0	PATPERSN			123	4	FD PATPERSN RECORD CO
PATPERSN-FOUND	Data	88	FILE-STATUS-CODES			136	1	88 PATPERSN-FOUND VALUE "
PATPERSN-KEY	Data	5	PATPERSN	PIC X(06)		127	2	05 PATPERSN-KEY PIC X(06).
PATPERSN-REC	Data	1	PATPERSN			126	2	01 PATPERSN-REC.
PATPERSN-STATUS	Data	5	FILE-STATUS-CODES	PIC X(2)		135	3	05 PATPERSN-STATUS PIC
PATSRCH	File Descriptor	0	PATSRCH			98	4	FD PATSRCH RECORDING
PAYMENT-METHOD-TYPE	Data	5	PATIENT-PERSONAL	PIC X(02)		313	0	05 PAYMENT-METHOD-TYPE
PEDIATRICS	Data	88	INPATIENT-DAILY-REC			157	0	88 PEDIATRICS VALUE "1010".


User Build from RDz




"User build", is supported both in zComponent projects and RDz remote z/OS projects

SHARE.

- Builds just one the single file selected, supports Error feedback
- Generates JCL based on the associated RTC Language definitions and Translators






Pending Changes



- If you want finer grained control on your SCM operations, then the Pending Changes view is for you
 - Check in, deliver, accept changes
 - Suspend, resume, discard changes
 - Replace, reload out-of-sync
 - Resolve conflicts
 - Open change sets and work items via the web client






Traceability: Check-in History



- Someone made a costly mistake merging and you want to understand exactly where the mistake was made
 - Problem: Traditional history commands & UI only show before/after & merge states for a change set ... it does not show intermediates
 - Solution: Use Check-in history in Eclipse, CLI or .NET clients



Development Life Cycle



Planning	

Source Dev

Governance/Unit test

Build

- **Define the tasks**
- Create a plan
- Create a work item
- Assign the work item to a developer
- Load the project/source artifacts from SCM
- Navigate, Analyze, Edit, Syntax check source code
- Compile
- Quality assurance
 - Debug
 - Code Coverage
 - Code review
 - Unit Testing

- Check-in/Deliver the source code
- Build

CLM

RDz RTC RDz RD&T RTC RTC RDz



Integrated Debugger



- RDz introduced a new feature called Integrated Debugger
- ✓ A GUI-based multi-platform, multi-language debugger
 - Full asynchronous mode
 - ✓ Thread-level control of multi-threaded applications
 - ✓ Automonitor support
- RDz v9.0.1 Supported:
 - ✓ COBOL V5.1, V4, V3.4
 - Batch, Batch IMS, Batch DB2, CICS 5.1, 4.2, 4.1
 - ✓ Interactive Code coverage Out of the box
- RDz 9.1 added support for:
 - ✓ PLI v4.x, v3.9
 - ✓ C/C++ V1R13, V2R1
 - ✓ IMS TM
 - DB2 Stored procedures



Integrated Debugger


SHARE

Host-offload architecture:

- Remote debugger with only a small footprint on the mainframe:
 - Leverages workstation CPUs enabling faster processing of debug information
 - Enables scalability and reliability
- Debugger client is supported on Windows and Linux

Simple and Secure Connections:

- Single client can handle multiple debug sessions of multiple hosts or an application the spans multiple systems
- Client initiated debug no need to specify client IP address and port (v9.0.1.2)
- ✓ SSL/TLS support







Debug Multiple Runtimes

- Use the cross-platform debugger to debug end-to-end systems as they execute in the runtime
 - CICS
 - Batch
 - Java
- From the workstation:
 - View executing source code
 - Step through host code line-by-line
 - Set breakpoints
 - Alter working storage values
 - Alter register values
 - Etc...
- Debug zOS and distributed code in the same interface even stepping between runtimes and platforms!
- Leverage Integration with IBM Debug Tool for other runtimes








Enhanced Application Quality – Code Coverage



- Line Level Code Coverage provides tools to measure and report on test coverage of an application
 - Leverages the Integrated Debugger technology

Indicating what source code lines were tested and remain to be

tested





```
Property-Group-1
                                                         VENKATU.COBOL.SYSDEBUG(SAM1).co
                  My Code Coverage Report (Oct 18, 2011 12:19:59 PM)
                                 PERFORM ZIU-PROCESS-ADD-IRAN
                            WHEN 'DELETE'
 376
                                PERFORM 220-PROCESS-DELETE-TRAN
                            WHEN OTHER
 378
                                 IF TRAN-COMMENT NOT = ' *'
 379
                                   MOVE 'INVALID TRAN CODE: ' TO ERR-MSG-DATA1
 380
                                   MOVE TRAN-CODE TO ERR-MSG-DATA2
 381
                                   PERFORM 299-REPORT-BAD-TRAN
 382
                                 END-IF
 383
                         END-EVALUATE
 384
                       EMD-TE
 385
                       MOVE TRAN-KEY TO WS-PREV-TRAN-KEY
 386
                       IF WS-TRAN-OK = 'Y'
                           PERFORM 830-REPORT-TRAN-PROCESSED
 387
 388
                       END-IF
                   END-IF .
 390
 391
 392
               200-PROCESS-UPDATE-TRAN.
 393
                   ADD +1 TO NUM-UPDATE-REQUESTS.
 394
                   PERFORM 720-POSITION-CUST-FILE.
 395
                   IF CUST-KEY NOT = TRAN-KEY OR WS-CUST-FILE-EOF = 'Y'
 396
                       MOVE 'NO MATCHING KEY:
                                                    ' TO ERR-MSG-DATA1
 397
                       MOVE TRAN-KEY TO ERR-MSG-DATA2
 398
                       PERFORM 299-REPORT-BAD-TRAN
 399
                   ELSE
  400
 401
                       Subroutine SAM2 will apply an update to a customer record
  402
  403
                       CALL 'SAM2' USING CUST-REC, TRANSACTION-RECORD,
  404
                                                WS-TRAN-OK, WS-TRAN-MSG
  405
                       IF WS-TRAN-OK NOT = 'Y'
  406
                           MOVE WS-TRAN-MSG TO ERR-MSG-DATA1
  407
                           MOVE SPACES
                                             TO ERR-MSG-DATA2
                           PERFORM 299-REPORT-BAD-TRAN
```

Enhanced Quality & Structure Analysis – Code review

S H A R E

- Code Review/Governance provides predefined rules and templates for COBOL and PL/I applications
 - Ensure adherence to corporate standards
 - Custom rules for COBOL and PL/I






zUnit – Unit testing framework for z/OS



- Frameworks that assist developers in writing code to perform repeatable, self-checking unit tests are collectively known as xUnit.
- xUnit defines a set of concepts that together provide a light-weight architecture for implementing unit testing frameworks.
 - JUnit, for example, is a very popular instance of the xUnit architecture.
- zUnit is a xUnit instance for System z
- Goal is to encourage the continuous integration and continuous testing methodology for System z Application development and maintenance



¹Language-specific details:

- In COBOL, this is the first program appearing in the Test Case source file and it will be invoked by the Test Runner for Test Case initialization.
- In PL/I, the is the procedure declared with option(fetchable) in the Test Case source file and it will be invoked by the Test Runner for Test Case initialization.

²Language-specific details:

- In COBOL, these are expected to be subprograms (non-nested and therefore compatible with FUNCTION-POINTER).
 - In PL/I, these are expected to be internal procedures that are declared at the



zUnit Capabilities

zUnit Test Runner



- Runs on z/OS
 - Installed and configured on z/OS as part of RDz Host install and customization
- Fetches and runs the Test Suite referred to in a zUnit configuration file
- zUnit Wizard used to generate Test Cases
 - RDz client feature
 - Eclipse based wizards allow creation of:
 - Template Test Cases are generated in COBOL or PL/I
 - Simple pass/fail assertion API

(RDz v9.1) Complete COBOL test cases:



- Identify the interface or set of copy book(s)
- Generate XML Schema to represent the interface
- Generate XML files where you would specify test input and expected output
- Generate a Test Case based on the XML file
- (Optionally) Generate stubs for called programs
- RDz viewers/editors for unit test XML results



Development Life Cycle



	Planning	Source Dev	Governance/Unit test	Build
• • •	Define the tasks Create a plan Create a work item Assign the work item to a developer	 Load the project/source artifacts from SCM Navigate, Analyze, Edit, Syntax check source code 	 Compile Quality assurance Debug Code Coverage Code review Unit Testing 	 Check-in/Deliver the source code Build
	CLM	RDz RTC	RDz RD&T RTC	RTC RDz




The big picture




- Dependency build runs on build machine. Source is loaded from Dev Stream and outputs are built in Dev Library.
- 2. Promotion build runs on build machine. Source is promoted from Dev Stream to Test Stream and build outputs are copied from Dev Library to Test Library.
- Package build runs on build machine. Test Library build outputs are archived in a package.

4. Deploy build runs on various test machines. Package is loaded to test machine




Dependency Build Summary





Snapshots for every build







Promotion



 Flow source code changes and build outputs through the development hierarchy





Outputs



Source

Summary



- Many companies spend more than 70% on keeping lights on, and that amount is increasing
- IT organizations have problems modifying applications at speed of business
- IBM provides a structured approach to incrementally modernize your portfolio based on business priorities
- Change without a plan is chaos
- A Plan without change is stagnation
- Business goals change
 - applications need to change to address them
- Continual renewal is required
 - tools help to guide, govern, drive, and accomplish this change



Getting started

S H A R E.

Next steps to modernize your enterprise applications

www.ibm.com/rational/modernization



- > Try latest System z software for free
- ➤ Sign up for free web-based training
- ➤ Join IBM Rational Cafe Communities
- ➤ Get prescriptive service solutions

- > Success stories
- Latest news on System z twitter
- > Latest customer videos
- ► Latest skills: System z job board







