



What's New in IBM Integration Bus

David Coles

*IBM Integration Bus Level 3 Technical Lead,
IBM Hursley – dcoles@uk.ibm.com*

10th August 2015

17888

#SHAREorg



SHARE is an independent volunteer-run information technology association that provides education, professional networking and industry influence.

Copyright (c) 2015 by SHARE Inc. Except where otherwise noted, this work is licensed under <http://creativecommons.org/licenses/by-nc-sa/3.0/>



Notices and Disclaimers



Copyright © 2015 by International Business Machines Corporation (IBM). No part of this document may be reproduced, stored, or transmitted in any form without written permission from IBM.

U.S. Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM.

Information in these presentations (including information relating to products that have not yet been announced by IBM) has been reviewed for accuracy as of the date of initial publication and could include unintentional technical or typographical errors. IBM shall have no responsibility to update this information. THIS DOCUMENT IS DISTRIBUTED "AS IS" WITHOUT ANY WARRANTY, EITHER EXPRESS OR IMPLIED. IN NO EVENT SHALL IBM BE LIABLE FOR ANY DAMAGE ARISING FROM THE USE OF THIS INFORMATION, INCLUDING BUT NOT LIMITED TO, LOSS OF DATA, BUSINESS INTERRUPTION, LOSS OF PROFIT OR LOSS OF OPPORTUNITY. IBM products and services are warranted according to the terms and conditions of the agreements under which they are provided.

Any statements regarding IBM's future direction, intent or product plans are subject to change or withdrawal without notice.

Performance data contained herein was generally obtained in a controlled, isolated environments. Customer examples are presented as illustrations of how those customers have used IBM products and the results they may have achieved. Actual performance, cost, savings or other results in other operating environments may vary.

References in this document to IBM products, programs, or services does not imply that IBM intends to make such products, programs or services available in all countries in which IBM operates or does business.

Workshops, sessions and associated materials may have been prepared by independent session speakers, and do not necessarily reflect the views of IBM. All materials and discussions are provided for informational purposes only, and are neither intended to, nor shall constitute legal or other guidance or advice to any individual participant or their specific situation.

It is the customer's responsibility to insure its own compliance with legal requirements and to obtain advice of competent legal counsel as to the identification and interpretation of any relevant laws and regulatory requirements that may affect the customer's business and any actions the customer may need to take to comply with such laws. IBM does not provide legal advice or represent or warrant that its services or products will ensure that the customer is in compliance with any law.

Complete your session evaluations online at www.SHARE.org/Orlando-Eval



Notices and Disclaimers (*continued*)



Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products in connection with this publication and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products. IBM does not warrant the quality of any third-party products, or the ability of any such third-party products to interoperate with IBM's products. IBM EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The provision of the information contained herein is not intended to, and does not, grant any right or license under any IBM patents, copyrights, trademarks or other intellectual property right.


- IBM, the IBM logo, ibm.com, Bluemix, Blueworks Live, CICS, Clearcase, DOORS®, Enterprise Document Management System™, Global Business Services®, Global Technology Services®, Information on Demand, ILOG, Maximo®, MQIntegrator®, MQSeries®, Netcool®, OMEGAMON, OpenPower, PureAnalytics™, PureApplication®, pureCluster™, PureCoverage®, PureData®, PureExperience®, PureFlex®, pureQuery®, pureScale®, PureSystems®, QRadar®, Rational®, Rhapsody®, SoDA, SPSS, StoredIQ, Tivoli®, Trusteer®, urban{code}®, Watson, WebSphere®, Worklight®, X-Force® and System z® Z/OS, are trademarks of International Business Machines Corporation, registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at: www.ibm.com/legal/copytrade.shtml.

Complete your session evaluations online at www.SHARE.org/Orlando-Eval



IBM Integration Bus Roadmap


IBM's plans, directions, and intent are subject to change or withdrawal



IBM Integration Bus 2015



IBM's plans, directions, and intent are subject to change or withdrawal



Complete your session evaluations online at www.SHARE.org/Orlando-Eval



Key Initiatives

- ### Cloud
- Deploy on AWS, Azure, SoftLayer
 - PureApp as a Service IIB Patterns
 - CHEF scripts
 - IIB Cloud Statement Of Direction



- ### Open & Developer focussed
- Built in Unit Testing
 - Integration Community
 - Connector Framework
 - GitHub Repos for Samples & Patterns



- ### Industry
- Healthcare
 - Retail
 - Manufacturing




- ### Platforms
- MQ Flexibility
 - Single Package install
 - Shared libraries
 - Built-in unit testing

- ### Visualizing, Analytics
- Web UI Enhancements
 - Policy
 - Analytics engine integration
 - Embedded ODM






- ### Data, Mobile, APIs
- REST APIs
 - SaaS Java Acript APIs
 - MQTT Connector
 - GDM Schemaless Mapping



Simplified Installation and Provisioning

- **Radically Simplified Packaging and Installation**
 - Full function, simple, single package install
 - Developer Operating Systems contain Toolkit and Server
 - Total size approx. 1.3 GB
 - Server Operating Systems contain only server
- **Other changes**
 - Full entitlement to MQ remains
 - MQ no longer packaged
 - **Default** queue manager for IB node for backwards compatibility




Name	Date modified	Type
common	22/09/2014 20:12	File folder
readmes	22/09/2014 20:13	File folder
server	22/09/2014 20:13	File folder
tools	22/09/2014 20:14	File folder
iib.cmd	11/09/2014 16:35	Windows Command Script



Radical Evolution of IIB Developer Experience



- **Patterns, Samples and Documentation**
 - These are now separately downloaded, as required
 - Allows in-version release of samples and patterns
 - Can be staged to local server
- **Built-in Unit Test Environment**
 - Developer tools have built-in unit test server
 - Fixed name of TESTNODE_<userid>
 - Started and stopped with tools
 - Can still test / deploy to manually created local and remote servers



A Broad range of supported platforms and operating environments






- **Broad range of operating system and hardware platforms supported**
 - AIX, Windows, z/OS, HP-UX, Linux on xSeries, pSeries, zSeries, Solaris (x86-64 & SPARC), Ubuntu
 - Optimized 64-bit support on all platforms, developer OS and server OS
 - 32 bit Windows and 32 bit Linux no longer supported
 - Express, Standard and Advanced editions make IIB applicable for all solutions and budgets
- **Virtual images for efficient utilization & simple provisioning**
 - Extensive support for virtualized environments, e.g. VMWare, AIX Hypervisor... any!
 - Pre-built images (Hypervisor editions) available on xLinux and AIX
 - Support for public and private clouds: Softlayer, Pure, non-IBM, RYO etc.
 - Chef scripts for automated building of flexible IIB images (see Github)
- **Technology components and pre-requisites**
 - Java 7.1 SR2 on all platforms
 - MQ is no longer required (depending on use case – see later slide)
 - MQ is still fully supported
 - MQ 7.1, MQ 7.5, MQ v8
- **Includes access to full range of industry standard databases and ERP systems**
 - DB2, Oracle, Sybase, SQL Server, Informix, solidDB
 - Open Driver Manager support enables new ODBC databases to be accessed
 - JDBC Type 4 for popular databases
 - SAP, Siebel, Peoplesoft, JDEdwards at no additional cost




Flexible MQ Topologies



- **Provide more flexible topology options for MQ access**
 - Many benefits include simplicity, scalability, availability & migration
 - Relationship evolves to the same as other resource managers – i.e. optional
 - Multiple Buses connected to a single Queue Manager
 - Corresponding updates for commands, CMP & Admin tools
- **Automated installation simplified**
 - MQ resources will not be installed at the same time
 - Reduces dependency management
 - Simplifies cloud-based installs
 - If MQ is installed, then IIB will detect this and configure appropriately
- **IB now supports Local and Remote queue managers**
 - Allows IB to be remote from its queue manager
 - Works with single MQ IB support to further simplify MQ topology
 - Many other internal features within IB can exploit this flexibility
- **Many MQ Node related Enhancements**
 - Input node to support both local & remote queue managers
 - Includes easy-change policy based control of sources
 - Also applies to MQGet and MQOutput/MQReply nodes
- **When a queue manager is not available...**
 - Connection management and retry



MQ Nodes, MQ Policy and MQ Changes!



The image shows two overlapping windows from an IBM MQ console. The top window is titled "MQ Output Node Properties - MQ Output" and displays configuration for an output node. The bottom window is titled "*Policy Editor" and shows the configuration for an MQ Policy.

Category	Property	Value
Basic	Connection*	MQ client connection properties
	Destination queue manager name	localhost
MQ Connection	Queue manager host name	QM2
	Listener port number	14142
Advanced	Channel name	SYSTEM.DEF.SVRCONN

Property	Value
Connection*:	MQ client connection properties
Queue Manager Name:	localhost
Queue Manager Host Name:	QM2
Listener Port Number:	14142
Channel Name:	SYSTEM.DEF.SVRCONN
Security Identity:	
Use SSL:	<input type="checkbox"/>
SSL Peer Name:	
SSL Cipher Specification:	

[Save](#)

Policy in the IIB Web UI



localhost:4414/#messageFlow/2/executiongroups/default/applications/MQTest/messageflows/MQRequestReply

IBM Integration Welcome, Default IBM

Edit Operational Policy - MQEndpoint : PolicyQM2

Use a policy to control the operational behavior of a message flow node at run time.

Policy URL	<input type="text" value="/apiv1/policy/MQEndpoint/PolicyQM2"/>
Connection	<input type="text" value="MQ client connection properties"/>
Queue manager name	<input type="text" value="localhost"/>
Queue manager host name	<input type="text" value="QM2"/>
Listener port number	<input type="text" value="14142"/>
Channel name	<input type="text" value="SYSTEM.DEF.SVRCONN"/>
CCDT file URL	<input type="text"/>

Save Save As Cancel

MQ – Other Important Considerations



Administration and Security


- IIBv9 relies on access Control Lists held as permissions on MQ queue objects
- IIBv10 will offer a file-based equivalent out of the box
- `mqsichangeauthmode` command to select queue or file based

Publish Subscribe

- Alternative embedded MQTT based capability
- Still publish to a default queue manager via MQ if provided
- No extra install or moving parts required
- Resource Statistics continue to work without MQ

IIB Integration API

- Admin interface changed to use Web Sockets, not MQ
- New Java class for describing the connection
- Web admin port provides single entry point, consolidated security model



High Availability

- An Integration Node can be controlled as an MQ Service
- More Active/Active architectures now Node and Queue Manager link no longer required



Transactionality

- IIB can manage transactions, or use MQ to provide two-phase (XA) coordination
- IIB managed transactions will continue to support all resource managers
- Global 2PC provided by MQ (distributed) will continue to be supported.
- Coordinating Queue Manager must be local, and designated as the only MQ resource


Some WebSphere MQ uses still remain

- Record & Replay
- EDA nodes
- Script provided to optionally create required MQ objects




Web UI Administration Improvements

- **IIB Web UI becomes the primary means of runtime administration**
 - Browser approach is lightweight and universal
 - Integration Bus Explorer no longer provided as part of IIBv10
- **Programmatic intervention using public Java and REST APIs**
- **Integration Bus Explorer admin capabilities re-located**
 - Policy Set configuration moved to the IIB Toolkit
 - Export Port Configuration for external HTTP listeners in Web UI
 - Integration Server Create, Rename and Delete added to Web UI
 - BAR file deployment added to Web UI




The screenshot displays the IBM Integration Web UI interface. On the left, a tree view shows 'Integration Nodes' with 'TESTNODE_gb043390' selected. A context menu is open over this node, listing actions: 'New Integration Server', 'Stop', 'Refresh', 'Change', 'Delete', 'Start Web User Interface', and 'Open Policy Sets'. A 'Deploy' dialog box is also visible, prompting to 'Select a BAR to deploy' and showing fields for 'BAR file:' and 'Overrides file:'. The main content area shows a navigation menu with 'Servers', 'Operational Policy', 'Data', 'Security', 'Monitoring', and 'Business'. A context menu is open over the 'TESTNODE_gb043390' node in this area, listing options: 'Filter Options...', 'Export Port Configuration as Websphere Application Server Plugin', and 'Export Port Configuration as mod_proxy Module'. The top right shows a browser address bar with 'localhost:4414/#adminLog/0/monitoring/adminlog'. The 'Admin Log' section is visible, showing a table with columns 'message' and 'source', containing an entry: 'BIP2871I Administration Request'.

Unit Test and Regression Test




- **Improved Facilities for Unit Test and Regression Test**

- Simple to understand
- Fix and re-factor behaviour during development
- Use to verify flow behaviours and migration
- Continuous Integration with regression test
- Invoke using Toolkit or via REST / JSON API




- **Client and direct injection options**

- Import, view and edit test data
- Inject messages over transports
- Capture mock inputs for later replay
- .ibtest client still supported but hidden
- Build regression suites from test cases




- **Observe captured data paths**

- Move back and forth (unlike real-time visual debuggers)
- View all parts of the Message Assembly
- Select from multiple injected messages in single data capture session




- **Exploits REST/JSON API**

- Initial experience is developer toolkit
- APIs are foundational for bulk operations
- Tools Integration with Jenkins, Maven, Ant etc
- View, start and stop data recording using Integration Nodes view



Unit Test and Regression Test



The screenshot displays the IBM WebSphere Integration Developer interface. On the left is a palette with various connectors and adapters. The main workspace shows a MessageFlow diagram with three components: HTTP Input, Mapping, and HTTP Reply. A 'Recorded Message' dialog is open, showing a tree view of the message structure. A 'Save Input Message' dialog is also open, with the 'Mock Input Name' field set to 'RecordedMessage'.

MessageFlow

HTTP Input Mapping HTTP Reply

Recorded Message

Goto 1


- Environment
- Local Environment
- Exception List
- Message
 - <message>
 - <Properties>
 - </Properties>
 - <HTTPInputHeader>
 - </HTTPInputHeader>
 - <XMLNSC>
 - <tns:InputMessage>
 - <tns:InputField>Hello World</tns:InputField>
 - </tns:InputMessage>
 - </XMLNSC>
 - </message>

Save Input Message




Mock Input Name: RecordedMessage

OK Cancel

Shared Libraries



- **Apps / Libs were major features introduced in V8 and V9**
 - Enhanced to fulfil most popular user requests
 - Libraries can now be shared across multiple applications for a broad range of assets
 - Sub-flows are now independent artefacts, significant storage reduction, consistency
- **Shared Libraries**
 - Libraries can now be referenced by one or more applications
 - Libraries deployed independently of applications – “shared”!
 - Applications will not get “own copy”
 - Libraries can still reference other libraries
 - Shared Library is the default library type
 - Assets in multiple libraries within application are shared
 - Notably schemas, also Maps, ESQL, Java etc.
- **Shared Library Restrictions**
 - Subflows but not message flows are allowed in shared libraries, other minor subflow restrictions
 - Minor restrictions for ESQL (e.g. empty schema)
 - Application hosted schemas cannot import or include schemas from shared libraries.
 - Java classes in shared libraries are in separate classloaders (unless one shared library references another shared library)



IBM Integration Bus Cloud Options




▪ Infrastructure as a Service (IaaS)



– Most basic layer of cloud, equivalent to logical hardware layer.

- For privately-managed clouds, WMBv8 and IIBv9 Hypervisor images (RHEL and AIX)
- Chef is an open source Opscode project (<http://docs.opscode.com/>)
- Cookbooks can compose VMs from multiple recipes. Wide variety of OS.
- IIBv9 Chef recipe script published on Github defining install, config and setup
- Urban Code Deploy plugin available for cloud IIB configuration




▪ Platform as a Service (PaaS) / Integration Platform as a Service (IPaaS)



- Application Centric view, equivalent to operating system for Cloud.
- Avoids the cost and complexity of buying and managing the underlying hardware, software, provisioning and hosting.

- IIB images running in IBM PureApplication on SoftLayer provide a PaaS possibility
- Special BYOSL deal in place for running IIB on a Microsoft Azure or AWS cloud

- IBM has also made an IIB Cloud Statement of Direction
- Launched from IBM Cloud Marketplace
- IIB Cloud will provide IBM-managed nodes.
- Single-tenant / Multi-tenant, IIB in a Docker container
- Develop, deploy and administer using existing IIB Toolkit



IBM Integration Bus Cloud - Beta Program



Program Details

Client facing IBMers are invited to nominate customers and partners to take part in an early program for **IBM Integration Bus Cloud**

IBM Integration Bus Cloud extends the reach of IBM's successful integration product to cloud environments.

The primary objective of this beta program is to solicit client feedback in the design and early implementation stages of product development. Early feedback enables changes and adjustments to be made to the proposed designs, reflecting the consolidated feedback of program participants.



Enrollment Process

Participants will receive access to beta code systems, appropriate education, and support. In return, they will be expected to provide feedback, e.g. through a support forum, surveys and 1-1 calls. In addition, there will be the opportunity to directly influence the future direction of this offering through design review sessions.

All customer nominations will be considered and if successful will require acceptance of a legal agreement (presented on a program specific web site where the authenticated customer must "click to agree").



BetaWorks Announcement
IBM Integration Bus Cloud Early Program


Using IIB to provide a REST API

- **Introducing IIB's new REST API first class construct**
 - Provides a simple way to receive JSON / HTTP and expose a REST API
 - Create a new REST API in the IIB Toolkit
 - Drag and drop the REST API to deploy
 - Administer REST APIs as a first class IIB construct in the Web UI




HTTP Input

- **REST API project**
 - Swagger spec provides a framework implementation for describing, producing, consuming, and visualizing RESTful APIs
 - It defines a metadata format based on JSON-schema to describe the REST APIs, their parameters and the messages which are exchanged.
 - Import Swagger (v2.0) to create the REST API project
 - Original .json files are included (unchanged) in the project
 - REST APIs can utilise Path, Header, and Query parameters
 - As a client of an IIB REST API, use existing Swagger tools and projects to retrieve Swagger definitions from IIB



IIB REST API Project

- REST API descriptor shows operations
- Generated top-level message flow contains HTTP Input node (uses Integration server listener)
- HTTP Input configured with routing table based on HTTP method and URL
- Clicking each operation nickname generates an associated IIB subflow
- Error handler links also created for HTTP Timeout, Failure and Catch
- After creation add references to shared libs (or static libs) to aid subflow implementation




```
// Get the Swagger 1.2 API provider.
ApiProviderFactory apf = ApiProviderFactory.instance();
ApiProvider ap = apf.get("swagger_12");

// Use it to load the API definitions from the sample Petstore application.
Api api = ap.load(URI.create("http://petstore.swagger.wordnik.com/api/api-docs"));

// Create a new REST API.
RestApi restApi = new RestApi("myapi");

// Set the API definitions for the REST API.
restApi.setApi(api);

// Implement the addPet operation.
MessageFlow addPet = restApi.implementOperation("addPet");
PassthroughNode node = new PassthroughNode();
addPet.addNode(node);
addPet.connect(((InputNode) addPet.getNodeByName("Input")).OUTPUT_TERMINAL_OUT, node.INPUT_TERMINAL_IN);
addPet.connect(node.OUTPUT_TERMINAL_OUT, ((OutputNode) addPet.getNodeByName("Output")).INPUT_TERMINAL_IN);
```



Query Parameters	Required?
status	No

▶ /pet/findByTag


▶ /pet/{petId}

▶ /pet/{petId}/uploadImage

▶ /store/inventory

The Connector Framework

- **Services and events are everywhere!**
 - Allow different systems to have their input and outputs defined as services, events & documents
 - e.g. database, MQ, SAP, CICS, mobile, machine devices, sockets...
- **Integrating endpoint systems involves three key processes**
 - Discovery: Understand & capture the end system inputs and outputs
 - Exchange: Send data to and from these systems, using event, service, document metaphor
 - Policy: Control behaviour dynamically
- **Connector Framework**
 - Simplifies application connector development and restructures UDN development to be endpoint-centric rather than IIB-centric



MQTT



MQTTPublish Node Properties - MQTT Publish

Description	
Basic	Client ID* Client001
Validation	Topic name* Topic001
Policy	Host name* BenLaptop
Monitoring	Port* 1883
	Quality of service 0 - At most once

MQTTPublish Node Properties - MQTT Publish

Description: Use a policy to control the operational behavior of the node at run time. By default, the properties defined on the node in the Integration Studio are used to determine the deployment settings at run time. [More...](#)

Policy Policy URL

Integration Nodes Integration Registries

- Integration Registries
 - Integration Registry on TESTNODE_bthomps
 - Policies
 - MQTTPublish/MQTTPublishNodePolicy001
 - Services

- **MQTT Connectors**
 - Easy to use input and output connectors to MQTT servers
 - Uses open framework for platform independent connectors
 - Source freely available on Github website under flexible Eclipse Public License
 - Delivered into and supported by IIB as appropriate
- **Design, Deploy and Operational Policy**
 - Certain node properties form policy
 - E.g. connection details, host, userid, topic etc.
 - Generate Policy from node properties
 - Store as document with URL
 - Save in Eclipse, IB registry
 - Operationalize via Web UI and Commands

Save

Policy name: MQTTPublishNodePolicy001

Save to Integration Registry

[Configure host name and port by selecting the integration node.](#)



Integration node:
Host name: localhost
Port: 4414

Policy URL: /apiv1/policy/MQTTPublish/policy01

Attach the generated policy to the node

SaaS JavaScript API

- **Web APIs are popular technology for simplified access to integration**
 - Particular applicability in mobile, browsers, and node.js program scenarios
 - New feature allows Integration Bus service to be invoked via Web API
 - Builds on existing IB mobile features and service definitions
- **Start from new or existing service**
 - Design the IB service, creating API is single click
 - REST/JSON binding generated automatically
 - JavaScript client, documentation likewise
- **Access JavaScript and documentation from URL**
 - Point browser at IB node to retrieve assets!
 - Can program via HTTP GET if required



SaaS JavaScript API



SHARE
Educate · Network · Influence

← → ↻ localhost:7800/BenService1?resource=javascript.html

Integration Service: BenService1

Invoke using JavaScript Client API

Instructions

1. Set up the JavaScript client environment
2. Install the npm dojo package using 'npm install dojo' (only if you are developing in a Node.js environment)
3. Download the BenService1.js file
4. Write a JavaScript application which calls the integration service JavaScript methods

File

[BenService1.js](#) - JavaScript method(s) for this integration service

Method: IBMIntegration.BenService1.operation1()

Description

None.

Input

input1 : string

Output

output1 : string

Coding Example

```
/* Uncomment these lines if you are developing in a Node.js environment.

require("http");
require("./BenService1");

IBMIntegration.BenService1.IBMContext.hostname = "localhost";
IBMIntegration.BenService1.IBMContext.port     = 7800;

*/


/* Uncomment these lines and put them in the <head> element of your HTML if you are developing in a browser environment.

<script type="text/javascript" src="/BenService1?resource=dojo.js"></script>
```

DFDL and Data Enhancements






- **Continuing to keep up with standards DFDL 1.1 and beyond**
 - Wide IBM adoption strategy, and beyond
 - DFDL re-distributable library, including developer edition
- **Seeding commercial and scientific Formats via GitHub**
 - Provided with public license for use on any DFDL implementation
 - Can be used within application with DFDL libraries
 - Included in Industry Packs as standard
 - Includes TLOG 4690, ISO8583 (1987), ISO8583 (1993), NACHA, HL7v2.x, more coming soon
- **DFDL Functional Enhancements**
 - Unordered sequences
 - Direct dispatch choices (needed for SWIFT)
 - `dfdl:occursCountKind 'parsed'`
 - More XPath & DFDL functions
 - Asserts on recoverable exceptions
 - Improved refactoring support in the DFDL editor
 - DFDL Model Editor Copy / Paste support
 - Improved validation of DFDL schema
 - Incorporation of DFDL 1.0 revised spec into Infocenter
- **Extended Performance**
 - DFDL already 2x faster than MRM, objective to improve further



Schema-less Graphical Data Mapping



- **GDM is now embedded in a wide range of IBM tools**
 - InfoSphere MDM, RAD, RSA, IBM Integration Bus
 - IBM Integration Designer, Rational Software Architect
 - Default transformation tool for IB; investment priority
 - Combination of power, performance, ease-of-use
- **“Schema-less” Mapping**
 - Allows Mapper to be used for arbitrary data structures
 - Intention to map SQL functionality wrt user structures
 - Philosophy is to allow user to create schemas dynamically, and easily, inline!
 - Benefits are easy schema creation and reuse
 - Initial focus includes
 - LocalEnvironment, xs:any
- **JSON mapping**
 - JSON is typically schema-less (will consider JSON schemas for future)



Schema-less Graphical Data Mapping


The screenshot shows a graphical data mapping interface. On the left, a 'Message1' assembly contains 'Properties' (PropertiesType), 'Message1' (Message1Type), 'Field1' (string), and 'Field2' (string). On the right, a 'JSON' assembly contains 'Properties' (PropertiesType), 'JSON' (JSON_Msg_type), 'Padding' (string), 'Data' (<Anonymous>), 'choice of cast items', 'any', 'element1' (string), 'element2' (string), and 'Item' (string). An 'Overrides' block is positioned between them, containing three 'Assign' actions and one 'For each' action. A detailed view of the 'For each' action shows 'Field2' (string) being mapped to 'Item' (string). A dropdown menu is open, showing a list of data types: boolean, date, dateTime, decimal, double, duration, float, hexBinary, int, long, string, time, and JSON Array.

```
<Message1>
  <Field1>FirstItem</Field1>
  <Field2>A</Field2>
  <Field2>B</Field2>
  <Field2>C</Field2>
</Message1>
```





```
{"element1": "FirstItem", "element2": ["A", "B", "C"]}
```

Applying Analytics to in-flight data





- **Analytics node for model based decision making**
 - Find & express patterns in data with analytics models
 - Analytics equivalent to Business Decision node
 - Pluggable engine for e.g. R, SPSS, SAS...
 - 2 key scenarios are “model score” and “model trend”
 - e.g. %buy additional item, SKU lower than expected
- **Define the model in tools**
 - This is a high value skill; understand & express behaviour
 - Use historic dataset; this is typically offline scenario
 - Both built-in tooling and external model import/reference
- **Deploy/Change the Model**
 - Model is encoded into integration flow logic
 - Deployed with integration solution
 - Analytics policy for dynamic change without redeploy
 - Optionally packaged as part of Shared Library Support
- **Using the model in real time**
 - Act on these models in integration flow
 - Scoring: Synchronous use of model score real-time data
 - Observing: Compare models in real-time for divergence
- **Key, related considerations**
 - Shared Libraries required with dynamic linkage
 - All Applications using library “see” re-deploy



Analytics node

- As data flows through the enterprise, IIB has visibility to score it against a predictive model
- **Data Scientist Role**
 - Prepares a model based on an analytics engine.
 - For example R, SPSS, SAS
- **Integration Developer Role**
 - Formats a data stream and applies it to a model
- **Analytics Node**
 - R Scalar variable types: double, integer, character (string), logical (Boolean)
 - Data frames can be considered like database tables, consisting of labelled and typed columns and unlimited rows
- **Configuration of input and output parameters**
 - XPath expressions point to locations in the input and output trees
 - Direction of Parameter allows a single properties table to control tree copying and return results from the scoring process



Description	
Basic	Rserve server* localhost:6311
R data Variables	RData file C:\student10\Analytics\RWork\employeedata.RData
Connection Pool	Connect script C:\student10\Analytics\RWork\RnodeInit.r
Exam Monitoring	Evaluate script* C:\student10\Analytics\RWork\RnodeEvaluate.r
Exam	Disconnect script C:\student10\Analytics\RWork\RnodeDisconnect.r

ON
ON/WEIGHT
ON/HEIGHT



Open Technologies for Integration

<http://ot4i.github.io>

WESB to IIB Conversion

- **Preserves structural wiring between primitives of a mediation flow**
 - IIBv9 and IIBv10 landing points. No minimum version requirement for WESB source assets
- **Expanded functional coverage**
 - Subflow encapsulation for Import and Export binding logic
 - Convert multiple exports with any binding
 - Convert multiple synchronous imports with any binding
 - Convert multiple connected mediation components with multiple interfaces
 - Built-in converters for mid flow primitives (25/30) where natural equivalents exist
 - Subflow conversion
 - Data Handlers
 - Java code conversion

1. Select WebSphere ESB projects 2. Configure WebSphere ESB resource options 3. Configure


Configure global conversion options. Add extensions for those resources for which you want to use your own

Conversion Result
Specify how the conversion result should be recorded.

Merge new conversion results with the results from previous runs of this conversion session

Mediation Primitive Converters
Each mediation primitive will be converted to a message flow node or subflow. You can supply your own mediation primitive to see information on its usage analysis.

Mediation Primitive	Convert to	Usage	
InputResponse	Reply (for example SOAPReply)	StockQuote_MediationFlow.component	
MessageElementSetter	JavaCompute	StockQuote_MediationFlow.component	Built-in converter
MessageFilter	Route	StockQuote_MediationFlow.component	Built-in converter
MessageLogger	Subflow placeholder	StockQuote_MediationFlow.component	Placeholder converter
XSLTransformation	Map	StockQuote_MediationFlow.component	Built-in converter




IIB Industry Packs




■ IIB Healthcare Pack

- Web User Interface for Clinical App monitoring and operational views
- HL7 Transformation Pattern to generate data maps and ESQ
- HL7 Error handling enhancements
- Home Health Pattern generates flows to support a WAN interface with SOAP/HTTP interface using the IHE “CommunicatePCDDData” WSDL
- HIPAA DFDL model
- PIX PDQ IHE pattern, FHIR mappings XML <-> JSON




■ IIB Manufacturing Pack

- OSIsoft PI Server Input and Read nodes
- OPC DA Read and Output nodes
- OPC Unified Architecture Input and Read nodes
- MQTT Publish and Subscribe nodes
- Factory Publication pattern
- Web-based interface to provide operational views of data published from plant and machinery



■ IIB Retail Pack






- Integration of WebSphere Commerce with Sterling Order Management
- TLog to POSLog pattern for real-time data feeds from PoS to Enterprise
- POSLog as canonical feed
- ARTS Operational Data Model integration
- Web User Interface for real-time revenue tracking (PoS and store location breakdowns) and operational views



File, Database, Security and ESQL Enhancements



- Microsoft SQLServer support is added for Record & Replay databases
- ESQL memory usage has been significantly reduced for deployable ESQL which contains heavy usage of DECLARE and FieldReference.
- Compute node has been extended to a single Compute node to interact with multiple different databases *of different types*
- Resequence node Failure Retry mechanism added for Store & Forward use cases
- Integrated Windows Authentication
 - Configure HTTP and SOAP nodes to use the transport-level security protocols NT Lan Manager (NTLM), Kerberos, and Simple and Protected Negotiation (SPNEGO).
- SSL and Kerberos support for connections to SQLServer
- SQLServer 2014 support on Windows is added to the Statement of Environment
- (S)FTP support has been added to the FileRead node
 - FileRead extended to match FileInput and FileOutput and provide remote transfer of files into IIB via FTP and SFTP
- mqsireportdbparms



Integration Bus Summary



- **V10 Development**
 - Builds on the continued success of V7, V8, V9 major engineering releases
 - Key Initiatives
 - Develop To Deploy, Platforms (including MQ Flexible Topologies),
 - Connectors, Policy, Data, Transformation, and Industry
 - Content heavily influenced by user requirements, participation and feedback

- **Diverse Connectivity Requirements**
 - Simple & Productive to make connectivity easy and powerful
 - Universal & Independent to connect everything you need in the way you want to manage it
 - Industry Specific & Relevant to help solve business problems
 - Managed & Dynamic, Intelligent to create flexible solutions for changed, control and insight
 - High Performing & Scalable to maximize hardware and grow with you

- **IBM Integration Bus**
 - Unparalleled range of connectivity options and capabilities
 - Services, Events, Documents & Ad-hoc integration
 - Supports users' range of experience & needs
 - Industry leading performance in a broad range of scenarios

Complete your session evaluations online at www.SHARE.org/Orlando-Eval



Questions?





Complete your session evaluations online at www.SHARE.org/Orlando-Eval



This was session 17888 - The rest of the week



	Monday	Tuesday	Wednesday	Thursday	Friday
08:30			MQ for z/OS, Using and Abusing New Hardware and the New v8 Features	Nobody Uses Files Any More Do They? New Technologies for Old Technology, File Processing in MQ MFT and IIB	Monitoring and Auditing MQ Securing MQ Initiated CICS Workload
10:00	Introduction to MQ - Can MQ Really Make My Life Easier?	MQ for z/OS: The Insider Story	IBM Integration Bus MQ Flexibility	Common Problems and Problem Determination for MQ z/OS	IBM MQ and IBM Integration Bus - from Migration and Maintenance to Continuous Enhancements, How and Why to Stay Current
11:15	Introduction to IBM Integration Bus on z/OS	Introduction to the New MQ Appliance	MQ V8 Hands-on Labs! MQ V8 with CICS and COBOL! MQ SMF Labs!		
12:15					
1:45	What's New in the Messaging Family - MQ v8 and More		Getting Started with Performance of MQ on z/OS	IBM MQ: Are z/OS & Distributed Platforms Like Oil & Water?	
3:15	What's New in IBM Integration Bus	Live!: End to End Security of My Queue Manager on z/OS Application Programming with MQ Verbs	Digging into the MQ SMF Data	MQ Parallel Sysplex Exploitation, Getting the Best Availability from MQ on z/OS by Using Shared Queues	
4:30	MQ Security: New v8 Features Deep Dive	Live!: What's the Cloud Going to Do to My MQ Network? The Do's and Don'ts of IBM Integration Bus Performance	Giving It the Beans: Using IBM MQ as the Messaging Provider for JEE Applications in IBM WebSphere Application Server		



NEW MQ Labs!



- Wednesday August 12 @ 11:15 in the Dolphin Room Asia 5
 - The Dolphin is not the Hursley pub but the Orlando Hotel
- The MQ project including the developers will be there for Q&A as well
- YOU have the opportunity to be the test subjects for two NEW MQ labs:
 - Developing and Deploying JMS Enabled CICS Applications
 - Explore this brand new feature of MQ and CICS
 - Introduction to Channel Authorization on z/OS
 - You too can keep BOGUS clients off your queue manager
- In addition all the ‘regular’ MQ V8 and V7.1 labs are available if you want to try things out!

Complete your session evaluations online at www.SHARE.org/Orlando-Eval

